ATTACHMENT A: Effectiveness of Care Measures

	DOM Performance Measure	Relevant HEDIS Measure(s)	HEDIS 2010 Benchmark: <i>50th</i> <i>Percentile</i> ¹				
Effec	Effectiveness of Care Measures						
1.	BMI for adults	Adult BMI Assessment (ABA)	35.28%				
	Percentage of members who had an outpatient visit and their body mass index (BMI) documented during the measurement period						
2.	BMI, weight assessment for nutrition and physical activity counseling for children and adolescents Percentage of members who had an outpatient visit with a PCP or OB/GYN and who had evidence of BMI percentile documentation, counseling for nutrition and counseling for physical activity during the measurement year (BMI Percentile Total)	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – <i>BMI percentile</i> (<i>Total</i>)	29.44%				
		Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – Counseling for Nutrition (Total)	46.23%				
		Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – Counseling for Physical Activity (Total)	35.58%				
3.	Use of appropriate medications for people with asthma Percentage of members age 5-11 and 12-50 who were identified as having persistent asthma and who were appropriately prescribed medication during the measurement year	Use of Appropriate Medications for People with Asthma - Total (ASM)	88.57%				
4.	Asthma education and counseling Percentage of members with asthma who received	N/A – see monthly Management	DOM Target:				

¹ HEDIS 2010 benchmarks represent calendar year 2009 performance reported by Medicaid health plans to NCQA in 2010. The 50th percentile benchmarks are an indicator that half of the health plans performed above the benchmark rates and half had rates below the benchmark rates.

	DOM Performance Measure	Relevant HEDIS Measure(s)	HEDIS 2010 Benchmark: <i>50th</i> <i>Percentile</i> ¹
	education/counseling (e.g. mailings, pamphlets, etc.)	Report	85 - 90%
5.	Lead Screening for Children Percentage of children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning by their second birthday	Lead Screening in Children (LSC)	71.62%
6.	Childhood Immunizations Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three H influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); two hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.	Childhood Immunization Status – Combo 2 (CIS) *Note: The HEDIS measure calculates a rate for each vaccine and nine separate combination rates. This sample HEDIS measure uses Combo 2, which is a combination of vaccines.	76.64% (HEDIS) DOM Contract Requirement: Immunization rate of 90 percent ²
7.	Dialysis for diabetics Percentage of members with diabetes who received a nephropathy screening test	Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	77.70%
8.	Cholesterol screening for diabetics Percentage of members with diabetes who received a LDL-C screening test	Comprehensive Diabetes Care (CDC) - LDL Screening	75.36%
9.	Cholesterol control for diabetics Percentage of members 18 through 75 years of age with diabetes mellitus (Type 1 and Type 2) whose most recent low-density lipoprotein cholesterol (LDL-C) level is less than 100 mg/dL	Comprehensive Diabetes Care (CDC) - LDL Poor Control (<100 mg/dL)	33.57%

² Penalties apply for renewal contract periods only. Achievement of less than 85% screening and 90% immunization rate will require a refund of \$100 per Enrollee for all Enrollees under age 12 months. Also see Performance Measure for EPSDT screenings.

	DOM Performance Measure	Relevant HEDIS Measure(s)	HEDIS 2010 Benchmark: <i>50th</i> <i>Percentile</i> ¹
10.	Blood sugar poorly controlled in people with diabetes Percentage of members with HbA1c results greater than or equal to 9.0 percent	Comprehensive Diabetes Care (CDC) - HbA1c Poor Control (>9.0%) *Note: Lower rates are desired for this measure.	43.23%
11.	Blood sugar well-controlled in people with diabetes Percentage of members with HbA1c results less than or equal to 8.0 percent	Comprehensive Diabetes Care (CDC) – HbA1c Good Control (<8.0%)	46.55%
12.	Ace inhibitor therapy Percentage of members 18 and older on persistent medications (ACE inhibitors) for at least 180 days who received at least one annual monitoring	Annual Monitoring for Patients on Persistent Medications (MPM)	84.10%
13.	Hemophilia Percentage of members being treated for hemophilia who received at least an annual monitoring	N/A – see monthly Management Report	DOM Target: 85 – 90%
14.	EPSDT Screening Percentage of children age one or under the age of one who received a Periodic Health Screening Assessment	Quarterly 416 Report	DOM Target: Screening rate of 85 percent. For a child enrolled from birth through 12 months, EPSDT periodicity schedule dictates 6 screens ³

_

³ Penalties apply for renewal contract periods only. Achievement of less than 85% screening and 90% immunization rate will require a refund of \$100 per Enrollee for all Enrollees under age 12 months. Also see Performance Measure for Childhood Immunizations.