

Attachment 4: 2015 Mississippi CHIP Performance Measures

Note: All measures are from the 2014 Core Set of Children's Health Care Quality Measures for Medicaid and CHIP. CCOs must follow the appropriate Technical Specification and Resource Manual issued by CMS.

Item	Measure Name	Abbreviation	Description	MS CHIP Target for CY 2015
ADHD				
1	Follow-Up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) Medication	ADD	Percentage of children newly prescribed ADHD medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days from the time the first ADHD medication was dispensed, including two rates:	
			<i>Initiation Phase</i>	45.00%
			<i>Continuation and Maintenance Phase</i>	61.00%
Asthma				
2	Medication Management for People with Asthma	MMA	Percentage of children ages 5 to 20 who were identified as having persistent asthma and were dispensed appropriate medications that they remained on during the treatment period:	
			<i>At least 50% of treatment period</i>	
			<i>5-11</i>	57.72%
			<i>12-18</i>	24.10%
			<i>Total</i>	40.96%
			<i>At least 75% of treatment period</i>	
			<i>5-11</i>	55.70%
			<i>12-18</i>	35.45%
<i>Total</i>	45.57%			
Well-Child and EPSDT				
3	Adolescent Well-Care Visit	AWC	Percentage of adolescents ages 12 to 21 who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year	34.75%
4	Childhood Immunizations	CIS	Percentage of children who turned 2 years old during the measurement year and had specific vaccines by their second birthday	90.00%
5	Immunization Status for Adolescents	IMA	Percentage of adolescents who turned 13 years old during the measurement year and had specific vaccines by their 13th birthday	90.00%

6	Child and Adolescents' Access to Primary Care Practitioners	CAP	Percentage of children and adolescents ages 12 months to 19 years who had a visit with a primary care practitioner (PCP):	
			<i>12 - 24 months</i>	98.00%
			<i>25 months - 6 years</i>	94.00%
			<i>7 - 11 years</i>	96.00%
			<i>12 - 19 years</i>	92.00%
7	Developmental Screening in the First Three Years of Life	DEV	Percentage of children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the 12 months preceding their first, second, or third birthday	82.73%
8	Well-Child Visits in the First 15 Months of Life	W15	Percentage of children who turned 15 months old during the measurement year and had:	
			<i>Zero</i>	5.00%
			<i>One</i>	2.00%
			<i>Two</i>	3.00%
			<i>Three</i>	2.00%
			<i>Four</i>	19.90%
			<i>Five</i>	17.41%
<i>Six+ visits</i>	57.22%			
9	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life	W34	Percentage of children ages 3 to 6 who had one or more well-child visits with a PCP during the measurement year	9.48%
Ambulatory Care				
10	Ambulatory Care - Emergency Department (ED) Visits	AMB	Rate of ED visits per 1,000 enrollee months among children up to age 19	
11	Chlamydia Screening in Women	CHL	Percentage of women ages 16 to 20 who were identified as sexually active and had at least one test for Chlamydia during the measurement year	37.82%
12	Human Papillomavirus (HPV) Vaccine for Female Adolescents	HPV	Percentage of female adolescents who turned 13 years old during the measurement year and who had three doses of the human papillomavirus (HPV) vaccine by their 13th birthday	24.00%

Weight Assessment					
13	Weight Assessment and Counseling for Nutrition and Physical Activity for children/Adolescents Body Mass Index Assessment	WCC	BMI Percentile (Total) Percentage of children ages 3 to 17 who had an outpatient visit with a primary care practitioner (PCP) or obstetrical/ gynecological (OB/GYN) practitioner and whose weight is classified based on body mass index (BMI) percentile for age and gender	29.00%	
Member Satisfaction					
14	Rating of Health Plan	CPC	CAHPS Survey on parents' experiences with their children's care	To be determined after first year of new contract period	
15	Getting Needed Care	CPC	CAHPS Survey on parents' experiences with their children's care	To be determined after first year of new contract period	
Behavioral Health					
16	Follow-up After Hospitalization for Mental Illness	FUH	Percentage of discharges for children ages 6 to 20 who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter, or partial hospitalization with a mental health practitioner within:		
				<i>7 days of discharge</i>	30.07%
				<i>30 days of discharge</i>	60.00%