

MMIS Replacement Project (MRP)

National Council for Prescription Drug Programs (NCPDP) D.0 Claim Billing or Encounter Payer Sheet Standard Companion Guide

Companion to National Council for Prescription Drug Programs (NCPDP) D.0 Claim Billing or Encounter Payer Sheet Implementation Guide

Month 202X

Date Last Updated: October 28, 2021

MMIS Replacement Project State of Mississippi, Division of Medicaid (DOM) National Council for Prescription Drug Programs (NCPDP) D.0 Claim Billing or Encounter Payer Sheet Standard Companion Guide

This page intentionally left blank.

MMIS Replacement Project State of Mississippi, Division of Medicaid (DOM) National Council for Prescription Drug Programs (NCPDP) D.0 Claim Billing or Encounter Payer Sheet Standard Companion Guide

Table of Contents

1.	Gene	eral Information	4
2.	Othe	r Transactions Supported	4
2	.1.	Field Legend for Columns	4
2	.2.	Claim Billing/Claim Re-Bill Transaction	5
App	endix	A. Change History	29

MMIS Replacement Project State of Mississippi, Division of Medicaid (DOM) National Council for Prescription Drug Programs (NCPDP) D.0 Claim Billing or Encounter Payer Sheet Standard Companion Guide

This page intentionally blank.

** Start of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template**

1. General Information

Payer Name: Mississippi Division of Medicaid	Date: TBD Date "Coming soon"		
Plan Name/Group Name: Mississippi Division of Medicaid	BIN : 610084	PCN: TBD PCN "Coming soon"	
Processor: Gainwell Technologies			
Effective as of: TBD Date "Coming soon"	NCPDP Telecommun D.0	ication Standard Version/Release #:	
NCPDP Data Dictionary Version Date: TBD Date "Coming soon"	NCPDP External Cod "Coming soon"	e List Version Date: TBD Date	

Contact/Information Source: For questions prior to *TBD Date "Coming soon"*, please call 1 *TBD Toll free number "Coming soon"*. For questions from *TBD Date "Coming soon"* forward, please call 1 *TBD Toll free number "Coming soon"*. EDI Technical Documents | Mississippi Division of Medicaid (ms.gov)

Certification Testing Window: Certification is not required.

Certification Contact Information: N/A

Provider Relations Help Desk Info: 1 800-884-3222

Other versions supported: No other versions supported

Other Transactions Supported

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Claim Billing
B2	Claim Reversal
B3	Claim Re-Bill
E1	Claim Eligibility Transaction

2.1. Field Legend for Columns

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
Required	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
Qualified Requirement	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Re-Bill transactions and those that do not have qualified requirements (i.e., not used) for this payer are excluded from the template.

2.2. Claim Billing/Claim Re-Bill Transaction

The following lists the segments and fields in a Claim Billing or Claim Re-Bill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued	Χ	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used		

Transacti	on Header Segment	Claim Billing/Claim Re-Bill			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
1Ø1-A1	BIN NUMBER	61ØØ84	М	MS XIX accepts value 61ØØ84.	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M		
1Ø3-A3	TRANSACTION CODE	Values: B1 = Billing B2 = Reversal B3 = Rebill	M	B1 - Billing B2 - Reversal B3 - Rebill	
1Ø4-A4	PROCESSOR CONTROL NUMBER	Values: TBD PCN "Coming soon"	M		
1Ø9-A9	TRANSACTION COUNT	Values: Ø1 = One occurrence Ø2 = Two occurrences Ø3 = Three occurrences Ø4 = Four occurrences	M	One transaction for B2 or compound claim; Four allowed for B1 or B3.	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = NPI	М	Code qualifying the 'Service Provider ID' (Field # 2Ø1-B1). Ø1 – National Provider Identifier (NPI)	
2Ø1-B1	SERVICE PROVIDER ID	1Ø-Digit National Provider Identifier (NPI)	М		
4Ø1-D1	DATE OF SERVICE	CCYYMMDD	М	8-digit date of service format = CCYYMMDD	
11Ø-AK	SOFTWARE VENDOR/ CERTIFICATION ID	QQQQQQQQQQ	М	Submit with all zeroes.	

Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	

	Insurance Segment Segment Identification (111-AM) = "Ø4" Claim Billing/Claim Re-Bill					
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation		
3Ø2-C2	CARDHOLDER ID	9-Digit Mississippi Medicaid ID Number	M	MS Medicaid identification number (patient specific) potential for a suffix to indicate copay bypass, etc.		
312-CC	CARDHOLDER FIRST NAME		R			
313-CD	CARDHOLDER LAST NAME		R			
314-CE	HOME PLAN		RW			
524-FO	PLAN ID	MS_TXIX	0	For Mississippi this value is MS_TXIX – Mississippi Title 19.		
3Ø1-C1	GROUP ID	SIPPI	R	MS XIX accepts value SIPPI.		
3Ø3-C3	PERSON CODE	ØØ1	R	MS XIX accepts value ØØ1.		
3Ø6-C6	PATIENT RELATIONSHIP CODE	0 - Not Specified1 - Cardholder2 - Spouse3 - Child4 - Other	RW	K-Baby Note: Use NCPDP 306-C6 Value '3' to indicate K-Baby claim. Medicaid ID submitted should be that of the Mother, the First/Last Name, DOB and Gender values should be those of the infant/baby.		
36Ø-2B	MEDICAID INDICATOR	Two-character State Postal Code indicating the state where Medicaid coverage exists.	RW	Imp Guide: Required, if known, when patient has Medicaid coverage. Example: MS		
115-N5	MEDICAID ID NUMBER		RW			

Patient Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	

Patient Segment Segment Identification (111-AM) = "Ø1" Claim Billing/Claim Re-Bill						
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation		
3Ø4-C4	DATE OF BIRTH	CCYYMMDD	R	8-digit date of birth format = CCYYMMDD		
3Ø5-C5	PATIENT GENDER COD	Values: Ø = Not Specified	R			

Patient S Segment	egment Identification (111-AM) = "Ø	_{1"} Claim Billing/Claim	Re-Bill	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
		1 = Male 2 = Female		
31Ø-CA	PATIENT FIRST NAME		R	Required when the patient has a first name; must support special characters
				Required for a patient name validation, up to 12-byte characters.
311-CB	PATIENT LAST NAME		R	Required when the patient has a last name; must support special characters Required for a patient name
				validation, up to 15-byte characters.
3Ø7-C7	PLACE OF SERVICE		RW	MS XIX accepts all valid values.
				11 = Office (required for Clinician Administered Drug/Implantable Drug System Devices (CADD) billing as defined by MS DOM)
335-2C	PREGNANCY INDICATOR	Values: Blank = Not Specified 1 = Not Pregnant 2 = Pregnant	RW	Payer requirement: Required it the patient is known to be pregnant.
384-4X	PATIENT RESIDENCE	Values: Ø = Not Specified 1 = Home 2 = Skilled Nursing Facility. PART B ONLY 3 = Nursing Facility 4 = Assisted Living Facility	RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide
		5 = Custodial Care Facility. PART B ONLY		
		6 = Group Home7 = InpatientPsychiatric Facility8 = Psychiatric Facility		
		– PartialHospitalization9 = Intermediate Care		
		Facility/Mentally Retarded		

	Patient Segment Segment Identification (111-AM) = "Ø1" Claim Billing/Claim Re-Bill						
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation			
		1Ø = Residential					
		Substance Abuse					
		Treatment Facility					
		11 = Hospice					
		12 = Psychiatric					
		Residential Treatment					
		Facility					
		13 = Comprehensive					
		Inpatient Rehabilitation	1				
		Facility					
		14 = Homeless Shelter	•				
		15 = Correctional Institution					

Claim Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	
This payer supports partial fills	Χ	

Claim Seg Segment	gment Identification (111-AM) = "Ø7	" Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	For Transaction Code of "B1," in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	12-Bytes	М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Values: ØØ = Not specified Ø3 = National Drug Code (NDC)	M	ØØ - Must be submitted for compounds Ø3 - For non-compound claims
4Ø7-D7	PRODUCT/SERVICE ID	Values: NDC for non-compound claims "Ø" for compound claims	M	11-digit NDC "Ø" for compound claims
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER		RW	
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE	CCYYMMDD	FFS – N Encounter - M	For MSCAN/MSCHIP CCOs must submit the date they originally received the claim from the pharmacy.

Claim Se Segment	gment Identification (111-AM) = "Ø7	,,, Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name		Payer Usage	Payer Situation
				This usage is outside the norm for NCPDP claims but requested by MS DOM for MSCAN and MSCHIP encounters. 8-digit date of service format = CCYYMMDD
442-E7	QUANTITY DISPENSED	Metric Decimal Quantity	r R	
4Ø3-D3	FILL NUMBER	Values: Ø = Original dispensing 1–99 = Refill number - Number of the replenishment	R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	Values: 1 = Not a Compound 2 = Compound	RW	MS XIX accepts values 1 or 2 See Compound Segment for support of multi-ingredient compounds.
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	Values: Ø = No Product Selection Indicated 7 = Substitution not allowed – brand drug mandated by law	RW	MS XIX accepts values Ø or 7
414-DE	DATE PRESCRIPTION WRITTEN	CCYYMMDD	R	
415-DF	NUMBER OF REFILLS AUTHORIZED	Values: Ø = No refills authorized 1-99 = Authorized Refill number with 99 being as needed, refills unlimited		
419-DJ	PRESCRIPTION ORIGIN CODE	Values: 1 = Written 2 = Telephone 3 = Electronic 4 = Facsimile 5 = Pharmacy	R	For vaccine administration where the pharmacist is also the prescriber, please send value '5 – Pharmacy'. This must be included with 42Ø-DK Submission Clarification Code '42 – Prescriber ID is valid and prescribing requirements have been validated' to prevent claim from denying with NCPDP reject 42.
354-NX	SUBMISSION CLARIFICATION CODE COUNT	1, 2. 3 Maximum count of 3.	RW	Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used. On 8/31/2021, it was discovered that this field

Claim Se Segment	gment : Identification (111-AM) = "&	_{07"} Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				was not included on our payer sheet and is needed if 42Ø-DK is used. This value must be on claims that send a 42Ø-DK value. Payer Requirement: Same as Imp Guide
42Ø-DK	SUBMISSION CLARIFICATION CODE	Values: 2 = Other Override 6 = Starter Dose 7 = Medically Necessar – for additional doses of COVID vaccine 13 = Payer-Recognized Emergency/Disaster Assistance Request 2Ø = 34ØB Drug	f	Effective December 11, 2020, for dual dose COVID vaccination administrations, send value '2 – Override' for the first administration and value '6 – Starter Dose' for the second administration. Effective August 12, 2021, FDA amended the EUAs for Pfizer & Moderna COVID vaccines to allow the use of an additional dose in certain immunocompromised individuals, send value '7 – Medically Necessary' for an additional dose. Required during officially declared emergencies when it is necessary to override service limit edits. Effective November 1, 2018, providers who bill drugs purchased through the 34ØB program must send a value of '20 – 34ØB' in NCPDP field 42Ø-DK Submission Clarification Code in conjunction with a value of '08 – 34ØB b' in NCPDP field 423-DN Basis of Cost Determination. Please also include a value in the 354-NX field. For vaccine administration where the pharmacist is also the prescriber, please send value '42 – Prescriber ID is valid and prescribing requirements have been validated'. This must be included with 419-DJ Prescription Origin Code value '5 – Pharmacy', to prevent claim from denying

Claim Se Segment	gment Identification (111-AM) = "Ø7	" Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Up to 3 occurrences of Submission Clarification Code are permitted.
46Ø-ET	QUANTITY PRESCRIBED		RW	Required when billing for DEA Schedule II drugs.
3Ø8-C8	OTHER COVERAGE CODE	Values: Ø = Not Specified by patient 1 = No Other Coverage 2 = Other coverage exists-payment collected 3 = Other Coverage Billed - claim not covered 4 = Other coverage exists-payment not collected	RW	Required for Coordination of Benefits OCC 8 is not allowed
429-DT	SPECIAL PACKAGING INDICATOR	Values: 1 = Not Unit Dose 2 = Manufacturer Unit Dose 3 = Pharmacy Unit Dos 4 = Custom Packaging 5 = Multi-drug compliance packaging	RW e	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement:
453-EJ	ORIGINALLY PRESCRIBED PRODUCT/SERVICE ID QUALIFIER	Values: Ø1 = UPC Ø2 = HRI Ø3 = NDC Ø4 = UPN Ø6 = DUR/PPS Ø7 = CPT4 Ø8 = CPT5 Ø9 = HCPCS 1Ø = PPAC 11 = NAPPI 12 = EAN 15 = GCN 28 = FDB Med Name IE 29 = FDB Routed Name ID 3Ø = FDB Rtd. Dos. Form Med ID 31 = FDB MedID 32 = GCN_SEQ_NO 33 = HICL_SEQ_NO		Required on partial or completion fills

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		38 = RxNorm Semantic Clinical Drug (SCD)	<u>, </u>	•
		39 = RxNorm Semantic		
		Branded Drug (SBD)		
		4Ø = RxNorm Generic		
		Package (GPCK)		
		41 = RxNorm Branded		
		Package (BPCK) 42 = Elsevier/Gold		
		Standard Marketed		
		Product Identifier (MPid))	
		43 = Elsevier/Gold		
		Standard Product		
		Identifier (ProdID)		
		44 = Elsevier/Gold Standard Specific		
		Product Identifier (SPID))	
		45 = Device Identifier		
		(DI)		
		99 = Other		
445-EA	ORIGINALLY PRESCRIBED PRODUCT/SERVICE CODE		RW	Required on partial or completion fills.
446-EB	ORIGINALLY PRESCRIBED QUANTITY		RW	Required on partial or completion fills.
454-EK	SCHEDULED PRESCRIPTION ID NUMBER		RW	Imp Guide: Required if necessary, for state/federal/regulatory agency programs Payer Requirement: Follow State regulatory guidance for products that require a scheduled prescription ID number This field is primarily intended to be used on a Controlled Substance Reporting (C1) or Controlled Substance Reporting Rebill (C3) transaction. It may also be submitted on a Billing
00000	LIAUT OF MEACURE	Maliana		(B1) transaction.
6ØØ-28	UNIT OF MEASURE	Values: EA = Each	R	
		GM = Grams		
		ML = Milliliters		
418-DI	LEVEL OF SERVICE	3 = Emergency	RW	Required for Emergency Supply; "3" only allowed value.

Claim Se Segment	gment Identification (111-AM) = "Ø7	, Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required when submitting a claim for a 72-hour Emergency Supply.
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide
343-HD	DISPENSING STATUS		RW	Imp Guide: Required for the partial fill or the completion fill of a prescription. Payer Requirement: Same as Imp Guide.
344-HF	QUANTITY INTENDED TO BE DISPENSED		RW	Imp Guide: Required for the partial fill or the completion fill of a prescription. Payer Requirement: Same as Imp Guide.
345-HG	DAYS SUPPLY INTENDED TO BE DISPENSED		RW	Imp Guide: Required for the partial fill or the completion fill of a prescription. Payer Requirement: Same as Imp Guide.
357-NV	DELAY REASON CODE		RW	Imp Guide: Required when needed to specify the reason that submission of the transaction has been delayed. Payer Requirement: Same as Imp Guide.
995-E2	ROUTE OF ADMINISTRATION		RW	Imp Guide: Required if specified in trading partner agreement. Payer Requirement Required when submitting compounds claims.
996-G1	COMPOUND TYPE	Values: Ø1 = Anti-infective Ø2 = Ionotropic Ø3 = Chemotherapy Ø4 = Pain management	RW	Imp Guide: Required if specified in trading partner agreement. Payer Requirement: Same as Imp Guide.

	Claim Segment Segment Identification (111-AM) = "Ø7" Claim Billing/Claim Re-Bill				
Field #	NCPDP Field Name	Value Ø5 = TPN/PPN (Hepatic, Renal, Pediatric) Total Parenteral Nutrition/	Payer Usage	Payer Situation	
		Peripheral Parenteral Nutrition Ø6 = Hydration Ø7 = Ophthalmic 99 = Other			
147-U7	PHARMACY SERVICE TYPE	Values: Ø1 = Community/Retail Pharmacy Services Ø2 = Compounding Pharmacy Services Ø3 = Home Infusion Therapy Provider Services Ø5 = Long-Term Care Pharmacy Services Ø8 = Specialty Care Pharmacy Services	RW	Imp Guide: Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer. Payer Requirement: Same as Imp Guide.	

Pricing Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	

Pricing So Segment	egment Identification (111-AM) = "11"	Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
				Payer Requirement: Same as Imp Guide.
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	Imp Guide: Required when submitting claims for vaccine administration.
				Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
				Payer Requirement. Same as Imp Guide.

Pricing So Segment	egment Identification (111-AM) = "11"	Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
48Ø -H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	
426-DQ	USUAL AND CUSTOMARY CHARGE		R	34ØB pharmacies must submit actual acquisition cost in this field.
				Amount charged cash customers for the prescription exclusive of sales tax or other amounts claimed.
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION	Values: Ø8 = 34ØB/ Disproportionate Share Pricing/Public Health Service 15 = Free Product of No Associated Cost	RW	Imp Guide: Required if needed for receiver claim/encounter adjudication. Payer Requirement: Claims for products purchased through the 34ØB Program must be submitted with the following value: Ø8 Effective November 1, 2018, providers who bill drugs purchased through the 34ØB program must send a value of '2Ø – 34ØB' in NCPDP field 42Ø-DK Submission Clarification Code in conjunction with a value of 'Ø8 – 34ØB' in NCPDP field 423-DN Basis of Cost Determination. Effective December 11, 2020, providers who bill for COVID-19 vaccinations where the ingredient cost is \$0, please submit value of '15 – "Free Product or No Associated Cost".

Pharmacy Provider Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Χ	Required only if law or regulation required.

Pricing S Segment "Ø2"	Segment : Identification (111-AM) =	Pharmacy Provider	
Field #	NCPDP Field Name	Value	Payer Usage Payer Situation
444-E9	PROVIDER ID		RW

Prescriber Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	Χ	

	r Segment Identification (111-AM) = "Ø3	" Claim Billing/Claim	Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = NPI	R	MS XIX requires the National Provider Identifier (NPI) (Ø1).
411-DB	PRESCRIBER ID	Prescriber Individual NPI	R	Required; Must submit valid NPI.
427-DR	PRESCRIBER LAST NAME		RW	Imp Guide: Required when the Prescriber ID (411-DB) is not known.
				Required if needed for Prescriber ID (411-DB) validation/clarification.
468-2E	PRIMARY CARE PROVIDER ID QUALIFIER	12 = DEA	RW	
421-DL	PRIMARY CARE PROVIDER ID		RW	Prescriber's DEA number.
47Ø-4E	PRIMARY CARE PROVIDER LAST NAME		RW	
364-2J	PRESCRIBER FIRST NAME		RW	
365-2K	PRESCRIBER STREET ADDRESS		RW	
366-2M	PRESCRIBER CITY ADDRESS		RW	
367-2N	PRESCRIBER STATE/PROVINCE ADDRESS		RW	
368-2P	PRESCRIBER ZIP/POSTAL ZONE		RW	

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is Required	X	Maximum of 5 times. For MSCAN/MSCHIP segment is required whether TPL exists on the original pharmacy claim or not. If there is no TPL, on the original claim, then a count of 1 is expected in field 337-4C. The CCO's payment and/or reject information is expected in Segment AMØ5. If there is TPL on the claim, then a count of TPL payers +1 (for CCO's segment) is expected in field 337-4C.
This Segment is situational	X	For ALL Others: Required only for secondary, tertiary, etc., claims. It is used when a receiver needs payment information from other receivers to perform claim/encounter determination. This may be in the case of primary, secondary, tertiary etc., health plan coverage for example. The Coordination of Benefits/Other Payments Segment is mandatory for a Claim Billing or Encounter request to a downstream payer. It is used to assist a downstream payer to uniquely identify a claim or encounter in case of duplicate processing. The segment is mandatory if required under provider payer contract or mandatory on claims where this information is necessary for adjudication of the claim.
Scenario 1 – Other Payer Amount Paid Repetitions Only	X	OCC codes \emptyset , 1, 2, 3, and 4 Supported (no co-pay only billing allowed).

Segment	tion of Benefits/Other Payme Identification (111-AM) = "Ø5	Scenario 1 - Other		t Paid Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	1, 2, 3, 4, 5, 6, 7, 8, 9	FFS – N Encounter – R	For MSCAN/MSCHIP Required. All Others Required if submitting other coverage/payment information. Maximum count of 9.
338-5C	Other Payer Coverage Type		FFS – N Encounter – R	For MSCAN/MSCHIP "Ø1" is expected if CCO is the primary payer. All Others Required if patient has other coverage.
339-6C	OTHER PAYER ID QUALIFIER	Values: Ø3 = BIN 99 = Other	FFS – RW Encounter – R	For MSCAN/MSCHIP "1D" is expected to denote CCO is submitting CCO's Medicaid Number in field 34Ø-7C.

Segment	tion of Benefits/Other Payme Identification (111-AM) = "Ø5		Claim Billing/Claim Scenario 1 – Other		t Paid Repetitions Only
Field #	NCPDP Field Name	Val	lue	Payer Usage	Payer Situation
					For true TPL, this is a pass through from the original NCPDP pharmacy claim. All Others Required if Other Payer ID (Field # 34Ø-7C) is used.
34Ø-7C	OTHER PAYER ID			FFS – RW Encounter – R	For MSCAN/MSCHIP COB payer segment, CCO's Medicaid ID expected for MSCAN/MSCHIP plan as assigned by DOM/Gainwell. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others Required if COB segment is used.
443-E8	OTHER PAYER DATE			FFS – RW Encounter – R	For MSCAN/MSCHIP COB segment, expected value is date CCO paid claim. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others Imp Guide: Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
993-A7	INTERAL CONTROL MUMBER			FFS – RW Encounter – R	For MSCAN/MSCHIP COB segment, expected value is CCO's internal claim number. For true TPL, value is pass through from the original NCPDP pharmacy claim and may not be mandatory/required.
341-HB	OTHER PAYER AMOUNT PAID COUNT	1, 2	2, 3, 4, 5, 6, 7, 8, 9	FFS – RW Encounter – R	For MSCAN/MSCHIP COB segment, "2" is expected value as CCO will report both paid amount and allowed/calculated amount. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others Imp Guide: Required if Other Payer Amount Paid Qualifier (342-HC) is used. Payer Requirement: Same as Imp Guide. Maximum count of 9.

Segment	tion of Benefits/Other Payme Identification (111-AM) = "Ø5	Claim Billing/Claim		t Paid Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER	Values: Ø1 = Delivery Ø2 = Shipping Ø3 = Postage Ø4 = Administrative Ø5 = Incentive Ø6 = Cognitive Service Ø7 = Drug Benefit Ø9 = Compound Preparation Cost 1Ø = Sales Tax 11 = Medication Administration 12 = TBD "Coming Soon" 99 = OTHER (COB Allowed/Calculated Amount)	RW	All value qualifiers are accepted as payment from the other payer. For MSCAN/MSCHIP will send one segment with "Ø7 – Drug Benefit" to show CCO's amount paid, and another with "99 - OTHER" to show CCO's allowed/calculated amount. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others Required on all COB claims with Other Coverage Code of 2.
431-DV	OTHER PAYER AMOUNT PAID		FFS – RW Encounter – R	For MSCAN/MSCHIP will send two occurrences for their COB segment, one for CCO's paid amount and the other for CCO's allowed/calculated amount, as described above for field 342-HC. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others <i>Imp Guide:</i> Required if other payer has approved payment for some/all the billing.
471-5E	OTHER PAYER REJECT COUNT	1, 2, 3, 4, 5	FFS – RW Encounter – R	For MSCAN/MSCHIP field is required when CCOs are communicating CCO's rejected claims per DOM's request. For true TPL, value is pass through from the original NCPDP pharmacy claim. All Others <i>Imp Guide:</i> Required if other payer has approved payment for some/all the billing.
472-6E	OTHER PAYER REJECT CODE	_	FFS – RW Encounter – R	Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				C8) = 3 (Other Coverage Billed – claim not covered). NOTE: This field must only contain the NCPDP Reject Code (511-FB) values.
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	1 Through 25	RW	Required if Other Payer Patient Responsibility Amount Qualifier (351-NP) is used. Maximum of 25 occurrences.
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	Ø1 = Amount Applied to Periodic Deductible (517-FH) as reported by previous payer. Ø2 = Amount Attributed to Product Selection/Brand Drug (134-UK) as reported by previous payer. Ø3 = Amount Attributed to Sales Tax (523-FN) as reported by previous payer. Ø4 = Amount Exceeding Periodic Benefit Maximum (520-FK) as reported by previous payer. Ø5 = Amount of Copay (518-FI) as reported by previous payer. Ø6 = Patient Pay Amount (505-F5) as reported by previous payer. Ø7 = Amount of Coinsurance (572-4U) as reported by previous payer. Ø8 = Amount Attributed to Product Selection/Non-Preferred Formulary Selection (135-UM) as reported by previous payer. Ø9 = Amount Attributed to Health Plan Assistance Amount (129-UD) as reported by previous payer. Ø9 = Amount Attributed to Health Plan Assistance Amount (129-UD) as reported by previous payer.		Required when the Payer Patient Responsibility Amount (352-NQ) is used.

Coordination of Benefits/Other Payments

Claim Billing/Claim Re-Bill Segment Scenario 1 – Other Payer Amount Paid Repetitions Only Segment Identification (111-AM) = "Ø5" Field # **NCPDP Field Name** Payer Usage Payer Situation Selection (133-UJ) as reported by previous paver. 11 = Amount Attributed to Product Selection/Brand Non-Preferred Formulary Selection (136-UN) as reported by previous payer. 12 = Amount Attributed to Coverage Gap (137-UP) that was to be collected from the patient due to a coverage gap as reported by previous payer. 13 = Amount Attributed to Processor Fee (571-NZ) as reported by previous payer. OTHER PAYER-PATIENT RW 352-NQ **RESPONSIBILITY AMOUNT** RW Required if Benefit Stage BENEFIT STAGE COUNT Amount Qualifier (393-MV) is 392-MU 1,2,3,4 used. \emptyset 1 = Deductible. RW Required when the Benefit Stage Amount (394-MW) is Ø2 = Initial Benefit. used. Ø3 = Coverage Gap (donut hole). \emptyset 4 = Catastrophic Coverage 5Ø = Not paid under Part D, paid under Part C benefit (for MA-PD plan) $6\emptyset$ = Not paid under **BENEFIT STAGE** 393-MV Part D, paid as or under **QUALIFIER** a supplemental benefit only 61 = Part D drug not paid by Part D plan benefit, paid as or under a co-administered insured benefit only 62 = Non-Part D/nonqualified drug not paid by Part D plan benefit. Paid as or under a co-

Segment	tion of Benefits/Other Payme Identification (111-AM) = "Ø5	Claim Billing/Claim	Re-Bill Payer Amount Paid Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage Payer Situation
394-MW	BENEFIT STAGE AMOUNT	administered benefit only. 63 = Non-Part D/non-qualified drug not paid by Part D plan benefit. Paid under Medicaid benefit only of the Medicare/Medicaid (MMP) plan. 7Ø = Part D drug not paid by Part D plan benefit, paid by the beneficiary under plan-sponsored negotiated pricing. 8Ø = Non-Part D/non-qualified drug not paid by Part D plan benefit, hospice benefit, or any other component of Medicare; paid by the beneficiary under plan sponsored negotiated pricing. 9Ø = Enhance or OTC drug (PDE value of E/O) not applicable to the Part D drug spend but is covered by the Part D plan.	
394-IVIVV	DENETH STAGE AWOUNT		IXVV

DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when DUR is returned on Rejection and pharmacy wishes to submit reason DUR rejection should be overridden.
		Submitted if required to affect outcome of claim related to DUR intervention.

	S Segment t Identification (111-AM) = "Ø	8" Claim Billing/Clai	m Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	1, 2, 3, 4, 5, 6, 7, 8, 9	RW***	Imp Guide: Required if DUR/PPS Segment is used.

	S Segment t Identification (111-AM) = "Ø	8" Claim Billing/Clain	n Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: Same as Imp Guide. Maximum of 9 occurrences.
439-E4	REASON FOR SERVICE CODE	Allowed values: DC = Drug Disease (inferred) DD = Drug-Drug Interaction ER = Early Refill HD = High Dose ID = - Ingredient Duplication LD = Low Dose LR = Underuse MC = Drug-Disease (Reported) MN = Insufficient Duration MX = Excessive Duration PA = Drug-Age PG = Drug-Pregnancy TD=Therapeutic Duplication	RW***	Required when needed to communicate DUR information.
44Ø-E5	PROFESSIONAL SERVICE CODE	Allowed Values: ØØ = No Intervention AS = Patient Assessment CC = Coordination of Care DE = Dosing Evaluation/Determinatio n FE = Formulary Enforcement GP = Generic Product Selection MØ = Prescriber Consulted MA = Medication Administration MR = Medication Review PØ = Patient Consulted PE = Patient Education/Instruction PF = Patient Referral	RW***	Code identifying pharmacist intervention when a conflict code has been identified or service has been rendered. Effective December 11, 2020, for vaccine administrations, include value "MA – Medication Administered". Required field if there is a DUR alert: MØ = Prescriber Consulted PØ = Patient Consulted RØ = Pharmacist Consulted Other Note: These values are additional to the Valid Values per Translator.

	S Segment t Identification (111-AM) =	"Ø8" Claim Billing/Clain	n Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
441-E6	RESULT OF SERVICE CODE	PH = Patient Medication History PM = Patient Monitoring RØ = Pharmacist Consulted Other Source RT = Recommended Laboratory Test SC = Self-Care Consultation SW = Literature Search/Review TC = Payer/Processor Consulted TH = Therapeutic Product Interchange Allowed Values: ØØ = Not Specified 1A = Filled As Is, False Positive 1B = Filled Prescription As Is 1C = Filled, with Different Dose 1D = Filled, with Different Drug 1F = Filled, with Different Quantity 1G = Filled, with Different Quantity 1G = Filled, with Different Orug 1H = Brand-to-Generic Change 1J = Rx to OTC Change 1K = Filled, with Different Dosage Form 2A = Prescription not Filled 2B = Not Filled, Directions Clarified 3A = Recommendation Accepted 3B = Recommendation not Accepted	RW***	Action taken by a pharmacist in response to a conflict or the result of a pharmacist's professional service. Required field if there is a DUR alert: 1A = Filled As Is, False Positive 1B = Filled Prescription As Is 1C = Filled, with Different Dose 1D = Filled, with Different Drug 1F = Filled, with different quantity 1G = Filled, with Prescriber Approval 2A = Prescription Not Filled 2B = Not Filled, Directions
		3C = Discontinued Drug 3D = Regimen Changed		

DUR/PPS Segment Segment Identification (111-AM) = "Ø8" Claim Billing/Claim Re-Bill					
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
		3F = Therapy Changed - Cost Increase Acknowledged 3G = Drug Therapy Unchanged 3H = Follow-up Report 3J = Patient Referral 3M = Compliance Aide Provided			
474-8E	DUR/PPS LEVEL OF EFFORT	Values: Ø = Not Specified 11 = Level 1 (Lowest) 12 = Level 2 13 = Level 3 14 = Level 4 15 = Level 5 (Highest)	RW		

Compound Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Χ	Submitted if the claim dispensed is a compound.

	Compound Segment Segment Identification (111-AM) = "1Ø" Claim Billing/Claim Re-Bill					
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation		
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE	Values: Blank = Not Specified Ø1 = Capsule Ø2 = Ointment Ø3 = Cream Ø4 = Suppository 3Ø5 = Powder Ø6 = Emulsion Ø7 = Liquid 1Ø = Tablet 11 = Solution 12 = Suspension 13 = Lotion 14 = Shampoo 15 = Elixir 16 = Syrup 17 = Lozenge 18 = Enema	M			

Compound Segment Segment Identification (111-AM) = "1Ø" Claim Billing/Claim Re-Bill					
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR	Values: 1 = Each 2 = Grams 3 = Milliliters	M		
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	1 Through 25	M	Maximum 25 ingredients.	
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3 = National Drug Code (NDC) – Formatted 11 digits (N)	M		
489-TE	COMPOUND PRODUCT ID		M		
448-ED	COMPOUND INGREDIENT QUANTITY		M		
449-EE	COMPOUND INGREDIENT DRUG COST		R	Imp Guide: Required if needed for receiver claim determination when multiple products are billed.	
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION	Values: ØØ = Default Ø1 = AWP Ø2 = Local Wholesaler Ø3 = Direct Ø4 = EAC (Estimated Acquisition Cost) Ø5 = Acquisition Ø6 = MAC (Maximum Allowable Cost) Ø7 = Usual & Customary Ø8 = 34ØB/ Disproportionate Share Pricing Ø9 = Other 1Ø = ASP (Average Sales Price) 11 = AMP (Average Manufacturer Price) 12 = WAC (Wholesale Acquisition Cost) 13 = Special Patient Pricing	R	Imp Guide: Required if needed for receiver claim determination when multiple products are billed. Required when submitting compounds claims.	

Clinical Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Required when Diagnosis code is necessary for Claim adjudication.

Submitted if the clinical detail will affect the outcome of claims processing.

	Segment t Identification (111-AM) = "1:	3" Claim Billing	g/Claim Re-Bill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	1,2,3,4,5	RW	Maximum count of 5. Imp Guide: Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used. Payer Requirement: Same as Imp Guide.
492-WE	DIAGNOSIS CODE QUALIFIER	Value: Ø2 = ICD1Ø	RW***	Required if Diagnosis Code (424-DO) is used. MS XIX Valid Value: Ø2 = International Classification of Diseases (ICD1Ø).
424-DO	DIAGNOSIS CODE		RW***	The value for this field is obtained from the prescriber or authorized representative. Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for professional pharmacy service. Required if this information can be used in place of prior authorization. Required if necessary, for state/federal/regulatory agency programs. Payer Requirement: Required to identify pregnancy.
493-XE	CLINICAL INFORMATION COUNTER	1,2,3,4,5	RW***	Maximum 5 occurrences supported. Required if 494-ZE, 495-H1, 496-H2 are sent. Grouped with Measurement fields (Measurement Date (494-ZE), Measurement Time (495-H1), Measurement Dimension (496-H2), Measurement Unit (497-H3), Measurement Value (499-H4)
494-ZE	MEASUREMENT DATE		RW***	Required if necessary when this field could result in

	Clinical Segment Segment Identification (111-AM) = "13" Claim Billing/Claim Re-Bill					
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation		
				different coverage and/or drug utilization review outcome.		
495-H1	MEASUREMENT TIME		RW***	Required if time is known or has impact on measurement. Required if necessary when this field could result in different coverage and/or drug utilization review outcome.		
496-H2	MEASUREMENT DIMENSION		RW***	Required if Measurement Unit (497-H3) and Measurement Value (499-H4) are used. Required if necessary when this field could result in different coverage and/or drug utilization review outcome.		
497-H3	MEASUREMENT UNIT		RW***	Required if Measurement Dimension (496-H2) and Measurement Value (499-H4) are used. Required if necessary when this field could result in different coverage and/or drug utilization review outcome.		
499-H4	MEASUREMENT VALUE		RW***	Required if Measurement Dimension (496-H2) and Measurement Unit (497-H3) are used. Required if necessary when this field could result in different coverage and/or drug utilization review outcome.		

^{**} End of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template**

Appendix A. Change History

Date	Change	Responsible Party
March 2022	Original Document	EDI Department