

STANDARDIZED ONE PAGE PHARMACY PRIOR AUTHORIZATION FORM

Mississippi Division of Medicaid, Pharmacy Prior Authorization Unit, Gainwell Technologies, PO Box 2480, Ridgeland, MS 39158

Medicaid Fee for Service/MSCAN/MSCHIP MembersGainwell Technologies

Fax to: 1-866-644-6147 Ph: 1-833-660-2402 Pharmacy Prior Authorization - Mississippi Division of Medicaid (ms.gov)

Submit your PA requests via the MESA (Medicaid Enterprise System Assistance) provider portal for the most efficient processing Mississippi Medical Assistance Portal for Providers > Home (ms-medicaid-mesa.com)

BENEFICIARY INFORMATION				
	/			
Beneficiary Full Name:				
PRESCRIBER INFORMATION				
Prescriber's NPI:				
Prescriber's Full Name:	Phone:			
Prescriber's Address:	FAX:			
PHARMACY INFORMATION				
Pharmacy NPI:				
Pharmacy Name:				
Pharmacy Phone:	Pharmacy FAX:			
CLINICAL INFORMATION				
Requested PA Start Date: Requested PA End Date:				
Drug/Product Requested: Strengt	h: Quantity:			
Days Supply: RX Refills: Diagnosis or ICD-10 Code	(s):			
Hospital Discharge Additional N	Medical Justification Attached			
Medications received through coupons and/or samples are not acceptable as justification.				
PLEASE COMPLETE AND FAX DRUG SPECIFIC CRITERIA/ADDITIONAL DOCUMENTATION FORM FOUND BELOW				
Prescribing provider's signature (signature and date stamps, or the signature of anyone other than the provider, are not acceptable)				
I certify that all information provided is accurate and appropriately documented in the patient's medical chart.				
Signature required:	Date:			
Printed name of prescribing provider:				

FAX THIS PAGE

Prior Authorization Criteria



Select Covered Obesity Medications PA Criteria

While there are several classes of medications with differing mechanisms of action that are approved by the FDA to treat obesity, Mississippi Medicaid covers selected agents for this condition.

Mississippi Medicaid covers the following anti-obesity agents, subject to this prior authorization criteria:

Preferred:

- Saxenda age 12 and older
- Wegovy age 12 and older

Non-preferred:

• Xenical – age 12 and older

The following agents are <u>not</u> covered by Mississippi Medicaid:

Contrave - This agent is not rebated through CMS.

Qsymia - This agent is not rebated through CMS.

Phentermine, Evekeo/amphetamine – *These agents have not been shown to produce longer-term health benefits in obese and overweight patients.*

Please note: Saxenda and Wegovy are GLP-1 agonists and should be avoided in patients with a history of medullary thyroid carcinoma, multiple endocrine neoplasia syndrome type 2, or a personal or family history of medullary thyroid carcinoma.

Note: Coverage of select medications for the treatment of obesity will be limited to only one covered product at a given time. Mississippi Medicaid will not cover concurrent use of two or more agents for the treatment of obesity.


Saxenda and Wegovy are contraindicated for concomitant use with other GLP-1 agonists (Adlyxin, Bydureon, Byetta, Mounjaro, Ozempic, Rybelsus, Soliqua, Symlin, Trulicity, Victoza, Xultophy) or DPP-4 inhibitors (Janumet, Januvia, Jentadueto, Kazano, Kombiglyze, Nesina, Onglyza, Oseni, Tradjenta).

Mississippi Medicaid does not cover medications for treatment of obesity during pregnancy or for mothers who are breast-feeding.

BMI RESOURCES:

ADULTS

The following **adult** BMI chart is provided for reference, as well as a link to the source on the NIH website: BMI Chart (nih.gov)



CHILDREN

Determination of BMI in children can be particularly challenging by comparison to adults. As a result, providers are encouraged to reference percentiles and z-scores to evaluate children for appropriate treatment.

The following BMI resource is provided for **children**:

Growth Charts - CDC Extended BMI-for-Age Growth Charts - Download

The following criteria encompasses 3 phases of medication treatment of obesity:

- Initial authorization Patient is evaluated for initiation of treatment. Patient must qualify for treatment based on BMI and/or BMI and other health conditions. A treatment plan is designed by the provider during this phase.
- Reauthorization Patient is evaluated for continuation of treatment. During this
 phase, the patient is making progress toward overcoming obesity and/or weightrelated comorbidities.
- Maintenance Patient has reached their goal BMI and treatment shifts toward maintaining the progress they have made.

Prescribing provider's Medicaid ID:	
-------------------------------------	--

The Division of Medicaid reimburses for certain drugs <u>prescribed by a Mississippi Medicaid enrolled prescribing provider</u> licensed to prescribe drugs. Source: 42 U.S.C. § 1396a(a)(30)(A); 42 C.F.R. § 447.332; Miss. Code Ann. §§ 43-13-121, 73-21-155.

Provider point of contact:

Conta	act Name:		Pho	ne:		Ext
		t horization: Saxenda, V	Vegovy: 6 months			
	☐ BM ☐ BM con	II 30 or greater II 25 to 29 for W norbidity:	<u>er)</u> - <i>Saxenda or We</i> g Vegovy OR BMI 27 to - Confirmed by clair	29 for Saxenda		_
		ClaimsIf no m	ia – Confirmed by: s history of antihype nedication history, li CholLDI	pid levels: Date	of panel	
		o Diabet	gulation – Confirmed es with history of gl abetes. Defined as:	-	medication OF	₹
		Δ	Fasting glucose ≥1	00, Value	Date	, OR
		Δ	2-hour OGTT ≥140	Value	Date	, OR
		Δ	HbA1C ≥5.7%,	Value	_ Date	_
			eep apnea – Confirm r disease – coronary			prior MI
			function-associated	steatotic liver o	lisease [MASLI	D; formerly know
	_		fatter liver disease (
			ed clinical justification			
		(attach detane	ta chinical justilicatio	11)		
			<u>years)</u> – <i>Saxenda or</i> e differing paramete	-	tients aged 12	-17.
	Saxenda:	. ,		1	Ü	
		Body weight a	bove 60 kg, AND			

☐ Initial BMI corresponding to 30 or greater for adults by international cut-offs

Wegovy:

 \square BMI at $\ge 95^{\text{th}}$ percentile for age and sex (see chart below)

Age	BMI at 95% percentile		Age	BMI at 95% percentile	
(years)	Male	Female	(years)	Male	Female
12	24.2	25.2	15	26.8	28.1
12.5	24.7	25.7	15.5	27.2	28.5
13	25.1	26.3	16	27.5	28.9
13.5	25.3	26.8	16.5	27.9	29.3
14	26	27.2	17	28.2	29.6
14.5	26.4	27.7	17.5	28.6	30

^{*}See above CDC link for BMI reference, i.e., z-scores and percentiles, for children.

**REQUIRED FOR ALL PATIENTS:

Treatment Plan for Qualified Beneficiaries

Patient	t current BMI:		
Patient	t current weight:h	eight:	
6 Mont	th treatment goal BMI/weight:		
Other	non-scale treatment goals:		
			_
Treatn	ment Plan Expected Duration:		
	$egin{aligned} & \square & $		easing
□ Yes,	, \square No Is the obesity treatment plan atta	ched to this form as required?	
II.	Reauthorization – This phase encom	npasses the second authorization perio	d.
	Patient age:		
	Patient BMI at initial authorization:		
	Patient current BMI:(If	f at goal or BMI < 25, see III. Maintenan	ce below)
	Patient weight at initial authorization:		
	Patient current weight:	height:	

Did the par	tient reach the initial authorization treatment plan goal? ☐Yes ☐ No				
	ride clinical justification for continuation of current				
Next 6 mo	onth treatment plan goals:				
	No Has the patient been counseled on appropriate dietary choices and g physical activity appropriate to the patient's ability?				
uthorization to	o continue treatment is subject to the following:				
	No Has patient been adherent, as evidenced in paid pharmacy claims? e is defined as 3 claims in the past 105 days.				
	\square Yes, \square No Is the member tolerating the recommended target dose? See target dosing chart below.				
	Target Dosing				
	Agent Target dose				
	Saxenda 3mg daily				
	Wegovy 1.7mg or 2.4mg weekly				
	Weight loss 5% or greater – Approve for additional 6 months. Weight loss $1-4\%$ - $\underline{\textit{May}}$ be approved 3 months if one of the following applies:				
	☐ Titration schedule was delayed due to intolerance.				
	☐ Titration was delayed by hospitalization or illness as documented				
	by evidence of treatment in claims history.				
	Other non-scale treatment goal progress:				
	☐ 3 month treatment goal if approved:				
	Weight loss less than 1% - Deny reauthorization. Consider another covered agent.				

III. Maintenance Reauthorization - 6 months

Patient age:
Patient BMI at initial authorization:
Patient current BMI:
Patient weight at initial authorization:
Patient current weight: height:
Did the patient reach the treatment plan goal from last PA approval? \Box Yes \Box No
If no, provide clinical justification for continuation of current therapy.
Next 6 month treatment plan goals:
\square Yes, \square No Has the patient been counseled on appropriate dietary choices and increasing physical activity appropriate to the patient's ability?
\square Yes, \square No Has patient been adherent, as evidenced in paid pharmacy claims? Adherence is defined as 3 claims in the past 105 days.
\square Yes, \square No Is the member tolerating the recommended target dose? See target dosing chart below.

Target Dosing

Agent	Target dose
Saxenda	3mg daily
Wegovy	1.7mg or 2.4mg weekly

 \square Yes, \square No Once goal BMI is achieved, has the member maintained a body weight within 15% of goal BMI.