

General Preferred Drug List Information

- Gainwell Technologies' DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims. MSCAN plans may/may not have electronic PA functionality. However, they must adhere to Medicaid's PA criteria.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- An * denotes existing users will be grandfathered; grandfathering is defined as approving a Non-Preferred agent for an existing user; all other changes will not qualify for grandfathering.
- A # denotes existing users will NOT be grandfathered.
- To search the PDL, **press CTRL + F**.

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS		
ANTI-INFECTIVES		Maximum Age Limit 21 years: all acne agents except isotretinoin products Note: - Isotretinoin products available for all ages
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
	CLINDACIN (clindamycin)	
	CLINDAGEL (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	erythromycin	
	EVOCLIN (clindamycin)	
	KLARON (sulfacetamide)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
RETIN-A (tretinoin)	AKLIEF (trifarotene)	
tretinoin cream	ALTRENO (tretinoin)	
	ARAZLO (tazarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	RETIN-A MICRO (tretinoin)	
	RETIN-A MICRO PUMP (tretinoin)	
	tretinoin gel	
	tretinoin microsphere	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (continued)		
OTHERS/COMBINATION PRODUCTS		Maximum Age Limit 21 years: all acne agents except isotretinoin products
adapalene/benzoyl peroxide gel	ACANYA (benzoyl peroxide/clindamycin) gel	
clindamycin/benzoyl peroxide 1.2(1)%-5% gel	BENZAMYCIN (benzoyl peroxide/erythromycin) gel	
clindamycin/benzoyl peroxide 1%-5% gel w/pump	CABTREO (clindamycin/adapalene/benzoyl peroxide) gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
	clindamycin/benzoyl peroxide 1%-5% gel	
	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	ONEXTON (benzoyl peroxide/clindamycin) gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZIANA (clindamycin/tretinoin) gel	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER'S AGENTS ^{DUR+}		
CHOLINESTERASE INHIBITORS		Preferred Criteria - Documented approvable diagnosis Non-Preferred Criteria - Documented approvable diagnosis AND - Have tried 2 different preferred agents in the past 6 months
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	
galantamine	ARICEPT (donepezil)	
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	
NMDA RECETPOR ANTAGONISTS		NAMZARIC - Documented approvable diagnosis AND 30 days of concurrent therapy with both donepezil and memantine in the past 6 months
memantine	memantine ER	
	NAMENDA (memantine)	
	NAMENDA XR (memantine ER)	
COMBINATION AGENTS		
	NAMZARIC (memantine/donepezil)	
	memantine/donepezil ER ^{NR}	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, OPIOID-SHORT ACTING DUR+		
acetaminophen/cafeine/dihydrocodeine	ACTIQ (fentanyl)	MS DOM Opioid Initiative – Criteria details found here • Morphine Equivalent Daily Dose • Concomitant use of Opioids and Benzodiazepines Minimum Age Limit • 18 years: codeine-containing products and tramadol-containing products Quantity Limit (per 31 rolling days) • 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol • 186 tablets: butalbital/acetaminophen, butalbital/aspirin • 5 mL: butorphanol nasal • 180 mL: oxycodone liquid • 280 mL: QDOLO Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
acetaminophen/codeine	aspirin/butalbital/cafeine/codeine	
codeine	butalbital/acetaminophen/cafeine/codeine	
ENDOCET (oxycodone/acetaminophen)	butorphanol	
hydrocodone/acetaminophen	DILAUDID (hydromorphone)	
hydromorphone	DSUVIA (sufentanil)	
morphine sulfate	fentanyl citrate	
oxycodone	FENTORA (fentanyl)	
oxycodone/acetaminophen (325 mg acetaminophen formulations)	FIORICET W/CODEINE (butalbital/acetaminophen/codeine)	
tramadol 50 mg tablet	hydrocodone/ibuprofen	
tramadol/acetaminophen	meperidine	
	NALOCET (oxycodone/acetaminophen)	
	levorphanol	
	oxymorphone	
	pentazocine/naloxone	
	PERCOCET (oxycodone/acetaminophen)	
	PROLATE (oxycodone/acetaminophen)	
	ROXICODONE (oxycodone)	
	ROXYBOND (oxycodone)	
	SEGLENTIS (tramadol/celecoxib)	
	tramadol 25 mg, 75 mg, 100 mg tablet	
	tramadol solution	
ANALGESICS, OPIOID-LONG ACTING DUR+		
BUTRANS (buprenorphine)	BELBUCA (buprenorphine)	MS DOM Opioid Initiative – Criteria details found here • Morphine Equivalent Daily Dose • Concomitant use of Opioids and Benzodiazepines Minimum Age Limit • 18 years: BUTRANS and tramadol-containing products Quantity Limit (per 31 rolling days) • 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER • 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOHYDRO ER • 62 films: BELBUCA • 10 patches: fentanyl • 4 patches: BUTRANS Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
fentanyl patch	buprenorphine patch	
morphine sulfate ER tablet	CONZIP (tramadol)	
	hydrocodone bitartrate ER	
	hydromorphone ER	
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	
	METHADOSE (methadone)	
	morphine sulfate ER capsule	
	MS CONTIN (morphine)	
	oxycodone ER	
	OXYCONTIN (oxycodone)	
	oxymorphone ER	
	tramadol ER	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS/ANESTHETICS (TOPICAL)		
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days) • 1 bottle (112 mL): diclofenac 2% solution pump • 1 bottle (150 mL): diclofenac 1.5% solution Non-Preferred Criteria • Have tried 2 preferred agents in the past 6 months Lidocaine 5% Patch • Documented diagnosis of Herpetic Neuralgia OR • Documented diagnosis of Diabetic Neuropathy ZTLIDO • Documented diagnosis of Herpetic Neuralgia
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	
	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAINE II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	
ANDROGENIC AGENTS ^{DUR+}		
testosterone	ANDROGEL (testosterone)	All Agents • Limited to male gender Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months TLANDO • Requires clinical review
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TLANDO (testosterone)	
	VOGELXO (testosterone)	
ANGIOTENSIN MODULATORS ^{DUR+}		
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		See next page for PA Criteria/DUR+ Rules
benazepril	ACCUPRIL (quinapril)	
captopril	ALTACE (ramipril)	
enalapril	EPANED (enalapril)	
fosinopril	LOTENSIN (benazepril)	
lisinopril	moexipril	
quinapril	perindopril	
ramipril	QBRELIS (lisinopril)	
trandolapril	VASOTEC (enalapril)	
	ZESTRIL (lisinopril)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS ^{DUR+} (continued)		
ACE INHIBITOR (ACEI) COMBINATIONS		EPANED - Automatic approval issued for 0-6 years of age ENTRESTO - Age ≥ 1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations: - Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARBs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: - Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: - Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitor Combinations: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	
enalapril/hydrochlorothiazide	VASERETIC (enalapril/hydrochlorothiazide)	
fosinopril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)	
lisinopril/hydrochlorothiazide		
quinapril/hydrochlorothiazide		
trandolapril/verapamil ER		
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
irbesartan	ATACAND (candesartan)	
losartan	AVAPRO (irbesartan)	
olmesartan	BENICAR (olmesartan)	
telmisartan	candesartan	
valsartan tablet	COZAAR (losartan)	
	DIOVAN (valsartan)	
	EDARBI (azilsartan)	
	eprosartan	
	MICARDIS (telmisartan)	
	valsartan solution	
ARB COMBINATIONS		
ENTRESTO (valsartan/sacubitril) tablet ^{DUR+}	ATACAND HCT (candesartan/hydrochlorothiazide)	
irbesartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/amlodipine/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril) sprinkle capsule	
valsartan/hydrochlorothiazide	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	olmesartan/amlodipine/hydrochlorothiazide	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/sacubitril	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURN (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURN HCT (aliskiren/hydrochlorothiazide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS (GI) & RELATED AGENTS		
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	vancomycin capsule	
	VOWST (fecal microbio spore, live-brpk)	
	XIFAXAN (rifaximin)	
ANTIBIOTICS (MISCELLANEOUS)		
LINCOSAMIDE ANTIBIOTICS		Quantity Limit • 6 tablets/month: SIVEXTRO SIVEXTRO – MANUAL PA ZYVOX – MANUAL PA
clindamycin	CLEOCIN (clindamycin)	
	CELOCIN PEDIATRIC (clindamycin)	
MACROLIDES		
azithromycin	ERYPED (erythromycin ethylsuccinate) suspension	
clarithromycin	ERYTHROCIN (erythromycin stearate)	
clarithromycin ER	ZITHROMAX (azithromycin)	
E.E.S (erythromycin ethylsuccinate) suspension		
ERY-TAB (erythromycin)		
erythromycin		
erythromycin ethylsuccinate		
NITROFURANTOIN DERIVATIVES		
nitrofurantoin capsule	FURADANTIN (nitrofurantoin) suspension	
nitrofurantoin monohydrate macrocrystals	MACROBID (nitrofurantoin monohydrate macrocrystals)	
	nitrofurantoin suspension	
OXAZOLIDINONES		
	Linezolid	
	SIVEXTRO (tedizolid)	
	ZYVOX (linezolid)	
ANTIBIOTICS (TOPICAL)		
bacitracin ^{OTC}	CENTANY (mupirocin)	
bacitracin/polymyxin ^{OTC}	CENTANY AT (mupirocin)	
gentamicin sulfate	mupirocin cream	
mupirocin ointment	XEPI (ozenoxacin)	
neomycin/bacitracin/polymyxin ^{OTC}		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS (VAGINAL)		
CLEOCIN (clindamycin)	clindamycin phosphate	
NUVESSA (metronidazole)	CLINDESSE (clindamycin)	
	SOLOSEC (secnidazole)	
	XACIATO (clindamycin)	
ANTICOAGULANTS		
LOW MOLECULAR WEIGHT HEPARIN (LMWH)		Non-Preferred Criteria • LMWH: ○ Have tried 1 preferred agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Oral: ○ Have tried 2 different preferred oral agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days
enoxaparin	ARIXTRA (fondaparinux)	
	fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	
ORAL		
ELIQUIS (apixaban)	dabigatran	
JANTOVEN (warfarin)	PRADAXA (dabigatran) pellet pack	
PRADAXA (dabigatran) capsule	SAVAYSA (edoxaban)	
warfarin		
XARELTO (rivaroxaban)		
ANTICONVULSANTS ^{DUR+}		
ADJUVANTS		Minimum Age Limit • 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN • 6 years: VALTOCO • 12 years: NAYZILAM Maximum Age Limit • 2 years: VIGAFYDE Quantity Limit (per 31 days) • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 2 cartons: VALTOCO Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days See next page for additional PA Criteria/DUR+ Rules
carbamazepine	APTOM (eslicarbazepine acetate)	
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)	
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet	
divalproex	CARBATROL (carbamazepine)	
divalproex ER	DEPAKOTE (divalproex)	
divalproex sprinkle	DIACOMIT (stiripentol)	
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)	
lacosamide	EPRONTIA (topiramate)	
lamotrigine	EQUETRO (carbamazepine)	
lamotrigine blue, green, orange dose pack	felbamate	
levetiracetam	FELBATOL (felbamate)	
levetiracetam ER	FINTEPLA (fenfluramine)	
oxcarbazepine tablet	FYCOMPA (perampanel)	
tiagabine	KEPPRA (levetiracetam)	
topiramate	KEPPRA XR (levetiracetam)	
topiramate sprinkle	LAMICTAL (lamotrigine)	
TRILEPTAL (oxcarbazepine) suspension	LAMICTAL XR (lamotrigine)	
valproic acid	lamotrigine ER	
zonisamide	lamotrigine ODT	
	lamotrigine ODT blue, green, orange dose pack	
	MOTPOLY XR (lacosamide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS ^{DUR+} (continued)		
ADJUVANTS (continued)		See previous page for additional PA Criteria/DUR+ Rules
	oxcarbazepine suspension	Banzel, Onfi, and Sympazan - Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR - Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT - Documented diagnosis of Dravet Syndrome AND 1 claim for clobazam in the past 30 days EPIDIOLEX - Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR 1 claim for EPIDIOLEX in the past 30 days FINTEPLA - Requires clinical review SABRIL Powder for Oral Solution - Documented diagnosis of Infantile Spasms OR - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Topiramate ER - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months VIGAFYDE - Age ≤ 2 years AND - Documented diagnosis of infantile spasms
	oxcarbazepine ER	
	OXTELLAR XR (oxcarbazepine)	
	QUDEXY XR (topiramate)	
	ROWEEPRA (levetiracetam)	
	rufinamide	
	SABRIL (vigabatrin)	
	SPRITAM (levetiracetam)	
	SUBVENITE (lamotrigine)	
	SUBVENITE (lamotrigine) blue, green, orange dose pack	
	TEGRETOL (carbamazepine)	
	TEGRETOL XR (carbamazepine)	
	TOPAMAX (topiramate)	
	topiramate ER	
	TRILEPTAL (oxcarbazepine) tablet	
	TROKENDI XR (topiramate)	
	vigabatrin	
	VIGADRONE (vigabatrin)	
	VIGAFYDE (vigabatrin)	
	VIGPODER (vigabatrin)	
	VIMPAT (lacosamide)	
	XCORPI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
	DILANTIN (phenytoin)	
	DILANTIN-125 (phenytoin)	
	PHENYTEK (phenytoin)	
	phenytoin	
	phenytoin ER	
SELECTED BENZODIAZEPINES		
	clobazam	DIASTAT (diazepam) rectal gel
	diazepam rectal gel	LIBERVANT (diazepam)
	NAYZILAM (midazolam)	ONFI (clobazam)
	VALTOCO (diazepam)	SYMPAZAN (clobazam)
SUCCINIMIDES		
	ethosuximide	CELONTIN (methsuximide)
		methsuximide
		ZARONTIN (ethosuximide)

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, OTHER DUR+		
bupropion	APLENZIN (bupropion)	Minimum Age Limit • 18 years: all agents Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days AUVELITY • Requires clinical review DRIZALMA Sprinkles and duloxetine • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age ZURZUVAE – MANUAL PA
bupropion SR	AUVELITY (bupropion/dextromethorphan)	
bupropion XL	desvenlafaxine ER	
mirtazapine	EFFEXOR XR (venlafaxine)	
trazodone	EMSAM (selegiline)	
TRINTELLIX (vortioxetine)	FETZIMA (levomilnacipran)	
venlafaxine	FORFIVO XL (bupropion)	
venlafaxine ER capsule	MARPLAN (isocarboxazid)	
vilazodone	NARDIL (phenelzine)	
	nefazodone	
	phenelzine	
	PRISTIQ (desvenlafaxine)	
	REMERON (mirtazapine)	
	tranylcypromine	
	venlafaxine ER tablet	
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	
	WELLBUTRIN XL (bupropion)	
	ZURZUVAE (zuranolone)	
ANTIDEPRESSANTS, SSRIs DUR+		
citalopram solution, tablet	CELEXA (citalopram)	Minimum Age Limit • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: LUVOX • 18 years: CELEXA, LUVOX CR, PAXIL, PEXEVA, PROZAC 90 mg Maximum Age Limit • 60 years: CELEXA Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
escitalopram	citalopram capsule	
fluoxetine capsule	fluoxetine solution, tablet	
fluvoxamine	fluoxetine DR capsule	
paroxetine tablet	fluvoxamine ER capsule	
paroxetine CR	LEXAPRO (escitalopram)	
paroxetine ER	paroxetine suspension, capsule	
sertraline tablet, solution	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIEMETICS ^{DUR+}					
5HT3 RECEPTOR BLOCKERS				Quantity Limit (per 31 days) • 6 tablets: AKYNZEO • 100 mL: ZOFRAN solution Non-Preferred Agents • Have tried 1 preferred agent in the past 6 months AKYNZEO – MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.	
ondansetron solution, tablet	ANZIMET (dolasetron)				
ondansetron ODT 4 mg, 8 mg	granisetron				
	ondansetron ODT 16 mg tablet				
	SANCUSO (granisetron)				
ANTIEMETIC COMBINATIONS					
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)				
	BONJESTA (doxylamine/pyridoxine)				
	doxylamine/pyridoxine				
CANNABINOIDS					
	dronabinol				
	MARINOL (dronabinol)				
NMDA RECEPTOR ANTAGONISTS					
aprepitant	EMEND (aprepitant)				
ANTIFUNGALS (ORAL) ^{DUR+}					
clotrimazole	ANCOBON (flucytosine)			Griseofulvin suspension • Automatic approval issued for 0-11 years of age Griseofulvin tablets • Automatic approval issued for 12-17 years of age Minimum Age Limit • 18 years: CRESEMBA Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection • Non-Preferred agent indicated for treatment (^) AND • Documented diagnosis of HIV CRESEMBA – MANUAL PA SPORANOX • Requires clinical review	
fluconazole	BREXAFEMME (ibrexafungerp)				
nystatin	CRESEMBA (isavuconazonium sulfate)				
terbinafine	DIFLUCAN (fluconazole)				
	flucytosine				
	griseofulvin				
	griseofulvin ultramicrosize				
	itraconazole				
	ketoconazole				
	NOXAFIL (posaconazole)				
	ORAVIG (miconazole)				
	Posaconazole				
	SPORANOX (itraconazole)				
	TOLSURA (itraconazole)				
	VFEND (voriconazole)				
	VIVJOA (oteseconazole)				
	voriconazole				

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS (TOPICAL) ^{DUR+}		
ANTIFUNGALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution - Require clinical review
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	
clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)	
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)	
LUZU (luliconazole)	ERTACZO (sertaconazole)	
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)	
miconazole/zinc oxide/petrolatum ointment	JUBLIA (efinaconazole)	
nystatin cream, ointment, powder	ketoconazole foam	
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)	
	luliconazole	
	MICOTRIN AC (clotrimazole)	
	MYCOZYL AC (clotrimazole)	
	MYCOZYL AP (miconazole)	
	naftifine	
	NAFTIN (naftifine)	
	oxiconazole	
	OXISTAT (oxiconazole)	
	tavaborole	
	VOTRIZA-AL (clotrimazole)	
	VUSION (miconazole/zinc oxide/petrolatum)	
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion	
nystatin/triamcinolone		
ANTIFUNGALS (VAGINAL)		
clotrimazole cream ^{OTC}	3-DAY VAGINAL CREAM (clotrimazole)	
clotrimazole-3 cream	GYNAZOLE 1 (butoconazole)	
miconazole kit ^{OTC}	terconazole suppository	
terconazole cream		
ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}		
MINIMALLY SEDATING ANTIHISTAMINES		Non-Preferred Criteria - Documented diagnosis of Allergy or Urticaria AND - Have tried 2 different preferred agents in the past 12 months
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}	
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)	
	desloratadine	
	levocetirizine	
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS		
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)	
loratadine/pseudoephedrine	fexofenadine/pseudoephedrine	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AGENTS, PROPHYLAXIS		
INJECTABLES		Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL	
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)	
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}		
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}		
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}		
ORAL		AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA
	QULIPTA (atogepant)	
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS		
BOSULIF (bosutinib) tablet	AFINITOR (everolimus)	FARYDAK – MANUAL PA IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review LENVIMA - Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review LYNPARZA Tablets – Criteria details found here - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR - All other indications require clinical review
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)	
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)	
COTELLIC (cobimetinib)	ALECENSA (alectinib)	
everolimus	ALUNBRIG (brigatinib)	
GILOTTRIF (afatinib)	AUGTYRO (repotrectinib)	
ICLUSIG (ponatinib)	AYVAKIT (avapritinib)	
imatinib	BALVERSA (erdafitinib)	
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule	
INLYTA (axitinib)	BRAFTOVI (encorafenib)	
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)	
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)	
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)	
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)	
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)	
SPRYCEL (dasatinib)	dasatinib	
STIVARGA (regorafenib)	DATROWAY (datopotomab deruxtecan-dlnk) ^{NR}	
SUTENT (sunitinib)	DAURISMO (glasdegib)	
TAFINLAR (dabrafenib)	ERIVEDGE (vismodegib)	
TARCEVA (erlotinib)	ERLEADA (apalutamide)	
TASIGNA (nilotinib)	erlotinib	
TURALIO (pexidartinib)	FOTIVDA (tivozanib)	
TYKERB (lapatinib)	FURZAQLA (fruquintinib)	
VOTRIENT (pazopanib)	GAVRETO (pralsetinib)	
XALKORI (crizotinib)	gefitinib	
XTANDI (enzalutamide)	GLEEVEC (imatinib)	
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)	
ZYDELIG (idelalisib)	IDHIFA (enasidenib)	
ZYKADIA (ceritinib)	IMKELDI (imatinib)	
	INOQVI (decitabine/cedazuridine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
	INREBIC (fedratinib)	See previous page for PA Criteria/DUR+ Rules
	ITOVEBI (inavolisib)	
	IWILFIN (eflornithine)	
	JAYPIRCA (pirtobrutinib)	
	KISQALI (ribociclib)	
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)	
	KOSELUGO (selumetinib/vitamin e)	
	KRAZATI (adagrasib)	
	lapatinib	
	LAZCLUZE (lazertinib)	
	LENVIMA (lenvatinib)	
	LOBRENA (lorlatinib)	
	LUMAKRAS (sotorasib)	
	LYNPARZA (olaparib)	
	LYTGOBI (futibatinib)	
	MEKTOVI (binimetinib)	
	NERLYNX (neratinib)	
	NUBEQA (darolutamide)	
	ODOMZO (sonidegib)	
	OGSIVEO (nirogacestat)	
	OJEMDA (tovorafenib)	
	OJJAARA (mometotinib)	
	ONUREG (azacitidine)	
	ORGOVYX (relugolix)	
	pazopanib	
	PEMAZYRE (pemigatinib)	
	PIQRAY (alpelisib)	
	QINLOCK (ripretinib)	
	RETEVMO (selpercatinib)	
	REVUFORJ (revumenib)	
	REZLIDHIA (olutasidenib)	
	RUBRACA (rucaparib)	
	RYDAPT (midostaurin)	
	SCEMBLIX (asciminib)	
	sorafenib	
	sunitinib	
	TABRECTA (capmatinib)	
	TAGRISSE (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TECENTRIZ HYBREZA (atezolizumab-hyaluronidase)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS (continued)		
	TEPMETKO (tepotinib)	See previous page for PA Criteria/DUR+ Rules
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	
	VONJO (pacritinib)	
	VORANIGO (vorasidenib)	
	WELIREG (belzutifan)	
	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	
ANTIOBESITY SELECT AGENTS		
SAXENDA (liraglutide)	orlistat	All agents – MANUAL PA required
WEGOVY (semaglutide)	XENICAL (orlistat)	
ANTIPARASITICS (TOPICAL) ^{DUR+}		
PEDICULICIDES		Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX Non-Preferred Criteria • Pediculicides ○ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides ○ Have tried permethrin 5% in the past 90 days
NATROBA (spinosad)	lindane	
permethrin 1% cream ^{OTC}	malathion	
VANALICE (piperonyl butoxide/pyrethrins)	OVIDE (malathion)	
	SKLICE (ivermectin)	
	spinosad	
SCABICIDES		
ivermectin	CROTAN (crotamiton)	
permethrin 5% cream	ELIMITE (permethrin)	
	EURAX (crotamiton)	
	STROMECTOL (ivermectin)	
ANTIPARKINSON’S AGENTS (INJECTABLE)		
	VYALEV (foscarnidopa/foslevodopa) ^{NR}	VYALEV • Requires clinical review

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS (ORAL)		DUR+
ANTICHOLINERGICS		Non-Preferred Criteria - Documented diagnosis of Parkinson's disease AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
benztropine		
trihexyphenidyl		
COMT INHIBITORS		XADAGO - Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND 30 days of therapy with a selegiline agent in the past 45 days
entacapone	OGENTYS (opicapone)	
	TASMAR (tocapone)	
	tolcapone	
DOPAMINE AGONISTS		GOCOVRI - Documented diagnosis of Parkinson's disease AND 30 days of therapy with amantadine IR in the past 105 days AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days
pramipexole	NEUPRO (rotigotine)	
ropinirole	pramipexole ER	
	ropinirole ER	
MAO-B INHIBITORS		LODOSYN and INBRIJA - Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
	ZELAPAR (selegiline)	
OTHERS		LODOSYN and INBRIJA - Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days NOURIANZ - Documented diagnosis of Parkinson's Disease AND - Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND 30 days of therapy with a preferred adjunctive therapy in the past 45 days
amantadine	carbidopa/levodopa ODT	
bromocriptine	carbidopa/levodopa/entacapone	
carbidopa	CREXONT (carbidopa/levodopa)	
carbidopa/levodopa tablet	DHIVY (carbidopa/levodopa)	
carbidopa/levodopa ER	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	LODOSYN (carbidopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	
ANTIPSORIATICS (TOPICAL)		
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	DUOBRII (halobetasol/tazarotene)	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS ^{DUR+}		
INJECTABLE, ATYPICALS ^{DUR+}		Concurrent Therapy Limit for Age < 18 years 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA
ABILIFY ASIMTUFII (aripiprazole) ABILIFY MAINTENA (aripiprazole) ARISTADA, ARISTADA INITIO (aripiprazole lauroxil) INVEGA HAFYERA (paliperidone) INVEGA SUSTENNA (paliperidone palmitate) INVEGA TRINZA (paliperidone) PERSERIS (risperidone) RISPERIDAL CONSTA (risperidone) UZEDY (risperidone)	ERZOFRI (paliperidone palmitate) ^{NR} GEODON (ziprasidone) olanzapine risperidone ER RYKINDO (risperidone) ziprasidone ZYPREXA (olanzapine) ZYPREXA RELPREVV (olanzapine)	
ORAL		Minimum Age Limit 3 years: HALDOL 5 years: RISPERDAL, thioridazine 6 years: ABILIFY, trifluoperazine 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene 13 years: REXULTI, ZYPREXA 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents
aripiprazole tablet asenapine clozapine tablet fluphenazine haloperidol haloperidol lactate olanzapine perphenazine perphenazine/amitriptyline quetiapine quetiapine ER risperidone thioridazine trifluoperazine VRAYLAR (cariprazine) ziprasidone	ABILIFY (aripiprazole) ABILIFY MYCITE (aripiprazole) ADASUVE (loxapine) aripiprazole ODT, solution CAPLYTA (lumateperone) chlorpromazine clozapine ODT CLOZARIL (clozapine) COBENFY (xanomeline/trospium) ^{NR} FANAPT (iloperidone) GEODON (ziprasidone) IGALMI (dexmedetomidine) INVEGA (paliperidone) LATUDA (lurasidone) lurasidone LYBALVI (olanzapine/samidorphan) NUPLAZID (pimavanserin) olanzapine/fluoxetine OPIPZA (aripiprazole) paliperidone ER REXULTI (brexpiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine ER) SYMBYAX (olanzapine/fluoxetine) VERSACLOZ (clozapine) ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		Quantity Limit 3 syringes/year: ARISTADA INITIO
	SECUADO (asenapine)	

- Non-Preferred Criteria – Atypical Agents**
- Have tried 2 preferred agents in the past 12 months **OR**
 - 30 days of therapy with the requested agent in the past 180 days
- All Long-Acting Injectable Agents**
- Documented diagnosis of schizophrenia or schizoaffective disorder
- ABILIFY MAINTENA, ABILIFY ASIMTUFII, RISPERDAL CONSTA, and RYKINDO ER**
- Documented diagnosis of schizophrenia, schizoaffective disorder, or bipolar disorder
- INVEGA HAFYERA**
- Documented diagnosis of schizophrenia or schizoaffective disorder **AND**
 - 4 claims for INVEGA SUSTENNA or ERZOFRI in the past year **OR**
 - 1 claim for INVEGA TRINZA in the past year **OR**
 - 1 claim for INVEGA HAFYERA in the past year
- COBENFY and OPIPZA**
- Require clinical review
- NUPLAZID**
- Documented diagnosis of Parkinson's disease
- VRAYLAR**
- Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder, or major depressive disorder **AND**
 - 30 days of therapy with an antidepressant in the past 45 days **OR**
 - 1 claim for a 90-day supply of an antidepressant in the past 105 days

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+}		
CAPSID INHIBITORS		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA - Requires clinical review TYBOST – MANUAL PA
	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS – NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS – PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS		
	maraviroc	
	SELZENTRY (maraviroc)	
ENTRY INHIBITORS – FUSION INHIBITORS		
	FUZEON (enfuvirtide)	
INTEGRASE STRAND TRANSFER INHIBITORS		
APRETUDE (cabotegravir)	cabotegravir ER	
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)	
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)	
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)		
EDURANT (rilpivirine)	etravirine	
efavirenz	INTELENCE (etravirine)	
	nevirapine, nevirapine ER	
	PIFELTRO (doravirine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA - Requires clinical review TYBOST – MANUAL PA
abacavir	didanosine	
EMTRIVA (emtricitabine)	emtricitabine	
lamivudine	EPIVIR (lamivudine)	
ZIAGEN (abacavir)	RETROVIR (zidovudine)	
zidovudine	stavudine	
	VIREAD (tenofovir disoproxil fumarate)	
PHARMACOENHANCER – CYTOCHROME P450 INHIBITORS		
	TYBOST (cobicistat)	
PROTEASE INHIBITORS (NON-PEPTIDIC)		
PREZISTA (darunavir)	APTIVUS (tipranavir)	
	darunavir	
	PREZCOBIX (darunavir/cobicistat)	
PROTEASE INHIBITORS (PEPTIDIC)		
atazanavir	fosamprenavir	
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/ tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		
ANTIVIRALS, ORAL		
ANTI-CYTOMEGALOVIRUS AGENTS		Valganciclovir solution - Automatic approval issued for 0-12 years of age PREVYMIS - Requires clinical review
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVYMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIVIRALS, ORAL (continued)					
ANTI-INFLUENZA AGENTS					
oseltamivir		FLUMADINE (rimantadine)			
		RAPIVAB (peramivir)			
		RELENZA (zanamivir)			
		rimantadine			
		TAMIFLU (oseltamivir)			
		XOFLUZA (baloxavir)			
ANTIVIRALS, TOPICAL					
ZOVIRAX (acyclovir) cream		acyclovir			
		DENA VIR (penciclovir)			
		penciclovir			
		XERESE (acyclovir/hydrocortisone)			
		ZOVIRAX (acyclovir) ointment			
AROMATASE INHIBITORS					
anastrozole		ARIMIDEX (anastrozole)			
exemestane		AROMASIN (exemestane)			
letrozole		FEMARA (letrozole)			
ATOPIC DERMATITIS					
ADBRY (tralokinumab-ldrm)		CIBINQO (abrocitinib)		Minimum Age Limit • 3 months: EUCRISA • 2 years: ELIDEL, PROTOPIC 0.03% • 12 years: OPZELURA • 16 years: PROTOPIC 0.1% See below for additional PA Criteria/DUR+ Rules	
ADBRY Autoinjector (tralokinumab-ldrm)		EBGLYSS Pen (lebrikizumab-lbkz) ^{NR}			
DUPIXENT (dupilumab) ^{DUR+}		OPZELURA (ruxolitinib)			
ELIDEL (pimecrolimus)		ZORYVE (roflumilast) 0.15% cream			
EUCRISA (crisaborole) ^{DUR+}					
pimecrolimus					
tacrolimus					
ADBRY – MANUAL PA				EBGLYSS	
CIBINQO • Requires clinical review DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ◦ Asthma – MANUAL PA ◦ Atopic Dermatitis – MANUAL PA ◦ Eosinophilic Esophagitis – MANUAL PA ◦ Nasal Polyposis – MANUAL PA ◦ Prurigo Nodularis – MANUAL PA				• Requires clinical review	
				EUCRISA	
				• 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months	
				OPZELURA	
				• 30 days of therapy with ELIDEL, EUCRISA or PROTOPIC	

See below for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}			
ANTIANGINALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
	ASPRUZYO SPRINKLE (ranolazine)		
	ranolazine ER		
BETA- AND ALPHA-BLOCKERS		COREG CR - Documented diagnosis of hypertension AND - Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
carvedilol	carvedilol ER		
labetalol	COREG (carvedilol)		
	COREG CR (carvedilol)	CORLANOR – MANUAL PA	
BETA-BLOCKER/DIURETIC COMBINATIONS			
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)		
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)	HEMANGEOL Documented diagnosis of infantile hemangioma	
metoprolol/hydrochlorothiazide			
propranolol/hydrochlorothiazide			
BETA-BLOCKERS		RANEXA - Documented diagnosis of angina AND 1 claim for a calcium channel blocker, beta-blocker, nitrate, or combination agent in the past 30 days OR 90 days of therapy with the requested agent in the past 105 days	
acebutolol	BETAPACE (sotalol)		
atenolol	BETAPACE AF (sotalol)		
bisoprolol	betaxolol		
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)		
metoprolol succinate	INDERAL LA (propranolol)		
metoprolol tartrate	INDERAL XL (propranolol)		
nadolol	INNOPRAN XL (propranolol)		
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)		
pindolol	LOPRESSOR (metoprolol tartrate)		
propranolol	SOTYLIZE (sotalol)		
propranolol ER	TENORMIN (atenolol)		
SORINE (sotalol)	TOPROL XL (metoprolol succinate)		
sotalol			
sotalol AF			
timolol			
SINUS NODE AGENTS			
	CORLANOR (ivabradine)		
	ivabradine		
BILE SALTS			
ursodiol	BYLVAY (odevixibat)		
	CHENODAL (chenodiol)		
	IQIRVO (elafibranor)		
	LIVDELZI (seladelpar)		
	LIVMARLI (maralixibat)		
	OCALIVA (obeticholic acid)		
	RELTONE (ursodiol)		
	URSO FORTE (ursodiol)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	EVENITY (romosozumab-aqgg)	
	EVISTA (raloxifene)	
	MIACALCIN (calcitonin salmon)	
	PROLIA (denosumab)	
	teriparatide	
	TYMLOS (abaloparatide)	
	XGEVA (denosumab)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
BPH AGENTS ^{DUR+}						
5-ALPHA-REDUCTASE INHIBITORS			CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL – Female - Documented State-accepted diagnosis Non-Preferred Criteria – Male - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ENTADFI - Requires clinical review			
dutasteride		AVODART (dutasteride)				
finasteride		ENTADFI (finasteride/tadalafil)				
		PROSCAR (finasteride)				
ALPHA BLOCKERS						
alfuzosin ER		CARDURA (doxazosin)				
doxazosin		CARDURA XL (doxazosin)				
tamsulosin		dutasteride/tamsulosin				
terazosin		FLOMAX (tamsulosin)				
		RAPAFLO (silodosin)				
		silodosin				
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS						
		CIALIS (tadalafil)				
		tadalafil				
BRONCHODILATORS & COPD AGENTS						
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS			Minimum Age Limit 6 years: SPIRIVA RESPIMAT SPIRIVA RESPIMAT - Automatic approval issued for diagnosis of asthma for ≥ 6 years of age BREZTRI AEROSPHERE 3 claims with BREZTRI AEROSPHERE in the past 105 days OR - New starts require clinical review			
ANORO ELLIPTA (umeclidinium/vilanterol)		BEVESPI AEROSPHERE (glycopyrrolate/formoterol)				
COMBIVENT RESPIMAT (ipratropium/albuterol)		DUAKLIR PRESSAIR (aclidinium/formoterol)				
ipratropium/albuterol						
STIOLTO RESPIMAT (tiotropium/olodaterol)						
ANTICHOLINERGIC-BATA AGONIST-GLUCOCORTICOID COMBINATIONS						
		BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}				
		TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)				
ANTICHOLINERGICS AND COPD AGENTS						
ATROVENT HFA (ipratropium)		DALIRESP (roflumilast)				
INCRUSE ELLIPTA (umeclidinium)		OHTUVAYRE (ensifentrine)				
ipratropium		roflumilast				
SPIRIVA HANDIHALER (tiotropium)		SPIRIVA RESPIMAT (tiotropium) ^{DUR+}				
		tiotropium				
		TUDORZA PRESSAIR (aclidinium)				
		YUPLERI (revefenacin)				
BRONCHODILATORS, BETA AGONISTS						
INHALATION SOLUTION ^{DUR+}			Non-Preferred Criteria 1 claim for a preferred agent in the past 6 months OR 3 claims with the requested agent in the past 105 days See next page for additional PA Criteria/DUR+ Rules			
albuterol		arformoterol				
		BROVANA (arformoterol)				
		formoterol				
		Levalbuterol				
		PERFOROMIST (formoterol)				

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BRONCHODILATORS, BETA AGONISTS (continued)		
INHALERS, LONG ACTING ^{DUR+}		See previous page for additional PA Criteria/DUR+ Rules Minimum Age Limit • 4 years: SEREVENT, XOPENEX HFA • 6 years: XOPENEX Solution • 18 years: AIRSUPRA, BROVANA, PERFOROMIST, STRIVERDI RESPIMAT Quantity Limit (per 31 days) • 2 inhalers: AIRSUPRA AIRSUPRA and PROAIR DIGIHALER – Require clinical review XOPENEX HFA and Solution • 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	AIRSUPRA (albuterol/budesonide)	
VENTOLIN HFA (albuterol)	levalbuterol HFA	
	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	
terbutaline		
CALCIUM CHANNEL BLOCKERS ^{DUR+}		
LONG-ACTING		Quantity Limit (per 21 days) • 252 tablets: nimodipine • 2520 mL: nimodipine Non-Preferred Criteria – Long Acting • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria – Short Acting • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Nimodipine • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days
amlodipine	CARDIZEM CD (diltiazem)	
CARTIA XT (diltiazem)	CARDIZEM LA (diltiazem)	
diltiazem ER 24 HR	diltiazem ER 12 HR	
diltiazem CD 24 HR	diltiazem LA 24 HR	
diltiazem XR 24 HR	KATERZIA (amlodipine)	
DILT-XR 24 HR (diltiazem)	levamlodipine	
felodipine	MATZIM LA (diltiazem)	
nifedipine ER	nisoldipine	
TAZTIA XT (diltiazem)	NORVASC	
verapamil ER	PROCARDIA XL	
verapamil SR	SULAR (nisoldipine)	
	TIADYLT ER (diltiazem)	
	TIAZAC (diltiazem)	
	verapamil PM	
	VERELAN PM (verapamil)	
SHORT-ACTING		
diltiazem	CARDIZEM (diltiazem)	
nicardipine	isradipine	
nifedipine	nimodipine	
verapamil	NORLIQVA (amlodipine)	
	NYMALIZE (nimodipine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CALORIC AGENTS		
BOOST BREAKFAST ESSENTIALS BRIGHT BEGINNINGS DUOCAL ENSURE NUTREN OSMOLITE PEDIASURE PROMOD RESOURCE TWOCAL HN	All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.	Non-Preferred Agents – MANUAL PA
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)		
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-Preferred Criteria – All Cephalosporin Generations - Have tried 2 different preferred agents in the past 6 months Maximum Age Limit 18 years: cefdinir suspension
amoxicillin/clavulanate	amoxicillin/clavulanate ER	
	AUGMENTIN (amoxicillin/clavulanate)	
CEPHALOSPORINS – FIRST GENERATION		
cefadroxil	cephalexin tablet	
cephalexin capsule, suspension		
CEPHALOSPORINS – SECOND GENERATION		
cefaclor capsule	cefaclor ER	
cefprozil	cefaclor suspension	
cefuroxime		
CEPHALOSPORINS – THIRD GENERATION		
cefdinir	cefixime suspension	
cefixime capsule	SUPRAX (cefixime)	
cefpodoxime		
COLONY STIMULATING FACTORS		
FULPHILA (pegfilgrastim-jmdb)	FYLNETRA (pegfilgrastim-pbbk)	
NEUPOGEN (filgrastim)	GRANIX (tbo-filgrastim)	
	LEUKINE (sargramostim)	
	NEULASTA, NEULASTA ONPRO (pegfilgrastim)	
	NIVESTYM (filgrastim-aafi)	
	NYVEPRIA (pegfilgrastim-appf)	
	RELEUKO (filgrastim-ayow)	
	ROLVEDON (eflapregastim-xnst)	
	STIMUFEND (pegfilgrastim-fpgk)	
	UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)	
	ZARXIO (filgrastim-sndz)	
	ZIEXTENZO (pegfilgrastim-bmez)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYSTIC FIBROSIS AGENTS ^{DUR+}		
PULMOZYME (dornase alfa)	ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor) ^{NR}	Minimum Age Limit • 1 month: KALYDECO granules • 3 months: PULMOZYME • 1 year: ORKAMBI • 2 years: COLY-MYCIN M, TRIKAFTA granules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL Maximum Age Limit • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA tablets Preferred Agents • Documented diagnosis of Cystic Fibrosis OR • Require clinical review ALYFTREK and TOBI PODHALER – Require clinical review KALYDECO – MANUAL PA ORKAMBI – MANUAL PA SYMDEKO – MANUAL PA TRIKAFTA – MANUAL PA
tobramycin (generic TOBI)	BETHKIS (tobramycin)	
	BRONCHITOL (mannitol)	
	CAYSTON (aztreonam)	
	colistimethate	
	COLY-MYCIN M (colistin)	
	KALYDECO (ivacaftor)	
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elxacaftor/tezacaftor/ivacaftor)	
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
ACTEMRA (tocilizumab) syringe, vial	ABRILADA (adalimumab-afzb)	Preferred Agents – Criteria details found here Non-Preferred Agents • Require clinical review IV Administered Agents • Require clinical review
AVSOLA (infliximab-axxq)	ACTEMRA ACTPEN (tocilizumab)	
ENBREL (etanercept)	adalimumab-aacf	
HUMIRA (adalimumab)	adalimumab-aaty	
KINERET (anakinra)	adalimumab-adaz	
methotrexate	adalimumab-adbm	
OLUMIANT (baricitinib)	adalimumab-fkjp	
OTEZLA (apremilast)	adalimumab-ryvk	
RINVOQ (upadacitinib)	AMJEVITA (adalimumab-atto)	
RINVOQ LQ (upadacitinib)	ARCALYST (rilonacept)	
SIMPONI (golimumab)	BIMZELX (bimekizumab-bkzx)	
TALTZ (ixekizumab)	CIMZIA (certolizumab)	
TYENNE Syringe, Vial (tocilizumab-aazg)	COSENTYX (secukinumab)	
XELJANZ (tofacitinib) tablet	CYLTEZO (adalimumab-adbm)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+} (continued)		
	ENTYVIO (vedolizumab)	Preferred Agents – Criteria details found here Non-Preferred Agents - Require clinical review IV Administered Agents - Require clinical review
	HADLIMA (adalimumab-bwwd)	
	HULIO (adalimumab-fkjp)	
	HYRIMOZ (adalimumab-adaz)	
	IDACIO (adalimumab-aacf)	
	ILARIS (canakinumab)	
	ILUMYA (tildrakizumab-asmn)	
	INFLECTRA (infliximab-dyyb)	
	infliximab	
	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	
	LITFULO (ritlectinib)	
	NEMLUVIO (nemolizumab-ilto) ^{NR}	
	OMVOH (mirikizumab-mrkz)	
	ORENCIA (abatacept)	
	OTREXUP (methotrexate)	
	RASUVO (methotrexate)	
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	
	SILIQ (brodalumab)	
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	
	TREXALL (methotrexate)	
	TYENNE Autoinjector (tocilizumab-aazg)	
	ustekinumab-kfce ^{NR}	
	XATMEP (methotrexate)	
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YUFLYMA (adalimumab-aaty)	
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}		
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	Non-Preferred Criteria - Documented diagnosis of cancer or chronic renal failure OR - Antineoplastic therapy in the past 6 months AND - Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR 1 claim for the requested agent in the past 105 days JESDUVROQ - Requires clinical review MIRCERA - Documented diagnosis of chronic renal failure in the past 2 years
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRIT (epoetin alfa)	
	VAFSEO (vadadustat)	
FACTOR DEFICIENCY PRODUCTS ^{DUR+}		
FACTOR VIII		HEMLIBRA 3 claims with HEMLIBRA in the past 105 days OR - New starts require clinical review – MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIIO	JIVI	
FEIBA	KCENTRA	
HEMOFIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		
XYNTHA, XYNTHA SOLOFUSE		
FACTOR IX		
ALPHANINE SD	BEQVEZ	
ALPROLIX	REBINYN	
BENEFIX		
IDELVION		
IXINITY		
PROFILNINE		
RIXUBIS		
OTHER HEMOPHILIA PRODUCTS		
COAGADEX (factor X)	ALHEMO (concizumab-mtci) ^{NR}	
FIBRYGA (fibrinogen)	CORIFACT (factor XIII) ^{NR}	
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncg) ^{NR}	
RIASTAP (fibrinogen)	NOVOSEVEN RT (factor VII)	
	SEVENFACT (factor VII)	
	TRETEN (factor XIII)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS		
duloxetine	CYMBALTA (duloxetine)	
gabapentin	DIRZALMA SPRINKLE (duloxetine)	
pregabalin	gabapentin ER	
SAVELLA (milnacipran)	GABARONE (gabapentin) ^{NR}	
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	NEURONTIN (gabapentin)	
	pregabalin ER	
FLUOROQUINOLONES ^{DUR+}		
ciprofloxacin tablet	BAXDELA (delafloxacin)	Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension Criteria for Age < 12 Years - Anthrax infection or exposure, cystic fibrosis, pneumonic plague, or tularemia AND - History of doxycycline in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide LEVAQUIN Solution Criteria for Age < 12 Years - Anthrax infection or exposure AND - CIPRO suspension in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	
GAUCHER’S DISEASE		
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	
GENITAL WARTS & ACTINIC KERATOSIS AGENTS		
CONDYLOX (podofilox)	CARAC (fluorouracil)	Minimum Age Limit 12 years: ALDARA, ZYCLARA 18 years: CONDYLOX, PICATO, VEREGEN
fluorouracil	EFUDEX (fluorouracil)	
imiquimod	VEREGEN (sinecatechins)	
podofilox	ZYCLARA (imiquimod)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
GI ULCER THERAPIES					
H2 RECEPTOR ANTAGONISTS				Prilosec suspension Automatic approval issued for 0-2 years of age	
famotidine		cimetidine			
		nizatidine			
		PEPCID (famotidine)			
OTHERS					
CARAFATE (sucralfate) suspension		CARAFATE (sucralfate) tablet			
misoprostol		CYTOTEC (misoprostol)			
sucralfate		DARTISLA (glycopyrrolate)			
		VOQUEZNA (vonoprazan)			
PROTON PUMP INHIBITORS					
esomeprazole capsule		DEXILANT (dexlansoprazole)			
NEXIUM (esomeprazole) packet		dexlansoprazole			
omeprazole		esomeprazole packet			
pantoprazole		KONVOMEK (omeprazole/sodium bicarbonate)			
		lansoprazole Rx			
		NEXIUM (esomeprazole) capsule			
		omeprazole/sodium bicarbonate			
		PREVACID (lansoprazole)			
		PRILOSEC (omeprazole) packet			
		PROTONIX (pantoprazole)			
		rabeprazole			
		ZEGERID (omeprazole/sodium bicarbonate)			
GLUCOCORTICOIDS (INHALED)					
GLUCOCORTICOIDS				Non-Preferred Criteria Glucocorticoids 2 preferred single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Glucocorticoid/Bronchodilator Combinations 2 preferred combination agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: - Institutional-sized products are non-preferred AIRDUO DIGIHALER - Requires clinical review ARMONAIR DIGIHALER - Require clinical review	
ASMANEX (mometasone)		ALVESCO (ciclesonide)			
budesonide 0.25 mg and 0.5 mg		ARMONAIR DIGIHALER (fluticasone)			
FLOVENT DISKUS (fluticasone)		ARNUIITY ELLIPTA (fluticasone)			
PULMICORT FLEXHALER (budesonide)		ASMANEX HFA (mometasone)			
QVAR REDHALER (beclomethasone)		budesonide 1 mg			
		FLOVENT HFA (fluticasone)			
		fluticasone diskus			
		fluticasone HFA			
		PULMICORT (budesonide) nebulizer solution			
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS					
ADVAIR DISKUS (fluticasone/salmeterol)		AIRDUO DIGIHALER (fluticasone/salmeterol)			
ADVAIR HFA (fluticasone/salmeterol)		BREO ELLIPTA (fluticasone/vilanterol)			
DULERA (mometasone/formoterol)		BREYNA (budesonide/formoterol)			
fluticasone/salmeterol diskus		budesonide/formoterol			
fluticasone/salmeterol HFA		fluticasone/vilanterol			
SYMBICORT (budesonide/formoterol)		WIXELA INHUB (fluticasone/salmeterol)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
GROWTH HORMONES ^{DUR+}					
GENOTROPIN (somatropin)		HUMATROPE (somatropin)		All Agents • Age ≥ 18 years ◦ Documented diagnosis of craniopharyngioma, panhypopituitarism, Prader-Willi Syndrome, Turner Syndrome or an approvable adult diagnosis OR ◦ Documented procedure of cranial irradiation • Age < 18 years ◦ Documented diagnosis of idiopathic short stature AND ◦ Documented approvable pediatric diagnosis OR ◦ Documented approvable pediatric diagnosis Minimum Age Limit • 3 years: NGENLA • 18 years: SKYTROFA Maximum Age Limit • 18 years: NGENLA Non-Preferred Criteria • Documented approvable diagnosis for age as above AND • Have tried 1 preferred agent in the past 6 months OR • 84 days of therapy with the requested agent in the past 105 days SKYTROFA • ≥ 18 years AND • No history of diagnosis of Prader-Willi Syndrome AND • 28 days of therapy with a preferred short-acting growth hormone in the past 105 days	
NORDITROPIN FLEXPPO (somatropin)		NGENLA (somatrogon-ghla)			
SKYTROFA (lonapegsomatropin-tcgd)		OMNITROPE (somatropin)			
		SEROSTIM (somatropin)			
		SOGROYA (somapacitan-beco)			
		VOXZOGO (vosoritide)			
		ZOMACTON (somatropin)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
HEPATITIS C TREATMENTS					
MAVYRET (glecaprevir/pibrentasvir) [∞]		EPCLUSA (sofosbuvir/velpatasvir) [∞]		∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER • Require MANUAL PA Note: • EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications	
PEGASYS (peginterferon alfa-2a)		HARVONI (ledipasvir/sofosbuvir) [∞]			
ribavirin tablet		ledipasvir/sofosbuvir [∞]			
sofosbuvir/velpatasvir		ribavirin capsule			
		SOVALDI (sofosbuvir) [∞]			
		VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)			
		VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) [∞]			
		ZEPATIER (elbasvir/grazoprevir) [∞]			
HEREDITARY ANGIOEDEMA					
BERINERT (C1 esterase inhibitor)		CINRYZE (C1 esterase inhibitor)			
icatibant		FIRAZYR (icatibant)			
		KALBITOR (ecallantide)			
		ORLADEYO (berotralstat)			
		RUCONEST (C1 esterase inhibitor)			
		SAJAZIR (icatibant)			
		TAKHZYRO (lanadelumab-flyo)			
HYPERURICEMIA & GOUT ^{DUR+}					
allopurinol		ALOPRIM (allopurinol)		Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months	
colchicine tablet		colchicine capsule			
probenecid		COLCRYS (colchicine)			
probenecid/colchicine		febuxostat			
		GLOPERBA (colchicine)			
		MITIGARE (colchicine)			
		ULORIC (febuxostat)			
		ZYLOPRIM (allopurinol)			
HYPOGLYCEMIA TREATMENT					
BAQSIMI (glucagon)		GVOKE (glucagon) ^{Step Edit}		Minimum Age Limit • 2 years: GVOKE • 4 years: BAQSIMI • 6 years: ZEGALOGUE Quantity Limit (per 31 days) • 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria – GVOKE • 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days	
GLUCAGEN (glucagon)					
glucagon emergency kit					
glucagon vial					
ZEGALOGUE (dasiglucagon)					
HYPOGLYCEMICS, BIGUANIDES					
metformin		GLUMETZA (metformin)			
metformin ER (generic GLUCOPHAGE XR)		metformin ER (generic FORTAMET)			
		metformin ER (generic GLUMETZA)			
		metformin solution			
		RIOMET (metformin)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, DPP4s AND COMBINATIONS ^{DUR+}		
JANUMET (sitagliptin/metformin)	alogliptin	Non-Preferred Criteria - Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: - Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review.
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	
JANUVIA (sitagliptin)	JENTADUETO XR (linagliptin/metformin)	
JENTADUETO (linagliptin/metformin)	KAZANO (alogliptin/metformin)	
TRADJENTA (linagliptin)	KOMBIGLYZE XR (saxagliptin/metformin)	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	
	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}		
BYETTA (exenatide)	BYDUREON (exenatide)	Minimum Age Limit 10 years: BYDUREON BCISE, TRULICITY, VICTOZA 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria - Documented diagnosis of Type 2 Diabetes and no history of SAXENDA or WEGOVY in the past 30 days OR - No documented diagnosis for Type 2 Diabetes and 84 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria - Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days AND 84 days of therapy with TRULICITY in the past 6 months AND 84 days of therapy with either BYETTA or VICTOZA in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days Note: - Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. - Please see the PDL category Anti-obesity Select Agents for a list of covered agents.
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}					
HUMALOG MIX 75/25 (insulin lispro/lispro protamine)		ADMELOG (insulin lispro)		Non-Preferred Criteria • Documented diagnosis of Diabetes Mellitus AND • Have tried 1 preferred agent in the past 6 months OR • 1 claim with the requested agent in the past 105 days Quantity Limit • Insulin quantity limits can be found here Note: • Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries.	
HUMULIN 70/30 (insulin NPH/regular)		AFREZZA (insulin regular)			
HUMULIN N (insulin NPH)		APIDRA (insulin glulisine)			
HUMULIN R (insulin regular)		BASAGLAR (insulin glargine)			
HUMULIN R U-500 (insulin regular)		FIASP (insulin aspart/niacinamide)			
insulin aspart		HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO			
insulin aspart protamine mix 70/30		PEN (insulin lispro)			
insulin lispro		HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)			
insulin lispro protamine mix 75/25		HUMULIN 70/30 (insulin NPH/regular)			
LANTUS (insulin glargine)		HUMULIN N KWIKPEN (insulin NPH)			
TOUJEO (insulin glargine)		insulin degludec			
TOUJEO MAX (insulin glargine)		insulin glargine			
		insulin glargine-yfgn			
		LEVEMIR (insulin detemir)			
		LYUMJEV (insulin lispro-aabc)			
		NOVOLIN 70/30 (insulin NPH/regular)			
		NOVOLIN R (insulin regular)			
		NOVOLOG (insulin aspart)			
		NOVOLOG MIX 70/30 (insulin aspart/aspart protamine)			
		REZVOGLAR (insulin glargine-aglr)			
		SEMGLEE (insulin glargine-yfgn)			
		TRESIBA (insulin degludec)			
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}					
nateglinide					
repaglinide					
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}					
SGLT-2 INHIBITORS				Non-Preferred Criteria • Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days	
FARXIGA (dapagliflozin)		dapagliflozin			
JARDIANCE (empagliflozin)		INPEFA (sotagliflozin)			
		INVOKANA (canagliflozin)			
		STEGLATRO (ertugliflozin)			
SGLT-2 INHIBITOR COMBINATIONS					
GLYXAMBI (empagliflozin/linagliptin)		dapagliflozin/metformin ER			
SYNJARDY (empagliflozin/metformin)		INVOKAMET (canagliflozin/metformin)			
SYNJARDY XR (empagliflozin/metformin)		INVOKAMET XR (canagliflozin/metformin)			
TRIJARDY XR (empagliflozin/linagliptin/metformin)		QTERN (dapagliflozin/saxagliptin)			
		SEGLUROMET (ertugliflozin/metformin)			
		STEGLUJAN (ertugliflozin/sitagliptin)			
		XIGDUO XR (dapagliflozin/metformin)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, SULFONYLUREAS		
glimepiride		
glipizide		
glipizide ER		
glipizide XL		
glyburide		
glyburide micronized		
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
	DUETACT (pioglitazone/metformin)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
OFEV (nintedanib)	ESBRIET (pirfenidone)	All Agents Documented diagnosis of Idiopathic Pulmonary Fibrosis
	pirfenidone	
IMMUNE GLOBULINS		
BIVIGAM	ALYGLO	
FLEBOGAMMA	ASCENIV	
GAMASTAN	CABLIVI	
GAMMAGARD	CUTAQUIG	
GAMMAGARD S-D	CUVITRU	
GAMUNEX-C	GAMMAKED	
HIZENTRA	GAMMAPLEX	
HYQVIA	OCTAGAM	
PANZYGA		
PRIVIGEN		
XEMBIFY		
IMMUNOLOGIC THERAPIES FOR ASTHMA		
DUPIXENT (dupilumab) ^{DUR+}	CINQAIR (reslizumab)	CINQAIR Requires clinical review See below for additional PA Criteria/DUR+ Rules
FASENRA (benralizumab)	NUCALA (mepolizumab)	
XOLAIR (omalizumab)	TEZSPIRE (tezepelumab-ekko)	
DUPIXENT 1 claim with DUPIXENT in the past 60 days OR - New starts require clinical review (see manual PA links below) Asthma – MANUAL PA Atopic Dermatitis – MANUAL PA Eosinophilic Esophagitis – MANUAL PA Nasal Polyposis – MANUAL PA Prurigo Nodularis – MANUAL PA FASENRA - Requires clinical review – MANUAL PA NUCALA - Requires clinical review TEZSPIRE - Requires clinical review XOLAIR 1 claim with XOLAIR in the past 45 days OR - New starts require clinical review – MANUAL PA		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNOSUPPRESSIVE AGENTS, ORAL		
AZASAN (azathioprine)	ASTAGRAF XL (tacrolimus)	Minimum Age Limit • 13 years: RAPAMUNE • 18 years: ZORTRESS Maximum Age Limit • 12 years: PROGRAF Granules See below for additional PA Criteria/DUR+ Rules
azathioprine	ENVARSUS XR (tacrolimus)	
CELLCEPT (mycophenolate)	MYFORTIC (mycophenolate)	
cyclosporine	PROGRAF (tacrolimus)	
everolimus	REZUROCK (belumosudil)	
mycophenolate	ZORTRESS (everolimus)	
mycophenolic acid		
NEORAL (cyclosporine)		
RAPAMUNE (sirolimus)		
SANDIMMUNE (cyclosporine)		
sirolimus		
tacrolimus		
Preferred Criteria • AZASAN ◦ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE ◦ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • Everolimus ◦ Documented diagnosis of kidney or liver transplant • RAPAMUNE ◦ Documented diagnosis of kidney transplant • Tacrolimus ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis Non-Preferred Criteria • MYHIBBIN Suspension ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with mycophenolate suspension in the past 105 days OR ◦ 90 days of therapy with this agent in the past 105 days • ASTAGRAF XR or ENVARSUS XR ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with mycophenolate suspension in the past 105 days OR ◦ 90 days of therapy with Myhibbin suspension in the past 105 days • PROGRAF Granules ◦ Age ≤ 11 years AND ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC ◦ Documented diagnosis of kidney transplant or psoriasis • ZORTRESS ◦ Documented diagnosis of kidney or liver transplant		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA				
INTRANASAL RHINITIS AGENTS								
ANTICHOLINERGICS			Non-Preferred Criteria – Corticosteroids • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months					
ipratropium								
ANTIHISTAMINE/CORTICOSTEROID COMBINATIONS								
azelastine/fluticasone								
DYMISTA (azelastine/fluticasone)								
RYALTRIS (olopatadine/mometasone)								
ANTIHISTAMINES								
azelastine								
PATANASE (olopatadine)								
CORTICOSTEROIDS								
fluticasone			BECONASE AQ (beclomethasone)					
			flunisolide					
			mometasone					
			NASONEX (mometasone)					
			OMNARIS (ciclesonide)					
			QNASL (beclomethasone)					
			XHANCE (fluticasone)					
			ZETONNA (ciclesonide)					
IRON CHELATING AGENTS								
deferasirox (all manufacturers except those listed as non-preferred)		deferasirox (manufacturers starting with 45963, 62332)		JADENU – MANUAL PA				
		deferiprone 1,000 mg tablet						
deferiprone 500 mg tablet		EXJADE (deferasirox)						
FERRIPROX (deferiprone)		JADENU, JADENU SPRINKLE (deferasirox)						
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}								
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}			Minimum Age Limit • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTTEGRITY, MOVANTIK, MYTESI, RELISTOR, SYMPROIC, TRULANCE, VIBERZI Gender Limit • Female – AMITIZA 8 mcg See next page for additional PA Criteria/DUR+ Rules					
LINZESS (linaclotide)						AMITIZA (lubiprostone)		
lubiprostone						IBSRELA (tenapanor)		
TRULANCE (plecanatide)						MOTTEGRITY (prucalopride)		
						MOVANTIK (naloxegol)		
						prucalopride ^{NR}		
						RELISTOR (methylnaltrexone)		
						SYMPROIC (naldemedine)		
IRRITABLE BOWEL SYNDROME DIARRHEA								
dicyclomine						alosetron		
ED-SPAZ (hyoscyamine)			LOTRONEX (alosetron) ^{DUR+}					
hyoscyamine, hyoscyamine ER			VIBERZI (eluxadoline) ^{DUR+}					
HYOSYNE (hyoscyamine)								
LEVSIN, LEVSIN-SL (hyoscyamine)								
NULEV (hyoscyamine)								
OSCIMIN, OSCIMIN SL (hyoscyamine)								
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}								
			GATTEX (teduglutide)					
			MYTESI (crofelemer)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
IRRITABLE BOWEL SYNDROME – CONSTIPATION^{DUR+}		
Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY, TRULANCE • Preferred CIC Agents - o Documented diagnosis of CIC in the past year AND - o No history of GI or bowel obstruction • LINZESS 72 mcg - o Age 6-17 years AND - o Documented diagnosis of CIC or pediatric functional constipation in the past year AND - o No history of GI or bowel obstruction • Non-Preferred CIC Agents - o Documented diagnosis of CIC AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred CIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	Irritable Bowel Syndrome – Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg, TRULANCE • Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction • Non-Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred IBS-C agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, RELISTOR, SYMPROIC • Preferred OIC Agents - o Documented diagnosis of OIC and chronic pain in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents - o All preferred criteria met AND - o Have tried 1 preferred OIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days • Relistor Injection - o Above OIC criteria OR - o Documented diagnosis of OIC and active cancer in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days
IRRITABLE BOWEL SYNDROME – DIARRHEA		
• VIBERZI [New starts require clinical review] - o Documented diagnosis of IBS – D in the past year and 1 claim for Viberzi in the past 105 days • LOTROXEX - o 1 claim for LOTROXEX in the past 105 days OR - o New starts require clinical review – MANUAL PA • XIFAXAN – (see Antibiotics, GI)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS^{DUR+}		
HIV/AIDS Non-infectious Diarrhea • MYTESI - o Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND - o 1 claim for an antiretroviral in the past 30 days	Short Bowel Syndrome (SBS) • GATTEX - o 1 claim for GATTEX in the past 105 days OR - o New starts require clinical review	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LEUKOTRIENE MODIFIERS ^{DUR+}		
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit • 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	
LIPOTROPICS, OTHER (NON-STATINS)		
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria – Fibric Acid Derivatives ○ Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months
	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ezetimibe)	JUXTAPID – MANUAL PA
ANGIOPOIETIN-LIKE 3 INHIBITORS		
	EVKEEZA (evinacumab-dgnb)	KYNAMRO • Requires clinical review
BILE ACID SEQUESTRANTS		
cholestyramine	colesevelam	LEQVIO • Requires clinical review
cholestyramine light	COLESTID (colestipol)	
colestipol tablet	colestipol packet	NEXLETOL and NEXLIZET • Require clinical review
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	PRALUENT – MANUAL PA
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	REPATHA – MANUAL PA
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	WELCHOL • Documented diagnosis of Type 2 Diabetes AND • 30 days of therapy with an antidiabetic agent in the past 6 months OR • 90 days of therapy with WELCHOL in the past 105 days
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER		
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	
	PRALUENT (alirocumab)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
LIPOTROPICS, STATINS ^{DUR+}					
STATINS				Minimum Age Limit • 10 years: ATORVALIQ Suspension Non-Preferred Criteria • Have tried 2 different preferred statin or statin combination agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Simvastatin • Daily doses ≥ 80 mg require clinical review	
atorvastatin	ALTOPREV (lovastatin)				
lovastatin	ATORVALIQ (atorvastatin)				
pravastatin	CRESTOR (rosuvastatin)				
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)				
simvastatin	FLOLIPID (simvastatin)				
	fluvastatin				
	fluvastatin ER				
	LESCOL XL (fluvastatin)				
	LIPITOR (atorvastatin)				
	LIVALO (pitavastatin)				
	pitavastatin				
	ZOCOR (simvastatin)				
	ZYPITAMAG (pitavastatin)				
STATIN COMBINATIONS					
ezetimibe/simvastatin	amlodipine/atorvastatin				
	CADUET (amlodipine/atorvastatin)				
	VYTORIN (ezetimibe/simvastatin)				
MISCELLANEOUS BRAND/GENERIC					
ALLERGEN EXTRACT IMMUNOTHERAPY				CUMULATIVE quantity limit (per 31 days) • 31 tablets: alprazolam ER Quantity Limit (per 31 days) • 2 kits: epinephrine EVRYSDI – MANUAL PA PALFORZIA – MANUAL PA	
	GRASTEK				
	ORALAIR				
	PALFORZIA				
	RAGWITEK				
EPINEPHRINE					
epinephrine (Mylan)	AUVI-Q (epinephrine)				
	epinephrine (all other manufacturers)				
	EPIPEN (epinephrine)				
	EPIPEN JR (epinephrine)				
	NEFFY (epinephrine) ^{NR}				
MISCELLANEOUS					
alprazolam	alprazolam ER				
hydroxyzine HCL	CAMZYOS (mavacamten)				
hydroxyzine pamoate	CRENESSITY (crinecerfont) ^{NR}				
megestrol	EVRYSDI (risdiplam)				
REVLIMID (lenalidomide)	KORLYM (mifepristone)				
	lenalidomide				
	VERQUVO (vericiguat)				
	VISTARIL (hydroxyzine pamoate)				
	XANAX, XANAX XR (alprazolam)				

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MISCELLANEOUS BRAND/GENERIC (continued)		
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroglycerin)		
MOVEMENT DISORDER AGENTS DUR+		
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	AUSTEDO and AUSTEDO XR • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with either agent in the past 105 days OR • New starts require clinical review – MANUAL PA INGREZZA • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with this agent in the past 105 days OR • New starts require clinical review – MANUAL PA
AUSTEOD XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		
MULTIPLE SCLEROSIS AGENTS DUR+		
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	Preferred Agents • Documented diagnosis of multiple sclerosis Non-Preferred Criteria • Documented diagnosis of multiple sclerosis AND • Have tried 2 different preferred agents in the past 6 months OR • 3 claims with the requested agent in the last 105 days KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA • Require clinical review MAVENCLAD – MANUAL PA MAYZENT – MANUAL PA OCREVUS and OCREVUS ZUNOVO – MANUAL PA
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	
dimethyl fumarate	BAFIERTAM (monomethyl fumarate)	
fingolimod	BRIUMVI (ublituximab-xiiy)	
REBIF (interferon beta-1b)	COPAXONE (glatiramer) 40 mg	
REBIF REBIDOSE (interferon beta-1b)	GILENYA (fingolimod)	
teriflunomide	glatiramer	
TYSABRI (natalizumab)	GLATOPA (glatiramer)	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
	MAYZENT (siponimod)	
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab-hyaluronidase)	
	PLEGRIDY (peginterferon beta-1a)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	TECFIDERA (dimethyl fumarate)	
	VUMERITY (diroximel fumarate)	
	ZEPOSIA (ozanimod)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
MUSCULAR DYSTROPHY AGENTS			
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	ELEVIDYS – MANUAL PA EMFLAZA – MANUAL PA EXONDYS – MANUAL PA VILTEPSO – MANUAL PA VYONDYS – MANUAL PA	
	AMONDYS-45 (casimersen)		
	deflazacort		
	DUVYZAT (givinostat)		
	ELEVIDYS (delandistrogene moxeparvovec-rokl)		
	EXONDYS-51 (eteplirsen)		
	VILTEPSO (viltolarsen)		
	VYONDYS-53 (golodirsen)		
NSAIDS			
COX II SELECTIVE		Quantity Limit (per 31 days) • 20 tablets: ketorolac tablets ELYXYB • Requires clinical review	
meloxicam	CELEBREX (celecoxib)		
	celecoxib		
	ELYXYB (celecoxib)		
NON-SELECTIVE		Non-Preferred Criteria • Non-Selective & Combinations ○ Have tried 2 different preferred non-selective or NSAID/GI protectant combination agents in the past 6 months • COX II Selective ○ Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND ○ 90 days of therapy with the requested agent in the past 105 days OR ○ Have tried 1 preferred COX-II Selective Agent and 1 preferred Non-Selective Agent OR ○ Documented diagnosis of GI Bleed, GERD, PUD, GI Perforation, or Coagulation Disorder AND ○ Have tried 1 preferred COX-II Selective agent	
diclofenac sodium	DAYPRO (oxaprozin)		
diclofenac sodium ER	diclofenac potassium		
EC-naproxen DR 500 mg tablet	DOLOBID (diflunisal)		
etodolac tablet	etodolac capsule, etodolac ER		
flurbiprofen	FELDENE (piroxicam)		
ibuprofen	fenoprofen		
indomethacin capsule	indomethacin ER, indomethacin suppository		
ketoprofen	ketoprofen		
ketorolac	kiprofen		
nabumetone	LOFENA (diclofenac potassium)		
naproxen	meclofenamate		
piroxicam	mefenamic acid		
sulindac	NALFON (fenoprofen)		
	NAPRELAN (naproxen)		
	NAPROSYN (naproxen)		
	naproxen, naproxen CR, naproxen ER		
	oxaprozin		
	RELAFEN DS (nabumetone)		
	TOLECTIN 600 (tolmetin)		
	tolmetin		
NSAID/GI PROTECTANT COMBINATIONS			
	ARTHROTEC 50, 75 (diclofenac/misoprostol)		
	diclofenac/misoprostol		
	ibuprofen/famotidine		
	naproxen/esomeprazole		
	VIMOVO (naproxen/esomeprazole)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
OPHTHALMIC AGENTS					
ANTIBIOTICS				Minimum Age Limit • 16 years: RESTASIS • 17 years: XIIDRA • 18 years: CEQUA, MIEBO, VEVYE Quantity Limit (per 31 days) • 2 mL: VEVYE • 3 mL: MIEBO • 5.5 mL: RESTASIS Multidose • 60 units: CEQUA, RESTASIS Dropperette, XIIDRA Non-Preferred Criteria • Anti-Inflammatory Agents ◦ Have tried 2 different preferred agents in the past 6 months • Dry Eye Agents / CEQUA ◦ 4 claims for RESTASIS Dropperette and XIIDRA in the past 6 months EYSUVIS • Requires clinical review MIEBO • Requires clinical review RESTASIS Multidose • Require clinical review TYRVAYA • Requires clinical review VEVYE • Requires clinical review	
bacitracin/polymyxin		AZASITE (azithromycin)			
ciprofloxacin		bacitracin			
erythromycin		BESIVANCE (besifloxacin)			
gentamicin		CILOXAN (ciprofloxacin)			
moxifloxacin		gatifloxacin			
ofloxacin		NATACYN (natamycin0			
polymyxin B/trimethoprim		neomycin/bacitracin/polymyxin			
tobramycin		OCUFLOX (ofloxacin)			
		sulfacetamide			
		TOBREX (tobramycin)			
		VIGAMOX (moxifloxacin)			
ANTIBIOTIC-STEROID COMBINATIONS					
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)		MAXITROL (neomycin/polymyxin/dexamethasone)			
neomycin/bacitracin/polymyxin/hydrocortisone		neomycin/polymyxin/gramicidin			
neomycin/polymyxin/dexamethasone		TOBRADEX ST (tobramycin/dexamethasone)			
PRED-G (gentamicin/prednisolone)					
sulfacetamide/prednisolone					
TOBRADEX (tobramycin/dexamethasone)					
tobramycin/dexamethasone					
ZYLET (tobramycin/loteprednol)					
ANTI-INFLAMMATORY AGENTS					
dexamethasone		ACULAR, ACULAR LS (ketorolac)			
diclofenac sodium		ACUVAIL (ketorolac)			
difluprednate		bromfenac			
FLAREX (fluorometholone)		BROMSITE (bromfenac)			
fluorometholone		DUREZOL (difluprednate)			
flurbiprofen		FML (fluorometholone)			
FML FORTE (fluorometholone)		ILEVRO (nepafenac)			
ketorolac		INVELTYS (loteprednol)			
MAXIDEX (dexamethasone)		LOTEMAX, LOTEMAX SM (loteprednol)			
PRED MILD (prednisolone)		loteprednol			
prednisolone acetate		NEVANAC (nepafenac)			
prednisolone sodium phosphate		PRED FORTE (prednisolone)			
		PROLENSA (bromfenac)			
DRY EYE AGENTS					
RESTASIS Dropperette (cyclosporine)		CEQUA (cyclosporine)			
XIIDRA (lifitegrast)		cyclosporine			
		EYSUVIS (loteprednol)			
		MIEBO (perfluorohexyloactane)			
		RESTASIS Multidose (cyclosporine)			
		TYRVAYA (varenicline)			
		VEVYE (cyclosporine)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC, GLAUCOMA AGENTS		
BETA BLOCKERS		Minimum Age Limit 18 years: IYUZEH Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
BETIMOL (timolol)	betaxolol	
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	
PROSTAGLANDIN ANALOGS		
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprost)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%	
brimonidine 0.2%		
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS		
ALREX (loteprednol)	ALOCRIl (nedocromil)	Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen ^{OTC}	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACAFt (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIAte (cetirizine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPIATE DEPENDENCE TREATMENTS		
DEPENDENCE		Buprenorphine/naloxone provider summary found here PROBUPHINE – MANUAL PA SUBLOCADE – MANUAL PA VIVITROL – MANUAL PA
buprenorphine/naloxone SL tablet	BRIXADI (buprenorphine)	
naltrexone	buprenorphine	
SUBOXONE (buprenorphine/naloxone)	buprenorphine/naloxone film	
	lofexidine	
	LUCEMYRA (lofexidine)	
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone)	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		
OPVEE (nalmefene)		
REXTOVY (naloxone)		
ZIMHI (naloxone)		
OTIC ANTIBIOTICS		
CIPRO HC (ciprofloxacin/hydrocortisone)	ciprofloxacin	Maximum Age Limit 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria - Age ≥ 6 months AND - Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND - Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)	ciprofloxacin/fluocinolone	
fluocinolone	ciprofloxacin/dexamethasone	
neomycin/polymyxin/hydrocortisone	DERMOTIC (fluocinolone)	
	FLAC OTIC OIL (fluocinolone)	
	hydrocortisone/acetic acid	
	OTOVEL (ciprofloxacin/fluocinolone)	
PANCREATIC ENZYMES		
CREON (lipase/protease/amylase)	PERTZYE (lipase/protease/amylase)	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
ZENPEP (lipase/protease/amylase)	VIOKACE (lipase/protease/amylase)	
PARATHYROID AGENTS		
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PHOSPHATE BINDERS		
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	REVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	
PLATELET AGGREGATION INHIBITORS		
aspirin/dipyridamole	EFFIENT (prasugrel)	Non-Preferred Criteria • Documented diagnosis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days ZONTIVITY – MANUAL PA
BRILINTA (ticagrelor)	PLAVIX (clopidogrel)	
cilostazol		
clopidogrel		
dipyridamole		
pentoxifylline		
prasugrel		
PLATELET STIMULATING AGENTS		
NPLATE (romiplostim)	ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet	DOPTelet (avatrombopag)	
	MULPLETA (lusutrombopag)	
	PROMACTA (eltrombopag) packet	
	TAVALISSE (fostamatinib)	
POTASSIUM REMOVING AGENTS		
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)	
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate	
	SPS (sodium polystyrene sulfonate) enema	
	VELTASSA (patiomer calcium sorbitex)	
PRENATAL VITAMINS		
CLASSIC PRENATAL	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
COMPLETE NATAL DHA		
COMPLETENATE		
M-NATAL PLUS		
NIVA-PLUS		
PRENATAL PLUS VITAMIN-MINERAL		
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID		
SE-NATAL-19		
STUART ONE		
THRIVITE RX		
TRICARE		
TRINATAL RX 1		
WESNATAL DHA COMPLETE		
WESTAB PLUS		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
PSEUDOBULBAR AFFECT AGENTS					
		NUEDEXTA (dextromethorphan/quinidine)		Non-Preferred Criteria • Documented diagnosis of pseudobulbar affect disorder OR • 90 days of therapy with NUEDEXTA in the past 105 days	
PULMONARY ANTIHYPERTENSIVE AGENTS					
ACTIVIN SIGNALING INHIBITORS				Minimum Age Limit • 18 years: ADEMPAS, OPSYNVI, TADLIQ	
		WINREVAIR (sotatercept-csrk)			
COMBINATION AGENTS				Maximum Age Limit • 12 years: REVATIO suspension	
		OPSYNVI (macitentan/tadalafil)			
ENDOTHELIN RECEPTOR ANTAGONISTS				Preferred Criteria – PAH Agents • Documented diagnosis of pulmonary hypertension Sildenafil tablets • < 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR • ≥ 1 year of age and documented diagnosis of Pulmonary Hypertension OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria • Documented diagnosis of pulmonary hypertension AND • Have tried 1 preferred PAH agent in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days ADEMPAS • Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) OR • Have tried 1 preferred PAH agent in the past 6 months OR • 90 days of therapy with ADEMPAS in the past 105 days	
ambrisentan		OPSUMIT (macitentan)			
bosentan		TRACLEER (bosentan)			
LETAIRIS (ambrisentan)		TRYVIO (aprocitentan)			
PDE5 INHIBITORS				See below for additional PA Criteria/DUR+ Rules	
sildenafil (generic REVATIO) tablet		ADCIRCA (tadalafil)			
tadalafil		ALYQ (tadalafil)			
		LIQREV (sildenafil)			
		REVATIO (sildenafil)			
		sildenafil (generic REVATIO) suspension			
PROSTACYCLINS					
		ORENITRAM ER (treprostinil)			
		ORENITRAM TITRATION PAK (treprostinil)			
		TYVASO (treprostinil)			
		VENTAVIS (iloprost)			
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS					
		UPTRAVI (selexipag)			
SOLUABLE GUANYLATE CYCLASE STIMULATORS					
		ADEMPAS (riociguat)			
LIQREV, OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS • Require clinical review					
REVATIO Suspension • ≤ 12 years of age AND • Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR • 90 days stable therapy with REVATIO Suspension in the past 105 days					
TADLIQ • Documented diagnosis of pulmonary hypertension AND • Have tried generic sildenafil suspension in the past 6 months OR • 90 days of therapy with TADLIQ in the past 105 days					
UPTRAVI • Documented diagnosis of pulmonary hypertension AND • Have tried 1 preferred endothelin receptor antagonist AND • Have tried 1 preferred PDE5 inhibitor in the past 6 months OR • 90 days of therapy with UPTRAVI in the past 105 days					

[illegible]

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SEDATIVE HYPNOTIC AGENTS					
BENZODIAZEPINES ^{DUR+}				MS DOM Opioid Initiative – Criteria details found here - Concomitant use of Opioids and Benzodiazepines Maximum Age Limit 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg Male: all strengths of zolpidem Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HETLIOZ capsules - Documented diagnosis of circadian rhythm sleep disorder AND - Documented diagnosis indicating total blindness OR - Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid - Age 3-15 years AND - Documented diagnosis of Smith-Magenis syndrome <u>Note:</u> - Single-source benzodiazepines and barbiturates are NOT covered. - PA's will NOT be issued for these drugs. See below for additional PA Criteria/DUR+ Rules	
estazolam		flurazepam			
temazepam 15 mg, 30 mg capsule		HALCION (triazolam)			
		quazepam			
		RESTORIL (temazepam)			
		temazepam 7.5 mg, 22.5 mg capsule			
		triazolam			
OTHERS ^{DUR+}					
eszopiclone		AMBIEN (zolpidem)			
ramelteon		AMBIEN CR (zolpidem)			
zaleplon		BELSOMRA (suvorexant)			
zolpidem tablet		DAYVIGO (lemborexant)			
		doxepin			
		EDULAR (zolpidem)			
		HETLIOZ LQ (tasimelteon)			
		LUNESTA (eszopiclone)			
		QUVIVIQ (daridorexant)			
		ROZEREM (ramelteon)			
		tasimelteon			
		zolpidem capsule			
		zolpidem sublingual tablet			
		zolpidem ER			
CUMULATIVE Quantity Limit – Benzodiazepines					
31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – Triazolam					
10 units/31 days: Quantity limit per rolling days for all strengths. 60 units/365 days: Quantity limit per rolling days for all strengths.					
CUMULATIVE Quantity Limit – Non-Benzodiazepines					
31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – HETLIOZ LQ					
1 bottle (48 mL or 158 mL): Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – ZOLPIMIST					
1 canister/31 days: male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. 1 canister/62 days: female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SELECT CONTRACEPTIVE PRODUCTS					
INJECTABLE CONTRACEPTIVES				Non-Preferred Criteria 1 claim with the requested agent in the past 105 days	
medroxyprogesterone		DEPO-PROVERA (medroxyprogesterone)			
INTRAVAGINAL CONTRACEPTIVES					
ENILLORING (etonogestrel/ethinyl estradiol)		PHEXXI (lactic acid/citric acid/potassium bitartrate)			
ORAL					
All contraceptives are preferred except for those specifically indicated as non-preferred.		DUR+			
		AMETHIA (levonorgestrel/ethinyl estradiol)			
		AMETHYST (levonorgestrel/ethinyl estradiol)			
		BALCOLTRA (levonorgestrel/ethinyl estradiol)			
		BEYAZ (drospirenone/ethinyl estradiol/levomefolate)			
		CAMRESE (levonorgestrel/ethinyl estradiol)			
		CAMRESE LO ((levonorgestrel/ethinyl estradiol))			
		JOLESSA ((levonorgestrel/ethinyl estradiol))			
		LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)			
		LOESTRIN (norethindrone/ethinyl estradiol)			
		LOESTRIN FE (norethindrone/ethinyl estradiol/iron)			
		MINZOYA (levonorgestrel/ethinyl estradiol/iron)			
		NATAZIA (estradiol valerate/dienogest)			
		NEXTSTELLIS (drospirenone/estetrol)			
		OCELLA (ethinyl estradiol/drospirenone)			
		SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)			
		SIMPESSE (levonorgestrel/ethinyl estradiol)			
		TAYTULLA (norethindrone/ethinyl estradiol/iron)			
TYDEMY (drospirenone/ethinyl estradiol/levomefolate)					
YASMIN (ethinyl estradiol/drospirenone)					
YAZ (ethinyl estradiol/drospirenone)					
TRANSDERMAL CONTRACEPTIVES					
XULANE (norgestromin/ethinyl estradiol)		norgestromin/ethinyl estradiol			
		TWIRLA (levonorgestrel/ethinyl estradiol)			
		ZAFEMY (norgestromin/ethinyl estradiol)			
SICKLE CELL AGENTS					
DROXIA (hydroxyurea)		ADAKVEO (crizanlizumab-tmca)		ENDARI – MANUAL PA	
hydroxyurea		CASGEVY (exagamglogene autotemcel)			
		ENDARI (glutamine)			
		HYDREA (hydroxyurea)			
		l-glutamine			
		LYFGENIA (lovotibeglogene autotemcel)			
		SIKLOS (hydroxyurea)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SKELETAL MUSCLE RELAXANTS		
baclofen 5 mg, 10 mg, 20 mg tablet	AMRIX (cyclobenzaprine)	Quantity Limit 84 tablets/180 days: carisoprodol Non-Preferred Criteria - Documented diagnosis of an approvable indication AND - Have tried 2 different preferred agents in the past 6 months Baclofen granules, solution, and suspension - Require clinical review Carisoprodol - Documented diagnosis of acute musculoskeletal condition AND - No history with meprobamate in the past 90 days AND 1 claim for cyclobenzaprine in the past 21 Carisoprodol with codeine - Requires clinical review TANLOR - Requires clinical review
chlorzoxazone	baclofen 15 mg tablet	
cyclobenzaprine 5 mg, 10 mg tablet	baclofen suspension	
methocarbamol	carisoprodol	
tizanidine tablet	carisoprodol/aspirin	
	cyclobenzaprine 7.5 mg tablet	
	cyclobenzaprine ER	
	DANTRIUM (dantrolene)	
	dantrolene	
	FEXMID (cyclobenzaprine)	
	FLEQSUVY (baclofen)	
	LORZONE (chlorzoxazone)	
	LYVISPAH (baclofen)	
	metaxalone	
	NORGESIC (orphenadrine/aspirin/cafeine)	
	NORGESIC FORTE (orphenadrine/aspirin/cafeine)	
	orphenadrine	
	orphenadrine/aspirin/cafeine	
	ORPHENGESIC FORTE (orphenadrine/aspirin/cafeine)	
	SOMA (carisoprodol)	
	TANLOR (methocarbamol)	
	tizanidine capsule	
	ZANAFLEX (tizanidine)	
SMOKING DETERRENTS		
NICOTINE TYPE		Minimum Age Limit 18 years: CHANTIX Quantity Limit 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack 2 treatment courses/year: CHANTIX Starter Pack
nicotine gum OTC	NICOTROL INHALER CARTRIDGE	
nicotine lozenge OTC	NICOTROL NASAL SPRAY	
nicotine patch OTC		
NON-NICOTINE TYPE		
bupropion SR		
CHANTIX (varenicline)		
varenicline		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STEROIDS (TOPICAL)		
LOW POTENCY		Non-Preferred Criteria • Low Potency ○ Have tried 2 different preferred low potency agents in the past 6 months • Medium Potency ○ Have tried 2 different preferred medium potency agents in the past 6 months • High Potency ○ Have tried 2 different preferred high potency agents in the past 6 months • Very High Potency ○ Have tried 2 different preferred very high potency agents in the past 6 months
alclometasone	fluocinolone	
DERMA-SMOOTH-FS (fluocinolone)	hydrocortisone lotion	
desonide	HYDROXYM (hydrocortisone)	
hydrocortisone cream, ointment, solution	PROCTOCORT (hydrocortisone)	
MEDIUM POTENCY		
fluticasone	BESER (fluticasone)	
mometasone	CAPEX (fluocinolone)	
PANDEL (hydrocortisone probutate)	clocortolone	
prednicarbate cream	CLODERM (clocortolone)	
	flurandrenolide	
	fluticasone lotion	
	LOCOID (hydrocortisone butyrate)	
	prednicarbate ointment	
	SYNALAR (fluocinolone)	
HIGH POTENCY		
betamethasone dipropionate cream, lotion	amcinonide	
betamethasone dipropionate augmented	betamethasone dipropionate ointment	
betamethasone valerate	desoximetasone	
fluocinolone	diflorasone	
fluocinonide	halcinonide	
fluocinonide-E	HALOG (halcinonide)	
triamcinolone cream, ointment, lotion	KENALOG (triamcinolone)	
	TOPICORT (desoximetasone)	
	triamcinolone spray	
	VANOS (fluocinonide)	
VERY HIGH POTENCY		
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	BRYHALI (halobetasol)	
halobetasol	clobetasol emulsion	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
STIMULANTS AND RELATED AGENTS			
SHORT-ACTING		Minimum Age Limit • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXII ER, RITALIN LA, VYVANSE, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil • 18 years: armodafinil, SUNOSI, WAKIX	
dexmethylphenidate	ADDERALL (dextroamphetamine/amphetamine)		
dextroamphetamine	amphetamine		
dextroamphetamine/amphetamine	EVEKEO (amphetamine)		
methylphenidate	EVEKEO ODT (amphetamine)		
PROCENTRA (dextroamphetamine)	FOCALIN (dexmethylphenidate)		
	methamphetamine		
	METHYLN (methylphenidate)		
	methylphenidate		
	RITALIN (methylphenidate)		
	ZENZEDI (dextroamphetamine)		
LONG-ACTING		Maximum Age Limit • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER	
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)		
CONCERTA (methylphenidate)	APTENSIO XR (methylphenidate)		
dexmethylphenidate ER	AZSTARYS (serdexmethylphenidate/dexmethylphenidate)		
dextroamphetamine ER	COTEMPLA XR ODT (methylphenidate)		
dextroamphetamine/amphetamine ER	DAYTRANA (methylphenidate)		
DYANAVEL XR (amphetamine) suspension	DEXEDRINE (dextroamphetamine)		
lisdexamfetamine	dextroamphetamine/amphetamine ER		
methylphenidate CD	DYANAVEL XR (amphetamine) tablets		
methylphenidate ER tablet	FOCALIN XR (dexmethylphenidate)		
methylphenidate LA	JORNAY PM (methylphenidate)	Quantity Limit – Stimulants (per 31 days) • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR	
QUILLICHEW ER (methylphenidate)	methylphenidate patch		
QUILLIVANT XR (methylphenidate)	methylphenidate ER capsule		
VYVANSE (lisdexamfetamine) capsules	MYDAYIS (dextroamphetamine/amphetamine)		
	RELEXII (methylphenidate)		
	RITALIN LA (methylphenidate)		
	VYVANSE (lisdexamfetamine) chewable tablets		
	XELSTRYM (dextroamphetamine)		
NARCOLEPSY			Quantity Limit – Narcolepsy (per 31 days) • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX
armodafinil	NUVIGIL (armodafinil)		
modafinil	PROVIGIL (modafinil)		
SUNOSI (solriamfetol)	sodium oxybate		
XYREM (sodium oxybate)	WAKIX (pitolisant)		
	XYWAV (calcium/magnesium/potassium/sodium oxybate)		
NON-STIMULANTS		Quantity Limit – Non-Stimulants (per 31 days) • 31 tablets: atomoxetine, guanfacine ER, QELBREE 100 mg • 62 tablets: QELBREE 150 mg and 200 mg • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension	
atomoxetine	INTUNIV (guanfacine)		
clonidine ER	NEXICLON XR (clonidine)		
guanfacine ER	ONYDA XR (clonidine)		
QELBREE (viloxazine)	STRATTERA (atomoxetine)		
See next page for additional PA Criteria/DUR+ Rules			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Non-Preferred Short Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Short Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 preferred agent indicated for narcolepsy in the past 6 months OR - Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Armodafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine - Age ≥ 21 years AND - Documented diagnosis of ADD/ADHD Clonidine ER - Documented diagnosis of ADD/ADHD Guanfacine ER - Documented diagnosis of ADD/ADHD JORNAY PM - Documented diagnosis of ADD/ADHD AND 84 days of therapy with 2 different preferred LA methylphenidate agents in the past 12 months AND 84 days of therapy with 1 preferred non-methylphenidate LA stimulant agent in the past 12 months OR - Documented diagnosis of ADD/ADHD AND 84 days of therapy with JORNAY PM in the past 105 days Modafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome	Non-Preferred Long Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Long-Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 different preferred agent indicated for narcolepsy in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days ONYDA XR - Requires clinical review QELBREE - Documented diagnosis of ADD/ADHD AND 30 days of therapy with a preferred ADHD agent in the past 105 days OR 30 days of therapy with QELBREE in the past 105 days SUNOSI - Documented diagnosis of narcolepsy or obstructive sleep apnea AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months VYVANSE - Documented diagnosis of binge eating disorder or ADD/ADHD WAKIX - Requires clinical review XYREM Documented diagnosis of narcolepsy or excessive daytime sleepiness OR 30 days of therapy with this agent in the past 105 days XYWAV - Requires clinical review	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 01/01/2025
Version 2025_2
Updated 02/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
TETRACYCLINES ^{DUR+}		
doxycycline hyclate	demeclocycline	Non-Preferred Agents - Have tried 2 different preferred agents in the past 6 months Demeclocycline - Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA - Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
ORAL		Non-Preferred Criteria - Documented diagnosis of Ulcerative Colitis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days VELSIPITY - Requires clinical review
APRISO (mesalamine)	AZULFIDINE (sulfasalazine)	
balsalazide	COLAZAL (balsalazide)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
UCERIS (budesonide)	mesalamine DR	
	mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
	UCERIS (budesonide)	
UREA CYCLE DISORDER AGENTS		
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
carglumic acid	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	