

General Preferred Drug List Information

- Gainwell Technologies' DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS		
ANTI-INFECTIVES		Maximum Age Limit • 21 years: all acne agents except isotretinoin products Topical Clindamycin 1% lotion • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa Note: • Isotretinoin products available for all ages • Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis • Preferred clindamycin 1% lotion for ages < 21 years does not require PA Maximum Age Limit • 21 years: all acne agents except isotretinoin products
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
	CLINDACIN (clindamycin)	
	CLINDAGEL (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	erythromycin	
	EVOCLIN (clindamycin)	
	KLARON (sulfacetamide)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
RETIN-A (tretinoin)	AKLIEF (trifarotene)	
tretinoin cream	ALTRENO (tretinoin)	
	ARAZLO (tazarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	RETIN-A MICRO (tretinoin)	
	RETIN-A MICRO PUMP (tretinoin)	
	tretinoin gel	
	tretinoin microsphere	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (continued)		
OTHERS/COMBINATION PRODUCTS		
adapalene/benzoyl peroxide gel	ACANYA (benzoyl peroxide/clindamycin) gel	
clindamycin/benzoyl peroxide 1%-5% gel w/pump	CABTREO (clindamycin/adapalene/benzoyl peroxide) gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
	clindamycin/benzoyl peroxide 1%-5% gel	
	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	ONEXTON (benzoyl peroxide/clindamycin) gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZIANA (clindamycin/tretinoin) gel	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER’S AGENTS DUR+		
CHOLINESTERASE INHIBITORS		Preferred Criteria • Documented approvable diagnosis Non-Preferred Criteria • Documented approvable diagnosis AND • Have tried 2 different preferred agents in the past 6 months
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	
galantamine	ARICEPT (donepezil)	
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA					
ALZHEIMER'S AGENTS ^{DUR+} (continued)									
NMDA RECETPOR ANTAGONISTS			NAMZARIC Documented approvable diagnosis AND 30 days of concurrent therapy with both donepezil and memantine in the past 6 months						
						memantine		memantine ER	
								NAMENDA (memantine)	
								NAMENDA XR (memantine ER)	
COMBINATION AGENTS									
					NAMZARIC (memantine/donepezil)				
					memantine/donepezil ER				
ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}									
acetaminophen/caffeine/dihydrocodeine		ACTIQ (fentanyl)		MS DOM Opioid Initiative – Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines Minimum Age Limit 18 years: codeine-containing products and tramadol-containing products Quantity Limit (per 31 rolling days) 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol 186 tablets: butalbital/acetaminophen, butalbital/aspirin 5 mL: butorphanol nasal 180 mL: oxycodone liquid 280 mL: QDOLO Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months					
acetaminophen/codeine		aspirin/butalbital/caffeine/codeine							
codeine		butalbital/acetaminophen/caffeine/codeine							
ENDOCET (oxycodone/acetaminophen)		butorphanol							
hydrocodone/acetaminophen		DILAUDID (hydromorphone)							
hydromorphone		fentanyl citrate							
morphine sulfate		FENTORA (fentanyl)							
oxycodone		FIORICET W/CODEINE (butalbital/acetaminophen/codeine)							
oxycodone/acetaminophen (325 mg acetaminophen formulations)		hydrocodone/ibuprofen							
tramadol 50 mg tablet		meperidine							
tramadol/acetaminophen		NALOCET (oxycodone/acetaminophen)							
		levorphanol							
		oxymorphone							
		pentazocine/naloxone							
		PERCOCET (oxycodone/acetaminophen)							
		PROLATE (oxycodone/acetaminophen)							
		ROXICODONE (oxycodone)							
		ROXYBOND (oxycodone)							
		SEGLENTIS (tramadol/celecoxib)							
		tramadol 25 mg, 75 mg, 100 mg tablet							
		tramadol solution							
ANALGESICS, OPIOID-LONG ACTING ^{DUR+}									
BUTRANS (buprenorphine)		BELBUCA (buprenorphine)		MS DOM Opioid Initiative – Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines					
fentanyl patch		buprenorphine patch							
morphine sulfate ER tablet		CONZIP (tramadol)							
		hvdrocodone bitartrate ER							

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, OPIOID-LONG ACTING ^{DUR+} (continued)		
	hydromorphone ER	Minimum Age Limit • 18 years: BUTRANS and tramadol-containing products Quantity Limit (per 31 rolling days) • 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER • 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOXYDOL ER • 62 films: BELBUCA • 10 patches: fentanyl • 4 patches: BUTRANS Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
ANALGESICS, OPIOID-LONG ACTING ^{DUR+}		
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	
	METHADOSE (methadone)	
	morphine sulfate ER capsule	
	MS CONTIN (morphine)	
	oxycodone ER	
ANALGESICS, OPIOID-LONG ACTING ^{DUR+}		
	OXYCONTIN (oxycodone)	
	oxymorphone ER	
	tramadol ER	
ANALGESICS/ANESTHETICS (TOPICAL)		
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days) • 1 bottle (112 mL): diclofenac 2% solution pump • 1 bottle (150 mL): diclofenac 1.5% solution Non-Preferred Criteria • Have tried 2 preferred agents in the past 6 months Lidocaine 5% Patch • Documented diagnosis of Herpetic Neuralgia OR • Documented diagnosis of Diabetic Neuropathy ZTLIDO • Documented diagnosis of Herpetic Neuralgia
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS/ANESTHETICS (TOPICAL) (continued)		
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	
	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAINE II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	
ANDROGENIC AGENTS DUR+		
testosterone	ANDROGEL (testosterone)	All Agents - Limited to male gender Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months TLANDO - Requires clinical review
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TLANDO (testosterone undecanoate)	
	VOGELXO (testosterone)	
	UNDECATREX (testosterone undecanoate)	
ANGIOTENSIN MODULATORS DUR+		
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		EPANED - Automatic approval issued for 0-6 years of age ENTRESTO - Age ≥ 1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations:
benazepril	ACCUPRIL (quinapril)	
captopril	ALTACE (ramipril)	
enalapril	EPANED (enalapril)	
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		
fosinopril	LOTENSIN (benazepril)	
lisinopril	moexipril	
quinapril	perindopril	
ramipril	QBRELIS (lisinopril)	
trandolapril	VASOTEC (enalapril)	
	ZESTRIL (lisinopril)	
ACE INHIBITOR (ACEI) COMBINATIONS		
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANGIOTENSIN MODULATORS ^{DUR+}					
captopril/hydrochlorothiazide		LOTREL (benazepril/amlodipine)		○ Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days	
enalapril/hydrochlorothiazide		VASERETIC (enalapril/hydrochlorothiazide)			
fosinopril/hydrochlorothiazide		ZESTORETIC (lisinopril/hydrochlorothiazide)			
lisinopril/hydrochlorothiazide					
quinapril/hydrochlorothiazide					
trandolapril/verapamil ER				● ARBs: ○ Have tried 2 different preferred single entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ● ARB/CCB and ARB/CCB/Diuretic Combinations: ○ Have tried 1 preferred ARB/CCB agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ● ARB/Diuretic Combinations: ○ Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ● Direct Renin Inhibitors: ○ Documented diagnosis of Hypertension AND ○ Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ● Direct Renin Inhibitor Combinations: ○ Documented diagnosis of Hypertension AND ○ Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)					
irbesartan		ATACAND (candesartan)			
losartan		AVAPRO (irbesartan)			
olmesartan		BENICAR (olmesartan)			
telmisartan		candesartan			
valsartan tablet		COZAAR (losartan)			
		EDARBI (azilsartan)			
		eprosartan			
		MICARDIS (telmisartan)			
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)					
		valsartan solution			
ARB COMBINATIONS					
ENTRESTO (valsartan/sacubitril) tablet ^{DUR+}		ATACAND HCT (candesartan/hydrochlorothiazide)			
irbesartan/hydrochlorothiazide		AVALIDE (irbesartan/hydrochlorothiazide)			
losartan/hydrochlorothiazide		AZOR (olmesartan/hydrochlorothiazide)			
olmesartan/amlodipine		BENICAR HCT (olmesartan/hydrochlorothiazide)			
olmesartan/hydrochlorothiazide		candesartan/hydrochlorothiazide			
telmisartan/hydrochlorothiazide		DIOVAN-HCT (valsartan/hydrochlorothiazide)			
valsartan/amlodipine		EDARBYCLOR (azilsartan/chlorthalidone)			
valsartan/amlodipine/hydrochlorothiazide		ENTRESTO (valsartan/sacubitril) sprinkle capsule			
valsartan/hydrochlorothiazide		EXFORGE (valsartan/amlodipine)			
		EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)			
		olmesartan/amlodipine/hydrochlorothiazide			
		telmisartan/amlodipine			
		TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)			
		valsartan/sacubitril			
DIRECT RENIN INHIBITORS					
		aliskiren			
		TEKTURN (aliskiren)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS ^{DUR+} (continued)		
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURNA HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	vancomycin capsule	
	VOWST (fecal microbio spore, live-brpk)	
	XIFAXAN (rifaximin)	
ANTIBIOTICS (MISCELLANEOUS)		
LINCOSAMIDE ANTIBIOTICS		Quantity Limit • 6 tablets/month: SIVEXTRO SIVEXTRO – MANUAL PA ZYVOX – MANUAL PA
clindamycin	CLEOCIN (clindamycin)	
	CELOCIN PEDIATRIC (clindamycin)	
MACROLIDES		
azithromycin	ERYPED (erythromycin ethylsuccinate) suspension	
clarithromycin	ERYTHROCIN (erythromycin stearate)	
clarithromycin ER	ZITHROMAX (azithromycin)	
E.E.S (erythromycin ethylsuccinate) suspension		
ERY-TAB (erythromycin)		
erythromycin		
erythromycin ethylsuccinate		
NITROFURANTOIN DERIVATIVES		
nitrofurantoin capsule	FURADANTIN (nitrofurantoin) suspension	
nitrofurantoin monohydrate macrocrystals	MACROBID (nitrofurantoin monohydrate macrocrystals)	
	nitrofurantoin suspension	
OXAZOLIDINONES		
	linezolid	
	SIVEXTRO (tedizolid)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS (MISCELLANEOUS) (continued)		
	ZYVOX (linezolid)	
ANTIBIOTICS (TOPICAL)		
bacitracin ^{OTC}	CENTANY (mupirocin)	
bacitracin/polymyxin ^{OTC}	CENTANY AT (mupirocin)	
gentamicin sulfate	mupirocin cream	
mupirocin ointment	XEPI (ozenoxacin)	
neomycin/bacitracin/polymyxin ^{OTC}		
ANTIBIOTICS (VAGINAL)		
CLEOCIN (clindamycin)	clindamycin phosphate	
NUVESSA (metronidazole)	CLINDESSE (clindamycin)	
	SOLOSEC (secnidazole)	
	XACIATO (clindamycin)	
ANTICOAGULANTS		
LOW MOLECULAR WEIGHT HEPARIN (LMWH)		Non-Preferred Criteria • LMWH: ○ Have tried 1 preferred agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Oral: ○ Have tried 2 different preferred oral agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days
enoxaparin	ARIXTRA (fondaparinux)	
	fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	
ORAL		
ELIQUIS (apixaban)	dabigatran	
JANTOVEN (warfarin)	PRADAXA (dabigatran) pellet pack	
PRADAXA (dabigatran) capsule	SAVAYSA (edoxaban)	
warfarin	rivaroxaban ^{NR}	
XARELTO (rivaroxaban)		
ANTICONVULSANTS ^{DUR+}		
ADJUVANTS		Minimum Age Limit • 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN • 6 years: VALTOCO • 12 years: NAYZILAM Maximum Age Limit • 2 years: VIGAFYDE Quantity Limit (per 31 days) • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 2 cartons: VALTOCO
carbamazepine	APTOM (eslicarbazepine acetate)	
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)	
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet	
divalproex	CARBATROL (carbamazepine)	
divalproex ER	DEPAKOTE (divalproex)	
divalproex sprinkle	DIACOMIT (stiripentol)	
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)	
lacosamide	EPRONTIA (topiramate)	
lamotrigine	EQUETRO (carbamazepine)	
lamotrigine blue, green, orange dose pack	felbamate	
levetiracetam	FELBATOL (felbamate)	
levetiracetam ER	FINTEPLA (fenfluramine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTICONVULSANTS ^{DUR+} (continued)					
ADJUVANTS (continued)			Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Banzel, Onfi, and Sympazan - Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR - Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT - Documented diagnosis of Dravet Syndrome AND 1 claim for clobazam in the past 30 days EPIDIOLEX - Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR 1 claim for EPIDIOLEX in the past 30 days FINTEPLA - Requires clinical review SABRIL Powder for Oral Solution - Documented diagnosis of Infantile Spasms OR - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Topiramate ER - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months VIGAFYDE - Age ≤ 2 years AND Documented diagnosis of infantile spasms		
oxcarbazepine tablet		FYCOMPA (perampanel)			
tiagabine		KEPPRA (levetiracetam)			
topiramate		KEPPRA XR (levetiracetam)			
topiramate sprinkle 25 mg		LAMICTAL (lamotrigine)			
TRILEPTAL (oxcarbazepine) suspension		LAMICTAL XR (lamotrigine)			
valproic acid		lamotrigine ER			
zonisamide		lamotrigine ODT			
		lamotrigine ODT blue, green, orange dose pack			
		MOTPOLY XR (lacosamide)			
		oxcarbazepine suspension			
		oxcarbazepine ER			
		OXTELLAR XR (oxcarbazepine)			
		QUDEXY XR (topiramate)			
		ROWEEPRA (levetiracetam)			
		rufinamide			
		SABRIL (vigabatrin)			
		SPRITAM (levetiracetam)			
		SUBVENITE (lamotrigine)			
		SUBVENITE (lamotrigine) blue, green, orange dose pack			
		TEGRETOL (carbamazepine)			
		TEGRETOL XR (carbamazepine)			
		TOPAMAX (topiramate)			
		topiramate ER			
		TRILEPTAL (oxcarbazepine) tablet			
		TROKENDI XR (topiramate)			
		vigabatrin			
		VIGADRONE (vigabatrin)			
		VIGAFYDE (vigabatrin)			
		VIGPODER (vigabatrin)			
		VIMPAT (lacosamide)			
		XCOPRI (cenobamate)			
		ZONISADE (zonisamide) suspension			
		ZTALMY (ganaxolone)			
HYDANTOINS					
DILANTIN (phenytoin)					
DILANTIN-125 (phenytoin)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS ^{DUR+} (continued)		
PHENYTEK (phenytoin)		
phenytoin		
phenytoin ER		
SELECTED BENZODIAZEPINES		
clobazam	DIASTAT (diazepam) rectal gel	
diazepam rectal gel	LIBERVANT (diazepam)	
NAYZILAM (midazolam)	ONFI (clobazam)	
VALTOCO (diazepam)	SYMPAZAN (clobazam)	
SUCCINIMIDES		
ethosuximide	CELONTIN (methsuximide)	
	methsuximide	
	ZARONTIN (ethosuximide)	
ANTIDEPRESSANTS, OTHER ^{DUR+}		
bupropion	APLENZIN (bupropion)	Minimum Age Limit
bupropion SR	AUVELITY (bupropion/dextromethorphan)	18 years: all agents
bupropion XL	desvenlafaxine ER	Non-Preferred Criteria
mirtazapine	EFFEXOR XR (venlafaxine)	- Have tried 2 different preferred agents in the past 6 months OR - Have tried 1 preferred agent and 1 SSRI in the past 6 months OR
trazodone	EMSAM (selegiline)	
TRINTELLIX (vortioxetine)	FETZIMA (levomilnacipran)	
venlafaxine	FORFIVO XL (bupropion)	
venlafaxine ER capsule	MARPLAN (isocarboxazid)	90 days of therapy with the requested agent in the past 105 days
vilazodone	NARDIL (phenelzine)	
	nefazodone	AUVELITY
	phenelzine	Requires clinical review
	PRISTIQ (desvenlafaxine)	DRIZALMA Sprinkles
	REMERON (mirtazapine)	Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age
	tranylcypromine	
	Trazodone solution ^{NR}	DULOXETINE
	venlafaxine ER tablet	Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	
	WELLBUTRIN XL (bupropion)	IRZUVAE – MANUAL PA
	ZURZUVAE (zuranolone)	
ANTIDEPRESSANTS, SSRIs ^{DUR+}		
citalopram solution, tablet	CELEXA (citalopram)	Minimum Age Limit
escitalopram	citalopram capsule	6 years: ZOLOFT
fluoxetine capsule	fluoxetine solution, tablet	7 years: LEXAPRO, PROZAC
fluvoxamine	fluoxetine DR capsule	8 years: LUVOX
paroxetine tablet	fluvoxamine ER capsule	18 years: CELEXA, LUVOX CR, PAXIL, PEXEVA, PROZAC 90 mg
paroxetine CR	LEXAPRO (escitalopram)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
paroxetine ER	paroxetine suspension, capsule	
ANTIDEPRESSANTS, SSRIs ^{DUR+} (continued)		
sertraline tablet, solution	PAXIL (paroxetine)	Maximum Age Limit 60 years: CELEXA Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	
ANTIEMETICS ^{DUR+}		
5HT3 RECEPTOR BLOCKERS		Quantity Limit (per 31 days) 6 tablets: AKYNZEO 100 mL: ZOFRAN solution Non-Preferred Agents - Have tried 1 preferred agent in the past 6 months AKYNZEO – MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.
ondansetron solution, tablet	ANZIMET (dolasetron)	
ondansetron ODT 4 mg, 8 mg	granisetron	
	ondansetron ODT 16 mg tablet	
	SANCUSO (granisetron)	
ANTIEMETIC COMBINATIONS		
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)	
	BONJESTA (doxylamine/pyridoxine)	
	doxylamine/pyridoxine	
CANNABINOIDS		
	dronabinol	
	MARINOL (dronabinol)	
NMDA RECEPTOR ANTAGONISTS		
aprepitant	EMEND (aprepitant)	
ANTIFUNGALS (ORAL) ^{DUR+}		
clotrimazole	ANCOBON (flucytosine)	Griseofulvin suspension - Automatic approval issued for 0-11 years of age Griseofulvin tablets - Automatic approval issued for 12-17 years of age Minimum Age Limit 18 years: CRESEMBA Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection - Non-Preferred agent indicated for treatment (^) AND - Documented diagnosis of HIV CRESEMBA – MANUAL PA
fluconazole	BREXAFEMME (ibrexafungerp)	
nystatin	CRESEMBA (isavuconazonium sulfate)	
terbinafine	DIFLUCAN (fluconazole)	
	flucytosine	
	griseofulvin	
	griseofulvin ultramicrosize	
	itraconazole	
	ketoconazole	
	NOXAFIL (posaconazole)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS (ORAL) ^{DUR+} (continued)		
	ORAVIG (miconazole)	SPORANOX Requires clinical review
	Posaconazole	
	SPORANOX (itraconazole)	
	TOLSURA (itraconazole)	
	VFEND (voriconazole)	
	VIVJOA (oteseconazole)	
	voriconazole	
ANTIFUNGALS (TOPICAL) ^{DUR+}		
ANTIFUNGALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution - Require clinical review
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	
clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)	
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)	
LUZU (luliconazole)	ERTACZO (sertaconazole)	
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)	
miconazole/zinc oxide/petrolatum ointment	JUBLIA (efinaconazole)	
nystatin cream, ointment, powder	ketoconazole foam	
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)	
	luliconazole	
	MICOTRIN AC (clotrimazole)	
	MYCOZYL AC (clotrimazole)	
	MYCOZYL AP (miconazole)	
	naftifine	
	NAFTIN (naftifine)	
	oxiconazole	
	OXISTAT (oxiconazole)	
	tavaborole	
	VOTRIZA-AL (clotrimazole)	
	VUSION (miconazole/zinc oxide/petrolatum)	
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion	
nystatin/triamcinolone		
ANTIFUNGALS (VAGINAL)		
clotrimazole cream ^{OTC}	3-DAY VAGINAL CREAM (clotrimazole)	
clotrimazole-3 cream	GYNAZOLE 1 (butoconazole)	
miconazole kit ^{OTC}	terconazole suppository	
terconazole cream		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}					
MINIMALLY SEDATING ANTIHISTAMINES				Non-Preferred Criteria • Documented diagnosis of Allergy or Urticaria AND • Have tried 2 different preferred agents in the past 12 months	
cetirizine capsule, solution, tablet ^{OTC}		cetirizine chewable tablet ^{OTC}			
loratadine chewable tablet, ODT, solution, tablet ^{OTC}		CLARINEX (desloratadine)			
		desloratadine			
		levocetirizine			
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS					
cetirizine/pseudoephedrine		CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)			
loratadine/pseudoephedrine		fexofenadine/pseudoephedrine			
ANTIMIGRAINE AGENTS, ACUTE TREATMENT					
CGRP ORAL AND NASAL				Minimum Age Limit • 6 years: MAXALT • 12 years: AXERT, TREXIMET, ZOMIG nasal spray • 18 years: AMERGE, FROVA, IMITREX, NURTEC ODT, ONZETRA XSAIL, RELPAX, REYVOW, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets	
NURTEC ODT (rimegepant)		ZAVZPRET (zavegepant)			
UBRELVY (ubrogepant)					
INJECTABLES				Quantity Limit (per 31 days) • ORAL ◦ 4 tablets: REYVOW 50 mg ◦ 6 tablets: AXERT, RELPAX, ZOMIG ◦ 8 tablets: NURTEC ODT, REYVOW 100 mg ◦ 9 tablets: AMERGE, FROVA, IMITREX, TREXIMET ◦ 12 tablets: MAXALT ◦ 16 tablets: UBRELVY • NASAL ◦ 1 box: all agents	
sumatriptan		IMITREX (sumatriptan)			
		ZEMBRACE SYMTOUCH (sumatriptan)			
NASAL				CUMULATIVE Quantity Limit (per 31 days) • INJECTABLES ◦ 4 injections: all agents Non-Preferred Criteria • ORAL ◦ Have tried 2 preferred oral agents in the past 90 days • NASAL ◦ Have tried 2 preferred oral agents in the past 90 days AND ◦ Have tried a preferred nasal agent in the past 90 days AXERT, TREXIMET, and ZOMIG nasal • Automatic approval for 12-17 years of age NURTEC ODT and UBRELVY – MANUAL PA	
sumatriptan		IMITREX (sumatriptan)			
		TOSYMRA (sumatriptan)			
		zolmitriptan			
		ZOMIG (zolmitriptan)			
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}					
naratriptan		almotriptan			
rizatriptan		eletriptan			
sumatriptan		FROVA (frovatriptan)			
zolmitriptan		frovatriptan			
zolmitriptan ODT		IMITREX (sumatriptan)			
		MAXALT (rizatriptan)			
		MAXALT MLT (rizatriptan)			
		RELPAX (eletriptan)			
		REYVOW (lasmiditan)			
		sumatriptan/naproxen			
		ZOMIG (zolmitriptan)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		- Documented diagnosis of Migraine AND - Have tried 2 different triptans in the past 6 months AND - No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor REYVOW - Documented diagnosis of Migraine AND - Have tried 2 different triptans in the past 90 days AND - Have tried preferred NURTEC ODT in the past 90 days ZAVZPRET – MANUAL PA - Documented diagnosis of Migraine AND - Have tried 2 different triptans in the past 6 months AND - Have tried both NURTEC ODT and UBRELVY in the past 6 months AND - No concurrent therapy with another CGRP AGENT
ANTIMIGRAINE AGENTS, PROPHYLAXIS		
INJECTABLES		Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL	
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)	
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}		
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}		
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}		
ORAL		
	QULIPTA (atogepant)	
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS		
BOSULIF (bosutinib) tablet	AFINITOR (everolimus)	FARYDAK – MANUAL PA IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review LENVIMA - Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review LYNPARZA Tablets - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR - All other indications require clinical review – MANUAL PA
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)	
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)	
COTELLIC (cobimetinib)	ALECENSA (alectinib)	
everolimus	ALUNBRIG (brigatinib)	
GILOTTRIF (afatinib)	AUGTYRO (repotrectinib)	
ICLUSIG (ponatinib)	AYVAKIT (avapritinib)	
imatinib	BALVERSA (erdafitinib)	
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule	
INLYTA (axitinib)	BRAFTOVI (encorafenib)	
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)	
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)	
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)	
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)	
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
SPRYCEL (dasatinib)	dasatinib	See previous page for PA Criteria/DUR+ Rules
STIVARGA (regorafenib)	DATROWAY (datopotomab deruxtecan-dlnk) ^{NR}	
SUTENT (sunitinib)	DAURISMO (glasdegib)	
TAFINLAR (dabrafenib)	ERIVEDGE (vismodegib)	
TARCEVA (erlotinib)	ERLEADA (apalutamide)	
TASIGNA (nilotinib)	erlotinib	
TURALIO (pexidartinib)	FOTIVDA (tivozanib)	
TYKERB (lapatinib)	FURZAQLA (fruquintinib)	
VOTRIENT (pazopanib)	GAVRETO (pralsetinib)	
XALKORI (crizotinib)	gefitinib	
XTANDI (enzalutamide)	GLEEVEC (imatinib)	
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)	
ZYDELIG (idelalisib)	IDHIFA (enasidenib)	
ZYKADIA (ceritinib)	IMKELDI (imatinib)	
	INQOVI (decitabine/cedazuridine)	
	INREBIC (fedratinib)	
	ITOVEBI (inavolisib)	
	IWILFIN (eflornithine)	
	JAYPIRCA (pirtobrutinib)	
	KISQALI (ribociclib)	
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)	
	KOSELUGO (selumetinib/vitamin E)	
	KRAZATI (adagrasib)	
	lapatinib	
	LAZCLUZE (lazertinib)	
	LENVIMA (lenvatinib)	
	LOBRENA (lorlatinib)	
	LUMAKRAS (sotorasib)	
	LYNPARZA (olaparib)	
	LYTGOBI (futibatinib)	
	MEKTOVI (binimetinib)	
	NERLYNX (neratinib)	
	NUBEQA (darolutamide)	
	ODOMZO (sonidegib)	
	OGSIVEO (nirogacestat)	
	OJEMDA (tovorafenib)	
	OJJAARA (mometotinib)	
	ONUREG (azacitidine)	
	ORGOVYX (relugolix)	
	pazopanib	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS (continued)		
	PEMAZYRE (pemigatinib)	See previous page for PA Criteria/DUR+ Rules
	PIQRAY (alpelisib)	
	QINLOCK (ripretinib)	
	RETEVMO (selpercatinib)	
	REVUFORJ (revumenib)	
	REZLIDHIA (olutasidenib)	
	RUBRACA (rucaparib)	
	RYDAPT (midostaurin)	
	SCEMBLIX (asciminib)	
	sorafenib	
	sunitinib	
	TABRECTA (capmatinib)	
	TAGRISSE (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TECENTRIQ HYBREZA (atezolizumab/hyaluronidase-tqjs)	
	TEPMETKO (tepotinib)	
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	
	VONJO (pacritinib)	
	VORANIGO (vorasidenib)	
	WELIREG (belzutifan)	
	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	
ANTIOBESITY SELECT AGENTS		
SAXENDA (liraglutide)	orlistat	All agents – MANUAL PA required
WEGOVY (semaglutide)	XENICAL (orlistat)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
ANTIPARASITICS (TOPICAL) DUR+						
PEDICULICIDES			Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX			
NATROBA (spinosad)		lindane				
permethrin 1% cream ^{OTC}		malathion				
VANALICE (piperonyl butoxide/pyrethrins)		OVIDE (malathion)				
		SKLICE (ivermectin)				
		spinosad				
SCABICIDES			Non-Preferred Criteria • Pediculicides ○ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides ○ Have tried permethrin 5% in the past 90 days			
ivermectin		CROTAN (crotamiton)				
permethrin 5% cream		ELIMITE (permethrin)				
		EURAX (crotamiton)				
		STROMEKTOL (ivermectin)				
ANTIPARKINSON'S AGENTS (INJECTABLE)						
		VYALEV (foscarbidopa/foslevodopa)		VYALEV • Requires clinical review		
ANTIPARKINSON'S AGENTS (ORAL) DUR+						
ANTICHOLINERGICS			Non-Preferred Criteria • Documented diagnosis of Parkinson's disease AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days			
benztropine						
trihexyphenidyl						
COMT INHIBITORS			XADAGO • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND • 30 days of therapy with a selegiline agent in the past 45 days			
entacapone		OGENTYS (opicapone)				
		TASMAR (tocapone)				
		tolcapone				
DOPAMINE AGONISTS			GOCOVRI • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with amantadine IR in the past 105 days AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days			
pramipexole		NEUPRO (rotigotine)				
ropinirole		pramipexole ER				
		ropinirole ER				
MAO-B INHIBITORS			LODOSYN and INBRIJA • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days			
selegiline		AZILECT (rasagiline)				
		rasagiline				
		XADAGO (safinamide)				
		ZELAPAR (selegiline)				
OTHERS			NOURIANZ • Documented diagnosis of Parkinson's Disease AND • Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND • 30 days of therapy with a preferred adjunctive therapy in the past 45 days			
amantadine		carbidopa/levodopa ODT				
bromocriptine		carbidopa/levodopa/entacapone				
carbidopa		CREXONT (carbidopa/levodopa)				
carbidopa/levodopa tablet		DHIVY (carbidopa/levodopa)				
carbidopa/levodopa ER		DUOPA (carbidopa/levodopa)				
		GOCOVRI (amantadine)				

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+} (continued)		
	INBRIJA (levodopa)	
	LODOSYN (carbidopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	
ANTIPSORIATICS (TOPICAL)		
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	DUOBRII (halobetasol/tazarotene)	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	
ANTIPSYCHOTICS ^{DUR+}		
INJECTABLE, ATYPICALS ^{DUR+}		Concurrent Therapy Limit for Age < 18 years 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA Minimum Age Limit 3 years: HALDOL 5 years: RISPERDAL, thioridazine 6 years: ABILIFY, trifluoperazine 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene 13 years: REXULTI, ZYPREXA 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents
ABILIFY ASIMTUFII (aripiprazole)	ERZOFRI (paliperidone palmitate)	
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	
PERSERIS (risperidone)	ZYPREXA (olanzapine)	
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)	
UZEDY (risperidone)		
ORAL		Quantity Limit 3 syringes/year: ARISTADA INITIO Non-Preferred Criteria – Atypical Agents - Have tried 2 preferred agents in the past 12 months OR 30 days of therapy with the requested agent in the past 180 days ARISTADO INTIO, ARISTADO ER, INVEGA SUSTENNA, INVEGA TRINZA, PERSERID AND ZYPREXA RELPREEV - Documented diagnosis of schizophrenia or schizoaffective disorder
aripiprazole tablet	ABILIFY (aripiprazole)	
asenapine	ABILIFY MYCITE (aripiprazole)	
clozapine tablet	ADASUVE (loxapine)	
fluphenazine	aripiprazole ODT, solution	
haloperidol	CAPLYTA (lumateperone)	
haloperidol lactate	chlorpromazine	
olanzapine	clozapine ODT	
perphenazine	CLOZARIL (clozapine)	
perphenazine/amitriptyline	COBENFY (xanomeline/trospium)	
quetiapine	FANAPT (iloperidone)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS ^{DUR+} (continued)		
quetiapine ER	GEODON (ziprasidone)	ABILIFY MAINTENA, ABILIFY ASIMTUFI, or RISPERDAL CONSTA Documented diagnosis of schizophrenia, schizoaffective disorder, or bipolar disorder INVEGA HAFYERA - Documented diagnosis of schizophrenia or schizoaffective disorder AND 4 claims for INVEGA SUSTENNA in the past year OR 1 claim for INVEGA TRINZA in the past year OR 1 claim for INVEGA HAFYERA in the past year COBENFY and OPIPZA Require clinical review ERZOFRI, risperidone ER, RISPERDAL CONSTA - Require clinical review NUPLAZID Documented diagnosis of Parkinson's disease VRAYLAR - Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder, or major depressive disorder AND 30 days of therapy with an antidepressant in the past 45 days OR 1 claim for a 90-day supply of an antidepressant in the past 105 days
risperidone	IGALMI (dexmedetomidine)	
thioridazine	INVEGA (paliperidone)	
trifluoperazine	LATUDA (lurasidone)	
VRAYLAR (cariprazine)	lurasidone	
ziprasidone	LYBALVI (olanzapine/samidorphan)	
	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		
	SECUADO (asenapine)	
ANTIRETROVIRALS ^{DUR+}		
CAPSID INHIBITORS		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA - Requires clinical review TYBOST – MANUAL PA See next page for additional PA Criteria/DUR+ Rules
	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS – NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		See previous page for additional PA Criteria/DUR+ Rules
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	Non-Preferred Criteria
COMBINATION PRODUCTS – PROTEASE INHIBITORS		• 1 claim with the requested agent in the past 105 days
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	STRIBILD – MANUAL PA
ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS		SUNLENCA
	maraviroc	• Requires clinical review
	SELZENTRY (maraviroc)	TYBOST – MANUAL PA
ENTRY INHIBITORS – FUSION INHIBITORS		
	FUZEON (enfuvirtide)	
INTEGRASE STRAND TRANSFER INHIBITORS		
APRETUDE (cabotegravir)	cabotegravir ER	
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)	
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)	
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)		
EDURANT (rilpivirine)	etravirine	
efavirenz	INTELENCE (etravirine)	
	nevirapine, nevirapine ER	
	PIFELTRO (doravirine)	
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)		
abacavir	didanosine	
EMTRIVA (emtricitabine)	emtricitabine	
lamivudine	EPIVIR (lamivudine)	
ZIAGEN (abacavir)	RETROVIR (zidovudine)	
zidovudine	stavudine	
	VIREAD (tenofovir disoproxil fumarate)	
PHARMACOENHANCER – CYTOCHROME P450 INHIBITORS		
	TYBOST (cobicistat)	
PROTEASE INHIBITORS (NON-PEPTIDIC)		
PREZISTA (darunavir)	APTIVUS (tipranavir)	
	darunavir	
	PREZCOBIX (darunavir/cobicistat)	
PROTEASE INHIBITORS (PEPTIDIC)		
atazanavir	fosamprenavir	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		
ANTIVIRALS, ORAL		
ANTI-CYTOMEGALOVIRUS AGENTS		Valganciclovir solution - Automatic approval issued for 0-12 years of age PREVYMIS - Requires clinical review
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVYMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	
ANTIVIRALS, TOPICAL		
ZOVIRAX (acyclovir) cream	acyclovir	
	DENAVIR (penciclovir)	
	penciclovir	
	XERESE (acyclovir/hydrocortisone)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, TOPICAL (continued)		
	ZOVIRAX (acyclovir) ointment	
AROMATASE INHIBITORS		
anastrozole	ARIMIDEX (anastrozole)	
exemestane	AROMASIN (exemestane)	
letrozole	FEMARA (letrozole)	
ATOPIC DERMATITIS		
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)	Minimum Age Limit • 3 months: EUCRISA • 2 years: ELIDEL, PROTOPIC 0.03% • 12 years: OPZELURA • 16 years: PROTOPIC 0.1%
ADBRY Autoinjector (tralokinumab-ldrm)	EBGLYSS Pen (lebrikizumab-lbkz)	
DUPIXENT (dupilumab) ^{DUR+}	NEMLUVIO (nemolizumab-ilto)	
ELIDEL (pimecrolimus)	OPZELURA (ruxolitinib)	
EUCRISA (crisaborole) ^{DUR+}	ZORYVE (roflumilast) 0.15% cream	
pimecrolimus		
tacrolimus		
		See below for additional PA Criteria/DUR+ Rules
ADBRY – MANUAL PA		
CIBINQO • Requires clinical review		EBGLYSS • Requires clinical review
DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ◦ Asthma – MANUAL PA ◦ Atopic Dermatitis – MANUAL PA ◦ Eosinophilic Esophagitis – MANUAL PA ◦ Nasal Polyposis – MANUAL PA ◦ Prurigo Nodularis – MANUAL PA		EUCRISA • 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months OPZELURA • 30 days of therapy with ELIDEL, EUCRISA or PROTOPIC
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}		
ANTIANGINALS		Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
	ASPRUZO SPRINKLE (ranolazine)	
	ranolazine ER	COREG CR • Documented diagnosis of hypertension AND • Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
BETA- AND ALPHA-BLOCKERS		
carvedilol	carvedilol ER	
labetalol	COREG (carvedilol)	CORLANOR – MANUAL PA
	COREG CR (carvedilol)	
BETA-BLOCKER/DIURETIC COMBINATIONS		HEMANGEOL • Documented diagnosis of infantile hemangioma See next page for additional PA Criteria/DUR+ Rules
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)	
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)	
metoprolol/hydrochlorothiazide		
propranolol/hydrochlorothiazide		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+} (continued)		
BETA-BLOCKERS		See previous page for additional PA Criteria/DUR+ Rules RANEXA - Documented diagnosis of angina AND 1 claim for a calcium channel blocker, beta-blocker, nitrate, or combination agent in the past 30 days OR 90 days of therapy with the requested agent in the past 105 days
acebutolol	BETAPACE (sotalol)	
atenolol	BETAPACE AF (sotalol)	
bisoprolol	betaxolol	
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)	
metoprolol succinate	INDERAL LA (propranolol)	
metoprolol tartrate	INDERAL XL (propranolol)	
nadolol	INNOPRAN XL (propranolol)	
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)	
pindolol	LOPRESSOR (metoprolol tartrate)	
propranolol	SOTYLIZE (sotalol)	
propranolol ER	TENORMIN (atenolol)	
SORINE (sotalol)	TOPROL XL (metoprolol succinate)	
sotalol		
sotalol AF		
timolol		
SINUS NODE AGENTS		
	CORLANOR (ivabradine)	
	ivabradine	
BILE SALTS		
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (elafibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	
	URSO FORTE (ursodiol)	
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BLADDER RELAXANT PREPARATIONS ^{DUR+} (continued)		
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	EVENITY (romosozumab-aqgg)	
	EVISTA (raloxifene)	
	MIACALCIN (calcitonin salmon)	
	PROLIA (denosumab)	
	teriparatide	
	TYMLOS (abaloparatide)	
	XGEVA (denosumab)	
BPH AGENTS ^{DUR+}		
5-ALPHA-REDUCTASE INHIBITORS		CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL – Female Documented State-accepted diagnosis
dutasteride	AVODART (dutasteride)	
finasteride	ENTADFI (finasteride/tadalafil)	
	PROSCAR (finasteride)	Non-Preferred Criteria – Male - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ENTADFI - Requires clinical review
ALPHA BLOCKERS		
alfuzosin ER	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BPH AGENTS ^{DUR+} (continued)		
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		
	CIALIS (tadalafil)	
	tadalafil	
BRONCHODILATORS & COPD AGENTS		
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		Minimum Age Limit • 6 years: SPIRIVA RESPIMAT
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	SPIRIVA RESPIMAT • Automatic approval issued for diagnosis of asthma for ≥ 6 years of age
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	
ipratropium/albuterol		
STIOLTO RESPIMAT (tiotropium/olodaterol)		BREZTRI AEROSPHERE • 3 claims with BREZTRI AEROSPHERE in the past 105 days OR • New starts require clinical review
ANTICHOLINERGIC-BATA AGONIST-GLUCOCORTICOIDS COMBINATIONS		
	BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}	
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)	
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
INCRUSE ELLIPTA (umeclidinium)	OHTUVAYRE (ensifentrine)	
ipratropium	roflumilast	
SPIRIVA HANDIHALER (tiotropium)	SPIRIVA RESPIMAT (tiotropium) ^{DUR+}	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	YUPERI (revefenacin)	
BRONCHODILATORS, BETA AGONISTS		
INHALATION SOLUTION ^{DUR+}		Non-Preferred Criteria • 1 claim for a preferred agent in the past 6 months OR • 3 claims with the requested agent in the past 105 days
albuterol	arformoterol	Minimum Age Limit • 4 years: SEREVENT, XOPENEX HFA • 6 years: XOPENEX Solution • 18 years: AIRSUPRA, BROVANA, PERFOROMIST, STRIVERDI RESPIMAT
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	
	levalbuterol	
	PERFOROMIST (formoterol)	
INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	AIRSUPRA (albuterol/budesonide)	See next page for additional PA Criteria/DUR+ Rules
VENTOLIN HFA (albuterol)	levalbuterol HFA	
	PROAIR DIGIHALER (albuterol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
		XOPENEX HFA (levalbuterol)		See previous page for additional PA Criteria/DUR+ Rules Quantity Limit (per 31 days) • 2 inhalers: AIRSUPRA -- MANUAL PA AIRSUPRA and PROAIR DIGIHALER – Require clinical review XOPENEX HFA and Solution • 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days		
ORAL						
albuterol IR			albuterol ER			
terbutaline						
CALCIUM CHANNEL BLOCKERS DUR+						
LONG-ACTING				Quantity Limit (per 21 days) • 252 capsules: nimodipine • 2520 mL: nimodipine Non-Preferred Criteria – Long Acting • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria – Short Acting • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Nimodipine • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days		
amlodipine			CARDIZEM CD (diltiazem)			
CARTIA XT (diltiazem)			CARDIZEM LA (diltiazem)			
diltiazem ER 24 HR			diltiazem ER 12 HR			
diltiazem CD 24 HR			diltiazem LA 24 HR			
diltiazem XR 24 HR			KATERZIA (amlodipine)			
DILT-XR 24 HR (diltiazem)			levamlodipine			
felodipine			MATZIM LA (diltiazem)			
nifedipine ER			nisoldipine			
TAZTIA XT (diltiazem)			NORVASC (amlodipine)			
verapamil ER			PROCARDIA XL (nifedipine)			
LONG-ACTING						
verapamil SR			SULAR (nisoldipine)			
			TIADYLT ER (diltiazem)			
			TIAZAC (diltiazem)			
			verapamil PM			
			VERELAN PM (verapamil)			
SHORT-ACTING						
diltiazem			CARDIZEM (diltiazem)			
nicardipine			isradipine			
nifedipine			nimodipine capsule and solution			
verapamil			NORLIQVA (amlodipine)			
			NYMALIZE (nimodipine)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
CALORIC AGENTS							
BOOST BREAKFAST ESSENTIALS BRIGHT BEGINNINGS DUOCAL ENSURE NUTREN OSMOLITE PEDIASURE PROMOD RESOURCE TWOCAL HN		All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.		Non-Preferred Agents – MANUAL PA			
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)							
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS			Non-Preferred Criteria – All Cephalosporin Generations • Have tried 2 different preferred agents in the past 6 months				
amoxicillin/clavulanate		amoxicillin/clavulanate ER		Maximum Age Limit • 18 years: cefdinir suspension			
		AUGMENTIN (amoxicillin/clavulanate)					
CEPHALOSPORINS – FIRST GENERATION							
cefadroxil		cephalexin tablet					
cephalexin capsule, suspension							
CEPHALOSPORINS – SECOND GENERATION							
cefaclor capsule		cefaclor ER					
cefprozil		cefaclor suspension					
cefuroxime							
CEPHALOSPORINS – THIRD GENERATION							
cefdinir		cefixime suspension					
cefixime capsule		SUPRAX (cefixime)					
cefpodoxime							
COLONY STIMULATING FACTORS							
FULPHILA (pegfilgrastim-jmdb)		FYLNETRA (pegfilgrastim-pbbk)					
NEUPOGEN (filgrastim)		GRANIX (tbo-filgrastim)					
		LEUKINE (sargramostim)					
		NEULASTA, NEULASTA ONPRO (pegfilgrastim)					
		NIVESTYM (filgrastim-aafi)					
		NYVEPRIA (pegfilgrastim-apgf)					
		RELEUKO (filgrastim-ayow)					
		ROLVEDON (eflapeggrastim-xnst)					
		STIMUFEND (pegfilgrastim-fpgk)					
		UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)					
		ZARXIO (filgrastim-sndz)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+} (continued)		
SIMPONI (golimumab)	BIMZELX (bimekizumab-bkzx)	Preferred Agents – Criteria details found here Non-Preferred Agents Require clinical review IV Administered Agents Require clinical review
TALTZ (ixekizumab)	CIMZIA (certolizumab)	
TYENNE Syringe, Vial (tocilizumab-aazg)	COSENTYX (secukinumab)	
XELJANZ (tofacitinib) tablet	CYLTEZO (adalimumab-adbm)	
	ENTYVIO (vedolizumab)	
	HADLIMA (adalimumab-bwwd)	
	HULIO (adalimumab-fkjp)	
	HYRIMOZ (adalimumab-adaz)	
	IDACIO (adalimumab-aacf)	
	ILARIS (canakinumab)	
	ILUMYA (tildrakizumab-asmn)	
	INFLECTRA (infliximab-dyyb)	
	infliximab	
	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	
	LITFULO (ritlectinib)	
	OMVOH (mirikizumab-mrkz)	
	ORENCIA (abatacept)	
	OTREXUP (methotrexate)	
	OTULFI (ustekinumab-aauz) ^{NR}	
	RASUVO (methotrexate)	
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	
	SILIQ (brodalumab)	
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	
	TREXALL (methotrexate)	
	TYENNE Autoinjector (tocilizumab-aazg)	
	ustekinumab-kfce ^{NR}	
	ustekinumab-ttwe ^{NR}	
	XATMEP (methotrexate)	
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YUFLYMA (adalimumab-aaty)	
	YUSIMRY (adalimumab-aqvh)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+} (continued)		
	ZYMFENTRA (infliximab-dyyb)	
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}		
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	Non-Preferred Criteria - Documented diagnosis of cancer or chronic renal failure OR - Antineoplastic therapy in the past 6 months AND - Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR 1 claim for the requested agent in the past 105 days
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRT (epoetin alfa)	
	VAFSEO (vadadustat)	
		JESDUVROQ Requires clinical review
		MIRCERA Documented diagnosis of chronic renal failure in the past 2 years
FACTOR DEFICIENCY PRODUCTS ^{DUR+}		
FACTOR VIII		HEMLIBRA 3 claims with HEMLIBRA in the past 105 days OR - New starts require clinical review – MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIQ	JIVI	
FEIBA	KCENTRA	
HEMOFIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		
XYNTHA, XYNTHA SOLOFUSE		
FACTOR IX		
ALPHANINE SD	BEQVEZ	
ALPROLIX	REBINYN	
BENEFIX		
IDELVION		
IXINITY		
PROFILNINE		
RIXUBIS		
OTHER HEMOPHILIA PRODUCTS		
COAGADEX (factor X)	ALHEMO (concizumab-mtci) ^{NR}	
FIBRYGA (fibrinogen)	CORIFACT (factor XIII) ^{NR}	
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncq)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
FACTOR DEFICIENCY PRODUCTS ^{DUR+} (continued)					
RIASTAP (fibrinogen)		NOVOSEVEN RT (factor VII)			
		SEVENFACT (factor VII)			
		TRETEN (factor XIII)			
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS					
duloxetine (generic CYMBALTA)		CYMBALTA (duloxetine)			
gabapentin		DIRZALMA SPRINKLE (duloxetine)			
pregabalin		duloxetine 40 mg DR capsules (generic IRENKA)			
SAVELLA (milnacipran)		gabapentin ER			
		GABARONE (gabapentin) ^{NR}			
		GRALISE (gabapentin)			
		HORIZANT (gabapentin enacarbil)			
		LYRICA, LYRICA CR (pregabalin)			
		NEURONTIN (gabapentin)			
		pregabalin ER			
FLUOROQUINOLONES ^{DUR+}					
ciprofloxacin tablet		BAXDELA (delafloxacin)		Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension Criteria for Age < 12 Years - Anthrax infection or exposure, cystic fibrosis, pneumonic plague, or tularemia AND - History of doxycycline in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide LEVAQUIN Solution Criteria for Age < 12 Years - Anthrax infection or exposure AND - CIPRO suspension in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide	
levofloxacin tablet		CIPRO (ciprofloxacin)			
		ciprofloxacin suspension			
		levofloxacin solution			
		moxifloxacin			
		ofloxacin			
GAUCHER’S DISEASE					
ELELYSO (taliglucerase alfa)		CERDELGA (eliglustat)			
ZAVESCA (miglustat)		CEREZYME (imiglucerase)			
		miglustat			
		VPRIV (velaglucerase alfa)			
		YARGESA (miglustat)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
GENITAL WARTS & ACTINIC KERATOSIS AGENTS							
CONDYLOX (podofilox)		CARAC (fluorouracil)		Minimum Age Limit • 12 years: ALDARA, ZYCLARA • 18 years: CONDYLOX, PICATO, VEREGEN			
fluorouracil		EFUDEX (fluorouracil)					
imiquimod		VEREGEN (sinecatechins)					
podofilox		ZYCLARA (imiquimod)					
GI ULCER THERAPIES							
H2 RECEPTOR ANTAGONISTS		Prilosec suspension • Automatic approval issued for 0-2 years of age					
famotidine						cimetidine	
						nizatidine	
						PEPCID (famotidine)	
OTHERS							
CARAFATE (sucralfate) suspension						CARAFATE (sucralfate) tablet	
misoprostol						CYTOTEC (misoprostol)	
sucralfate						DARTISLA (glycopyrrolate)	
						VOQUEZNA (vonoprazan)	
PROTON PUMP INHIBITORS							
esomeprazole capsule						DEXILANT (dexlansoprazole)	
NEXIUM (esomeprazole) packet						dexlansoprazole	
omeprazole						esomeprazole packet	
pantoprazole						KONVOMEK (omeprazole/sodium bicarbonate)	
						lansoprazole Rx	
						NEXIUM (esomeprazole) capsule	
						omeprazole/sodium bicarbonate	
						PREVACID (lansoprazole)	
						PRILOSEC (omeprazole) packet	
						PROTONIX (pantoprazole)	
						rabeprazole	
						ZEGERID (omeprazole/sodium bicarbonate)	
GLUCOCORTICOIDS (INHALED)							
GLUCOCORTICOIDS		Non-Preferred Criteria • Glucocorticoids ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Note: ○ Institutional-sized products are non-preferred AIRDUO DIGIHALER • Requires clinical review					
ASMANEX (mometasone)						ALVESCO (ciclesonide)	
budesonide 0.25 mg and 0.5 mg						ARMONAIR DIGIHALER (fluticasone)	
fluticasone diskus						ARNUITY ELLIPTA (fluticasone)	
fluticasone HFA						ASMANEX HFA (mometasone)	
PULMICORT FLEXHALER (budesonide)						budesonide 1 mg	
QVAR REDIHALER (beclomethasone)						FLOVENT HFA (fluticasone)	
						FLOVENT DISKUS (fluticasone)	
						PULMICORT (budesonide) nebulizer solution	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
GLUCOCORTICOIDS (INHALED) (continued)			
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		ARMONAIR DIGIHALER Require clinical review	
ADVAIR DISKUS (fluticasone/salmeterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)		
ADVAIR HFA (fluticasone/salmeterol)	BREO ELLIPTA (fluticasone/vilanterol)		
DULERA (mometasone/formoterol)	BREYNA (budesonide/formoterol)		
fluticasone/salmeterol diskus	budesonide/formoterol		
fluticasone/salmeterol HFA	fluticasone/vilanterol		
SYMBICORT (budesonide/formoterol)	WIXELA INHUB (fluticasone/salmeterol)		
GROWTH HORMONES DUR+			
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	All Agents • Age ≥ 18 years ◦ Documented diagnosis of craniopharyngioma, panhypopituitarism, Prader-Willi Syndrome, Turner Syndrome or an approvable adult diagnosis OR ◦ Documented procedure of cranial irradiation • Age < 18 years ◦ Documented diagnosis of idiopathic short stature AND ◦ Documented approvable pediatric diagnosis OR ◦ Documented approvable pediatric diagnosis Minimum Age Limit • 3 years: NGENLA • 18 years: SKYTROFA Maximum Age Limit • 18 years: NGENLA Non-Preferred Criteria • Documented approvable diagnosis for age as above AND • Have tried 1 preferred agent in the past 6 months OR • 84 days of therapy with the requested agent in the past 105 days SKYTROFA • ≥ 18 years AND • No history of diagnosis of Prader-Willi Syndrome AND • 28 days of therapy with a preferred short-acting growth hormone in the past 105 days	
NORDITROPIN FLEXPPO (somatropin)	NGENLA (somatropin-ghla)		
SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)		
	SEROSTIM (somatropin)		
	SOGROYA (somapacitan-beco)		
	VOXZOGO (vosoritide)		
	ZOMACTON (somatropin)		
H. PYLORI COMBINATION TREATMENTS			
PYLERA (bismuth subcitrate potassium/metronidazole/ tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline		Quantity Limit • 1 treatment course/year: all agents
	lansoprazole/amoxicillin/clarithromycin		
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)		
	TALICIA (omeprazole/amoxicillin/rifabutin)		
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
H. PYLORI COMBINATION TREATMENTS (continued)		
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	
	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
MAVYRET (glecaprevir/pibrentasvir) ∞	EPCLUSA (sofosbuvir/velpatasvir) ∞	∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER • Require MANUAL PA Note: • EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) ∞	
ribavirin tablet	ledipasvir/sofosbuvir ∞	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) ∞	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ∞	
	ZEPATIER (elbasvir/grazoprevir) ∞	
HEREDITARY ANGIOEDEMA		
BERINERT (C1 esterase inhibitor)	CINRYZE (C1 esterase inhibitor)	
icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	ORLADEYO (berotralstat)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	
	TAKHZYRO (lanadelumab-flyo)	
HYPERURICEMIA & GOUT DUR+		
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	
HYPOGLYCEMIA TREATMENT		
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	Minimum Age Limit • 2 years: GVOKE • 4 years: BAQSIMI • 6 years: ZEGALOGUE See next page for additional PA Criteria/DUR+ Rules
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		See previous page for additional PA Criteria/DUR+ Rules Quantity Limit (per 31 days) 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria – GVOKE 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
HYPOGLYCEMICS, BIGUANIDES		
metformin	GLUMETZA (metformin)	
metformin ER (generic GLUCOPHAGE XR)	metformin ER (generic FORTAMET)	
	metformin ER (generic GLUMETZA)	
	metformin solution	
	RIOMET (metformin)	
HYPOGLYCEMICS, DPP4s AND COMBINATIONS DUR+		
JANUMET (sitagliptin/metformin)	alogliptin	Non-Preferred Criteria - Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: - Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review.
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	
JANUVIA (sitagliptin)	JENTADUETO XR (linagliptin/metformin)	
JENTADUETO (linagliptin/metformin)	KAZANO (alogliptin/metformin)	
TRADJENTA (linagliptin)	KOMBIGLYZE XR (saxagliptin/metformin)	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	
	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS DUR+		
BYETTA (exenatide)	BYDUREON (exenatide)	Minimum Age Limit 10 years: BYDUREON BCISE, TRULICITY, VICTOZA 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria - Documented diagnosis of Type 2 Diabetes and no history of SAXENDA or WEGOVY in the past 30 days OR - No documented diagnosis for Type 2 Diabetes and 84 days of therapy with the requested agent in the past 105 days See next page for additional PA Criteria/DUR+ Rules
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+} (continued)		
		See previous page for additional PA Criteria/DUR+ Rules
		Non-Preferred Criteria
		- Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days AND 84 days of therapy with TRULICITY in the past 6 months AND 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months OR - Documented diagnosis of Type 2 Diabetes AND 84 days of therapy with the request agent in the past 105 days
		Note:
		- Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. - Please see the PDL category Anti-obesity Select Agents for a list of covered agents.
		RYBELSUS 1.5 mg and 3 mg
		Require clinical review
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria - Documented diagnosis of Diabetes Mellitus AND - Have tried 1 preferred agent in the past 6 months OR 1 claim with the requested agent in the past 105 days Quantity Limit Insulin quantity limits can be found here Note: - Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries.
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO PEN (insulin lispro)	
insulin aspart protamine mix 70/30 vial	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro protamine mix 75/25 vial	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
LANTUS (insulin glargine)	HUMULIN N KWIKPEN (insulin N)	
TOUJEO (insulin glargine)	insulin degludec	
TOUJEO MAX (insulin glargine)	insulin glargine	
	insulin glargine-yfgn	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	NOVOLIN 70/30 (insulin NPH/regular)	
	NOVOLIN N (insulin NPH)	
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)	
	REZVOGLAR (insulin glargine-aglr)	
	SEMGLEE (insulin glargine-yfgn)	
	TRESIBA (insulin degludec)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}		
nateglinide		
repaglinide		
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}		
SGLT-2 INHIBITORS		Non-Preferred Criteria - Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
FARXIGA (dapagliflozin)	dapagliflozin	
JARDIANCE (empagliflozin)	INPEFA (sotagliflozin)	
	INVOKANA (canagliflozin)	
	STEGLATRO (ertugliflozin)	
SGLT-2 INHIBITOR COMBINATIONS		
GLYXAMBI (empagliflozin/linagliptin)	dapagliflozin/metformin ER	
SYNJARDY (empagliflozin/metformin)	INVOKAMET (canagliflozin/metformin)	
SYNJARDY XR (empagliflozin/metformin)	INVOKAMET XR (canagliflozin/metformin)	
TRIJARDY XR (empagliflozin/linagliptin/metformin)	QTERN (dapagliflozin/saxagliptin)	
	SEGLUROMET (ertugliflozin/metformin)	
	STEGLUJAN (ertugliflozin/sitagliptin)	
	XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
	DUETACT (pioglitazone/metformin)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
OFEV (nintedanib)	ESBRIET (pirfenidone)	All Agents Documented diagnosis of Idiopathic Pulmonary Fibrosis
	pirfenidone	
		OFEV - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with Ofev in the past 105 days
		ESBRIET or pirfenidone Requires clinical review

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
IMMUNE GLOBULINS					
BIVIGAM		ALYGLO			
FLEBOGAMMA		ASCENIV			
GAMASTAN		CABLIVI			
GAMMAGARD		CUTAQUIG			
GAMMAGARD S-D		CUVITRU			
GAMUNEX-C		GAMMAKED			
HIZENTRA		GAMMAPLEX			
HYQVIA		OCTAGAM			
PANZYGA					
PRIVIGEN					
XEMBIFY					
IMMUNOLOGIC THERAPIES FOR ASTHMA					
DUPIXENT (dupilumab) ^{DUR+}		CINQAIR (reslizumab)		CINQAIR Requires clinical review See below for additional PA Criteria/DUR+ Rules	
FASENRA (benralizumab)		NUCALA (mepolizumab)			
XOLAIR (omalizumab)		TEZSPIRE (tezepelumab-ekko)			
DUPIXENT 1 claim with DUPIXENT in the past 60 days OR - New starts require clinical review (see manual PA links below) Asthma – MANUAL PA Atopic Dermatitis – MANUAL PA Eosinophilic Esophagitis – MANUAL PA Nasal Polyposis – MANUAL PA Prurigo Nodularis – MANUAL PA		FASENRA - Requires clinical review – MANUAL PA NUCALA - Requires clinical review TEZSPIRE - Requires clinical review XOLAIR 1 claim with XOLAIR in the past 45 days OR - New starts require clinical review – MANUAL PA			
IMMUNOSUPPRESSIVE AGENTS, ORAL					
AZASAN (azathioprine)		ASTAGRAF XL (tacrolimus)		Minimum Age Limit 13 years: RAPAMUNE 18 years: ZORTRESS Maximum Age Limit 12 years: PROGRAF Granules See below for additional PA Criteria/DUR+ Rules	
azathioprine		ENVARSUS XR (tacrolimus)			
CELLCEPT (mycophenolate)		MYFORTIC (mycophenolate)			
cyclosporine		PROGRAF (tacrolimus)			
everolimus		REZUROCK (belumosudil)			
mycophenolate		ZORTRESS (everolimus)			
mycophenolic acid					
NEORAL (cyclosporine)					
RAPAMUNE (sirolimus)					
SANDIMMUNE (cyclosporine)					
sirolimus					
tacrolimus					

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
Preferred Criteria					
• AZASAN ◦ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE ◦ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • Everolimus ◦ Documented diagnosis of kidney or liver transplant • RAPAMUNE ◦ Documented diagnosis of kidney transplant • Tacrolimus ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis					
Non-Preferred Criteria					
• MYHIBBIN Suspension ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with mycophenolate suspension in the past 105 days OR ◦ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ASTAGRAF XR or ENVARSUS XR ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with tacrolimus IR in the past 105 days OR ◦ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules ◦ Age ≤ 11 years AND ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC ◦ Documented diagnosis of kidney transplant or psoriasis • ZORTRESS ◦ Documented diagnosis of kidney or liver transplant					
INTRANASAL RHINITIS AGENTS					
ANTICHOLINERGICS				Non-Preferred Criteria – Corticosteroids • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months	
ipratropium					
ANTIHIISTAMINE/CORTICOSTEROID COMBINATIONS					
		azelastine/fluticasone			
		DYMISTA (azelastine/fluticasone)			
		RYALTRIS (olopatadine/mometasone)			
ANTIHIISTAMINES					
azelastine		olopatadine			
		PATANASE (olopatadine)			
CORTICOSTEROIDS					
fluticasone		BECONASE AQ (beclomethasone)			
		flunisolide			
		mometasone			
		NASONEX (mometasone)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHINITIS AGENTS (continued)		
	OMNARIS (ciclesonide)	
	QNASL (beclomethasone)	
	XHANCE (fluticasone)	
	ZETONNA (ciclesonide)	
IRON CHELATING AGENTS		
deferasirox (all manufacturers except those listed as non-preferred)	deferasirox (manufacturers starting with 45963, 62332)	JADENU – MANUAL PA
deferiprone 500 mg tablet	deferiprone 1,000 mg tablet	
FERRIPROX (deferiprone)	EXJADE (deferasirox)	
	JADENU, JADENU SPRINKLE (deferasirox)	
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}		
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		Minimum Age Limit • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTEGRITY, MOVANTIK, MYTESI, RELISTOR, SYMPROIC, TRULANCE, VIBERZI Gender Limit • Female – AMITIZA 8 mcg
LINZESS (linaclotide)	AMITIZA (lubiprostone)	
lubiprostone	IBSRELA (tenapanor)	
TRULANCE (plecanatide)	MOTEGRITY (prucalopride)	
	MOVANTIK (naloxegol)	
	prucalopride ^{NR}	
	RELISTOR (methylnaltrexone)	
	SYMPROIC (naldemedine)	
IRRITABLE BOWEL SYNDROME DIARRHEA		
dicyclomine	alosetron	
ED-SPAZ (hyoscyamine)	LOTIRONEX (alosetron) ^{DUR+}	
hyoscyamine, hyoscyamine ER	VIBERZI (eluxadoline) ^{DUR+}	
HYOSYNE (hyoscyamine)		
LEVSIN, LEVSIN-SL (hyoscyamine)		
NULEV (hyoscyamine)		
OSCIMIN, OSCIMIN SL (hyoscyamine)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
	GATTEX (teduglutide)	
	MYTESI (crofelemer)	
IRRITABLE BOWEL SYNDROME – CONSTIPATION ^{DUR+}		
Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY, TRULANCE • Preferred CIC Agents ◦ Documented diagnosis of CIC in the past year AND ◦ No history of GI or bowel obstruction • LINZESS 72 mcg ◦ Age 6-17 years AND	Irritable Bowel Syndrome – Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg, TRULANCE • Preferred IBS-C Agents ◦ Documented diagnosis of IBS-C in the past year AND ◦ No history of GI or bowel obstruction • Non-Preferred IBS-C Agents ◦ Documented diagnosis of IBS-C in the past year AND ◦ No history of GI or bowel obstruction AND	Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, RELISTOR, SYMPROIC • Preferred OIC Agents ◦ Documented diagnosis of OIC and chronic pain in the past year AND ◦ No history of GI or bowel obstruction AND ◦ 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents ◦ All preferred criteria met AND ◦ Have tried 1 preferred OIC agents in the past 6 months OR ◦ 1 claim with the requested agent in the past 105 days

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
- Documented diagnosis of CIC or pediatric functional constipation in the past year AND - No history of GI or bowel obstruction Non-Preferred CIC Agents - Documented diagnosis of CIC AND - No history of GI or bowel obstruction AND - Have tried 2 preferred CIC agents in the past 6 months OR 1 claim with the requested agent in the past 105 days		- Have tried 2 preferred IBS-C agents in the past 6 months OR 1 claim with the requested agent in the past 105 days	See previous page for additional PA Criteria/DUR+ Rules Relistor Injection - Above OIC criteria OR - Documented diagnosis of OIC and active cancer in the past year AND - No history of GI or bowel obstruction AND 1 claim for an opioid in the past 30 days
IRRITABLE BOWEL SYNDROME – DIARRHEA			
VIBERZI [New starts require clinical review] - Documented diagnosis of IBS – D in the past year and 1 claim for Viberzi in the past 105 days LOTRONEX 1 claim for LOTRONEX in the past 105 days OR - New starts require clinical review – MANUAL PA XIFAXAN – (see Antibiotics, GI)			
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}			
<u>HIV/AIDS Non-infectious Diarrhea</u> MYTESI - Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND 1 claim for an antiretroviral in the past 30 days		<u>Short Bowel Syndrome (SBS)</u> GATTEX 1 claim for GATTEX in the past 105 days OR - New starts require clinical review	
LEUKOTRIENE MODIFIERS ^{DUR+}			
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months	
zafirlukast	SINGULAIR (montelukast)		
	zileuton		
	ZYFLO (zileuton)		
LIPOTROPICS, OTHER (NON-STATINS)			
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria – Fibric Acid Derivatives Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months JUXTAPID – MANUAL PA	
	NEXLETOL (bempedoic acid)		
	NEXLIZET (bempedoic acid/ezetimibe)		
ANGIOPOIETIN-LIKE 3 INHIBITORS		KYNAMRO - Requires clinical review LEQVIO - Requires clinical review	
	EVKEEZA (evinacumab-dgnb)		
BILE ACID SEQUESTRANTS			
cholestyramine	colesevelam		
cholestyramine light	COLESTID (colestipol)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		NEXLETOL and NEXLIZET Require clinical review PRALUENT – MANUAL PA
LIPOTROPICS, OTHER (NON-STATINS)		
colestipol tablet	colestipol packet	REPATHA – MANUAL PA WELCHOL - Documented diagnosis of Type 2 Diabetes AND 30 days of therapy with an antidiabetic agent in the past 6 months OR 90 days of therapy with WELCHOL in the past 105 days
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER		
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	
	PRALUENT (alirocumab)	
LIPOTROPICS, STATINS ^{DUR+}		
STATINS		Minimum Age Limit 10 years: ATORVALIQ Suspension Non-Preferred Criteria - Have tried 2 different preferred statin or statin combination agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Simvastatin - Daily doses ≥ 80 mg require clinical review
atorvastatin	ALTOPREV (lovastatin)	
lovastatin	ATORVALIQ (atorvastatin)	
pravastatin	CRESTOR (rosuvastatin)	
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)	
simvastatin	FLOLIPID (simvastatin)	
	fluvastatin	
	fluvastatin ER	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, STATINS ^{DUR+} (continued)		
	LESCOL XL (fluvastatin)	
	LIPITOR (atorvastatin)	
	LIVALO (pitavastatin)	
	pitavastatin	
	ZOCOR (simvastatin)	
	ZYPITAMAG (pitavastatin)	
STATIN COMBINATIONS		
ezetimibe/simvastatin	amlodipine/atorvastatin	
	CADUET (amlodipine/atorvastatin)	
	VYTORIN (ezetimibe/simvastatin)	
MISCELLANEOUS BRAND/GENERIC		
ALLERGEN EXTRACT IMMUNOTHERAPY		CUMULATIVE quantity limit (per 31 days) • 31 tablets: alprazolam ER Quantity Limit (per 31 days) • 2 kits: epinephrine EVRYSDI – MANUAL PA
	GRASTEK	
	ORALAIR	
	RAGWITEK	
EPINEPHRINE		
epinephrine (Mylan)	AUVI-Q (epinephrine)	
	epinephrine (all other manufacturers)	
	EPIPEN (epinephrine)	
	EPIPEN JR (epinephrine)	
	NEFFY (epinephrine) ^{NR}	
MISCELLANEOUS		
alprazolam	alprazolam ER	
hydroxyzine HCL	CAMZYOS (mavacamten)	
hydroxyzine pamoate	CRENESSITY (crinecerfont) ^{NR}	
megestrol	EVRYSDI (risdiplam)	
REVLIMID (lenalidomide)	KORLYM (mifepristone)	
	lenalidomide	
	TRYNGOLZA (olezarsen) ^{NR}	
	VERQUVO (vericiguat)	
	VISTARIL (hydroxyzine pamoate)	
	XANAX, XANAX XR (alprazolam)	
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroglycerin)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MOVEMENT DISORDER AGENTS ^{DUR+}		
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	AUSTEDO and AUSTEDO XR • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with either agent in the past 105 days OR • New starts require clinical review – MANUAL PA INGREZZA • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with this agent in the past 105 days OR • New starts require clinical review – MANUAL PA
AUSTEOD XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		
MULTIPLE SCLEROSIS AGENTS ^{DUR+}		
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	Preferred Agents • Documented diagnosis of multiple sclerosis Non-Preferred Criteria • Documented diagnosis of multiple sclerosis AND • Have tried 2 different preferred agents in the past 6 months OR • 3 claims with the requested agent in the last 105 days KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA • Require clinical review
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	
dimethyl fumarate	BAFIERTAM (monomethyl fumarate)	
fingolimod	BRIUMVI (ublituximab-xiiy)	
REBIF (interferon beta-1b)	COPAXONE (glatiramer) 40 mg	 MAVENCLAD – MANUAL PA MAYZENT – MANUAL PA OCREVUS and OCREVUS ZUNOVO – MANUAL PA
REBIF REBIDOSE (interferon beta-1b)	GILENYA (fingolimod)	
teriflunomide	glatiramer	
TYSABRI (natalizumab)	GLATOPA (glatiramer)	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
	MAYZENT (siponimod)	
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	PLEGRIDY (peginterferon beta-1a)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	TECFIDERA (dimethyl fumarate)	
	VUMERITY (diroximel fumarate)	
	ZEPOSIA (ozanimod)	
MUSCULAR DYSTROPHY AGENTS		
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	AGAMREE – MANUAL PA ELEVIDYS – MANUAL PA
	AMONDYS-45 (casimersen)	
	deflazacort	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MUSCULAR DYSTROPHY AGENTS <i>(continued)</i>		
	DUVYZAT (givinostat)	EMFLAZA – MANUAL PA
	ELEVIDYS (delandistrogene moxeparvec-rokl)	EXONDYS – MANUAL PA
	EXONDYS-51 (eteplirsen)	VILTEPSO – MANUAL PA
	VILTEPSO (viltolarsen)	VYONDYS – MANUAL PA
	VYONDYS-53 (golodirsen)	
NSAIDS		
COX II SELECTIVE		Quantity Limit (per 31 days)
meloxicam	CELEBREX (celecoxib)	• 20 tablets: ketorolac tablets
	celecoxib	
	ELYXYB (celecoxib)	ELYXYB
		• Requires clinical review
NON-SELECTIVE		Non-Preferred Criteria
diclofenac sodium	DAYPRO (oxaprozin)	• Non-Selective & Combinations
diclofenac sodium ER	diclofenac potassium	○ Have tried 2 different preferred non-selective or NSAID/GI protectant combination agents in the past 6 months
EC-naproxen DR 500 mg tablet	DOLOBID (diflunisal)	• COX II Selective
etodolac tablet	etodolac capsule, etodolac ER	○ Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND
flurbiprofen	FELDENE (piroxicam)	○ 90 days of therapy with the requested agent in the past 105 days OR
ibuprofen	fenoprofen	○ Have tried 1 preferred COX-II Selective Agent and 1 preferred Non-Selective Agent OR
indomethacin capsule	indomethacin ER, indomethacin suppository	○ Documented diagnosis of GI Bleed, GERD, PUD, GI Perforation, or Coagulation Disorder AND
ketoprofen	ketoprofen	○ Have tried 1 preferred COX-II Selective agent
ketorolac	kiprofen	
nabumetone	LOFENA (diclofenac potassium)	
naproxen 250 mg, 500 mg	meclofenamate	
piroxicam	mefenamic acid	
sulindac	NALFON (fenoprofen)	
	NAPRELAN (naproxen)	
	NAPROSYN 375 mg (naproxen)	
	naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg	
	oxaprozin	
	RELAFEN DS (nabumetone)	
	TOLECTIN 600 mg (tolmetin)	
	tolmetin	
NSAID/GI PROTECTANT COMBINATIONS		
	ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)	
	diclofenac/misoprostol	
	ibuprofen/famotidine	
	naproxen/esomeprazole	
	VIMOVO (naproxen/esomeprazole)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
OPHTHALMIC AGENTS						
ANTIBIOTICS				Minimum Age Limit • 16 years: RESTASIS • 17 years: XIIDRA • 18 years: CEQUA, MIEBO, VEVYE Quantity Limit (per 31 days) • 2 mL: VEVYE • 3 mL: MIEBO • 5.5 mL: RESTASIS Multidose • 60 units: CEQUA, RESTASIS Droperette, XIIDRA Non-Preferred Criteria • Anti-Inflammatory Agents ◦ Have tried 2 different preferred agents in the past 6 months • Dry Eye Agents / CEQUA ◦ 4 claims for RESTASIS Droperette and XIIDRA in the past 6 months EYSUVIS Requires clinical review MIEBO • Requires clinical review RESTASIS Multidose • Require clinical review TYRVAYA • Requires clinical review VEVYE • Requires clinical review		
bacitracin/polymyxin	AZASITE (azithromycin)					
ciprofloxacin	bacitracin					
erythromycin	BESIVANCE (besifloxacin)					
gentamicin	CILOXAN (ciprofloxacin)					
moxifloxacin	gatifloxacin					
ofloxacin	NATACYN (natamycin0					
polymyxin B/trimethoprim	neomycin/bacitracin/polymyxin					
tobramycin	OCUFLOX (ofloxacin)					
	sulfacetamide					
	TOBREX (tobramycin)					
	VIGAMOX (moxifloxacin)					
ANTIBIOTIC-STEROID COMBINATIONS						
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)	MAXITROL (neomycin/polymyxin/dexamethasone)					
neomycin/bacitracin/polymyxin/hydrocortisone	neomycin/polymyxin/gramicidin					
neomycin/polymyxin/dexamethasone	TOBRADEX ST (tobramycin/dexamethasone)					
PRED-G (gentamicin/prednisolone)						
sulfacetamide/prednisolone						
TOBRADEX (tobramycin/dexamethasone)						
tobramycin/dexamethasone						
ZYLET (tobramycin/loteprednol)						
ANTI-INFLAMMATORY AGENTS						
dexamethasone	ACULAR, ACULAR LS (ketorolac)					
diclofenac sodium	ACUVAIL (ketorolac)					
difluprednate	bromfenac					
FLAREX (fluorometholone)	BROMSITE (bromfenac)					
fluorometholone	DUREZOL (difluprednate)					
flurbiprofen	FML (fluorometholone)					
FML FORTE (fluorometholone)	ILEVRO (nepafenac)					
ketorolac	INVELTYS (loteprednol)					
MAXIDEX (dexamethasone)	LOTEMAX, LOTEMAX SM (loteprednol)					
PRED MILD (prednisolone)	loteprednol					
prednisolone acetate	NEVANAC (nepafenac)					
prednisolone sodium phosphate	PRED FORTE (prednisolone)					
	PROLENSA (bromfenac)					
DRY EYE AGENTS						
RESTASIS Droperette (cyclosporine)	CEQUA (cyclosporine)					
XIIDRA (lifitegrast)	cyclosporine					
	EYSUVIS (loteprednol)					
	MIEBO (perfluorohexyloactane)					
	RESTASIS Multidose (cyclosporine)					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC AGENTS (continued)		
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
BETA BLOCKERS		Minimum Age Limit 18 years: IYUZEH Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
BETIMOL (timolol)	betaxolol	
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	
PROSTAGLANDIN ANALOGS		
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprost)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%	
brimonidine 0.2%		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS							
ALREX (loteprednol)		ALOCRIL (nedocromil)		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review			
azelastine		ALOMIDE (lodoxamide)					
cromolyn		bepotastine					
ketotifen ^{OTC}		BEPREVE (bepotastine)					
olopatadine		epinastine					
ZADITOR (ketotifen)		LASTACRAFT (alcaftadine)					
		VERKAZIA (cyclosporine)					
		ZERVIAE (cetirizine)					
OPIATE DEPENDENCE TREATMENTS							
DEPENDENCE		Buprenorphine/naloxone provider summary found here PROBUPHINE – MANUAL PA SUBLOCADE – MANUAL PA VIVITROL – MANUAL PA					
buprenorphine/naloxone SL tablet						BRIXADI (buprenorphine)	
naltrexone						buprenorphine	
SUBOXONE (buprenorphine/naloxone)						buprenorphine/naloxone film	
						lofexidine	
						LUCEMYRA (lofexidine)	
						SUBLOCADE (buprenorphine)	
						VIVITROL (naltrexone)	
						ZUBSOLV (buprenorphine/naloxone)	
TREATMENT							
KLOXXADO (naloxone)						LIFEMS NALOXONE (naloxone convenience kit)	
naloxone							
NARCAN (naloxone)							
OPVEE (nalmeferene)							
REXTOVY (naloxone)							
ZIMHI (naloxone)							
OTIC ANTIBIOTICS							
CIPRO HC (ciprofloxacin/hydrocortisone)		ciprofloxacin		Maximum Age Limit 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria - Age ≥ 6 months AND - Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND - Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension			
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)		ciprofloxacin/fluocinolone					
fluocinolone		ciprofloxacin/dexamethasone					
neomycin/polymyxin/hydrocortisone		DERMOTIC (fluocinolone)					
		FLAC OTIC OIL (fluocinolone)					
		hydrocortisone/acetic acid					
		OTOVEL (ciprofloxacin/fluocinolone)					
PANCREATIC ENZYMES							
CREON (lipase/protease/amylase)		PERTZYE (lipase/protease/amylase)		Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months			
ZENPEP (lipase/protease/amylase)		VIOKACE (lipase/protease/amylase)					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PARATHYROID AGENTS		
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	
PHOSPHATE BINDERS		
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	REVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	
PLATELET AGGREGATION INHIBITORS		
aspirin/dipyridamole	EFFIENT (prasugrel)	Non-Preferred Criteria • Documented diagnosis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days ZONTIVITY – MANUAL PA
BRILINTA (ticagrelor)	PLAVIX (clopidogrel)	
cilostazol		
clopidogrel		
dipyridamole		
pentoxifylline		
prasugrel		
PLATELET STIMULATING AGENTS		
NPLATE (romiplostim)	ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet	DOPTelet (avatrombopag)	
	MULPLETA (lusutrombopag)	
	PROMACTA (eltrombopag) packet	
	TAVALISSE (fostatinib)	
POTASSIUM REMOVING AGENTS		
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)	
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate	
	SPS (sodium polystyrene sulfonate) enema	
	VELTASSA (patiomer calcium sorbitex)	
PRENATAL VITAMINS		
CLASSIC PRENATAL	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
COMPLETE NATAL DHA		
COMPLETENATE		
M-NATAL PLUS		
NIVA-PLUS		
PRENATAL PLUS VITAMIN-MINERAL		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PRENATAL VITAMINS <i>(continued)</i>		
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID SE-NATAL-19 STUART ONE THRIVITE RX TRICARE TRINATAL RX 1 WESNATAL DHA COMPLETE WESTAB PLUS	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
PSEUDOBULBAR AFFECT AGENTS		
	NUEDEXTA (dextromethorphan/quinidine)	Non-Preferred Criteria - Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days
PULMONARY ANTIHYPERTENSIVE AGENTS		
ACTIVIN SIGNALING INHIBITORS		Minimum Age Limit 18 years: ADEMPAS, OPSYNVI, TADLIQ
	WINREVAIR (sotatercept-csrk)	
COMBINATION AGENTS		Maximum Age Limit 12 years: REVATIO suspension
	OPSYNVI (macitentan/tadalafil)	
ENDOTHELIN RECEPTOR ANTAGONISTS		Preferred Criteria PAH Agents - Documented diagnosis of pulmonary hypertension Sildenafil tablets ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days
ambrisentan	OPSUMIT (macitentan)	
bosentan	TRACLEER (bosentan)	
LETAIRIS (ambrisentan)	TRYVIO (aprocitentan)	
PDE5 INHIBITORS		Non-Preferred Criteria - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
sildenafil (generic REVATIO) tablet	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	LIQREV (sildenafil)	
	REVATIO (sildenafil)	
	sildenafil (generic REVATIO) suspension	
	TADLIQ (tadalafil)	
PROSTACYCLINS		LIQREV, OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS Require clinical review
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	
	VENTAVIS (iloprost)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		Sildenafil Suspension < 12 years of age AND - Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR
	UPTRAVI (selexipag)	
See below for additional PA Criteria/DUR+ Rules		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
PULMONARY ANTIHYPERTENSIVE AGENTS (continued)					
SOLUABLE GUANYLATE CYCLASE STIMULATORS				• 90 days stable therapy with sildenafil suspension in the past 105 days	
		ADEMPAS (riociguat)			
ADEMPAS • Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) AND • Have tried 1 preferred PAH agent in the past 6 months OR • 90 days of therapy with ADEMPAS in the past 105 days		TADLIQ • Documented diagnosis of pulmonary hypertension AND • Have tried preferred sildenafil suspension in the past 6 months OR • 90 days of therapy with TADLIQ in the past 105 days			
REVATIO Suspension • ≤ 12 years of age AND • Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR • 90 days stable therapy with REVATIO Suspension in the past 105 days		UPTRAVI • Documented diagnosis of pulmonary hypertension AND • Have tried 1 preferred endothelin receptor antagonist in the past 6 months AND • Have tried 1 preferred PDE5 inhibitor in the past 6 months OR • 90 days of therapy with UPTRAVI in the past 105 days			
ROSACEA TREATMENTS					
metronidazole		AVAR (sulfacetamide sodium/sulfur)		Note: • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.	
		AVAR LS (sulfacetamide sodium/sulfur)			
		AVAR-E (sulfacetamide sodium/sulfur)			
		BP 10-1 (sulfacetamide sodium/sulfur)			
		brimonidine			
		EPSOLAY (benzoyl peroxide)			
		FINACEA (azelaic acid)			
		METROCREAM (metronidazole)			
		METROGEL (metronidazole)			
		MIRVASO (brimonidine)			
		NORITATE (metronidazole)			
		OVACE (sulfacetamide sodium)			
		OVACE PLUS (sulfacetamide sodium)			
		RHOFADE (oxymetazoline)			
		ROSADAN (metronidazole)			
		ROSULA (sulfacetamide sodium/sulfur)			
		sodium sulfacetamide			
		sodium sulfacetamide/sulfur			
		SOOLANTRA (ivermectin)			
		SUMADAN (sulfacetamide sodium/sulfur)			
		SUMADAN XLT (sulfacetamide sodium/sulfur/avob)			
		SUMAXIN (sulfacetamide sodium/sulfur)			
		SUMAXIN CP (sulfacetamide sodium/sulfur)			
		SUMAXIN TS (sulfacetamide sodium/sulfur)			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SEDATIVE HYPNOTIC AGENTS					
BENZODIAZEPINES ^{DUR+}			MS DOM Opioid Initiative – Criteria details found here • Concomitant use of Opioids and Benzodiazepines Maximum Age Limit • 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit • Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg • Male: all strengths of zolpidem Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months HETLIOZ capsules • Age 18 years or older AND • Documented diagnosis of circadian rhythm sleep disorder OR • Age 16 years and older AND • Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid • Age 3-15 years AND • Documented diagnosis of Smith-Magenis syndrome Note: • Single-source benzodiazepines and barbiturates are NOT covered. ◦ PA's will NOT be issued for these drugs. See below for additional PA Criteria/DUR+ Rules		
estazolam	flurazepam				
temazepam 15 mg, 30 mg capsule	HALCION (triazolam)				
	quazepam				
	RESTORIL (temazepam)				
	temazepam 7.5 mg, 22.5 mg capsule				
	triazolam				
OTHERS ^{DUR+}					
eszopiclone	AMBIEN (zolpidem)				
ramelteon	AMBIEN CR (zolpidem)				
zaleplon	BELSOMRA (suvorexant)				
zolpidem tablet	DAYVIGO (lemborexant)				
	doxepin				
	EDULAR (zolpidem)				
	HETLIOZ LQ (tasimelteon)				
	LUNESTA (eszopiclone)				
	QUVIVIQ (daridorexant)				
	ROZEREM (ramelteon)				
	tasimelteon				
	zolpidem capsule				
	zolpidem sublingual tablet				
	zolpidem ER				
CUMULATIVE Quantity Limit – Benzodiazepines					
• 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – Triazolam					
• 10 units/31 days: Quantity limit per rolling days for all strengths.					
• 60 units/365 days: Quantity limit per rolling days for all strengths.					
CUMULATIVE Quantity Limit – Non-Benzodiazepines					
• 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – HETLIOZ LQ					
• 1 bottle (48 mL or 158 mL): Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
CUMULATIVE Quantity Limit – ZOLPIMIST					
• 1 canister/31 days: male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					
• 1 canister/62 days: female: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SELECT CONTRACEPTIVE PRODUCTS					
INJECTABLE CONTRACEPTIVES				Non-Preferred Criteria 1 claim with the requested agent in the past 105 days	
medroxyprogesterone		DEPO-PROVERA (medroxyprogesterone)			
INTRAVAGINAL CONTRACEPTIVES					
ENILLORING (etonogestrel/ethinyl estradiol)		PHEXXI (lactic acid/citric acid/potassium bitartrate)			
ORAL CONTRACEPTIVES ^{DUR+}					
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)				
	AMETHYST (levonorgestrel/ethinyl estradiol)				
	BALCOLTRA (levonorgestrel/ethinyl estradiol)				
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)				
	CAMRESE (levonorgestrel/ethinyl estradiol)				
	CAMRESE LO (levonorgestrel/ethinyl estradiol)				
	JOLESSA (levonorgestrel/ethinyl estradiol)				
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)				
	LOESTRIN (norethindrone/ethinyl estradiol)				
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)				
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)				
	NATAZIA (estradiol valerate/dienogest)				
	NEXTSTELLIS (drospirenone/estetrol)				
	OCELLA (ethinyl estradiol/drospirenone)				
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)				
	SIMPESSE (levonorgestrel/ethinyl estradiol)				
	TAYTULLA (norethindrone/ethinyl estradiol/iron)				
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)				
	YASMIN (ethinyl estradiol/drospirenone)				
	YAZ (ethinyl estradiol/drospirenone)				
TRANSDERMAL CONTRACEPTIVES					
XULANE (norgestromin/ethinyl estradiol)		norgestromin/ethinyl estradiol			
		TWIRLA (levonorgestrel/ethinyl estradiol)			
		ZAFEMY (norgestromin/ethinyl estradiol)			
SICKLE CELL AGENTS					
DROXIA (hydroxyurea)		ADAKVEO (crizanlizumab-tmca)		ENDARI – MANUAL PA	
hydroxyurea		CASGEVY (exagamglogene autotemcel)			
		ENDARI (glutamine)			
		HYDREA (hvdroxxvurea)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SICKLE CELL AGENTS (continued)		
	l-glutamine	
	LYFGENIA (lovotibeglogene autotemcel)	
	SIKLOS (hydroxyurea)	
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
baclofen 5 mg, 10 mg, 20 mg tablet	AMRIX (cyclobenzaprine)	Quantity Limit 84 tablets/180 days: carisoprodol Non-Preferred Criteria - Documented diagnosis of an approvable indication AND - Have tried 2 different preferred agents in the past 6 months Baclofen granules, solution, and suspension - Require clinical review. Carisoprodol - Documented diagnosis of acute musculoskeletal condition AND - No history with meprobamate in the past 90 days AND 1 claim for cyclobenzaprine in the past 21 Carisoprodol with codeine - Requires clinical review. Metaxalone 640 mg and TANLOR - Requires clinical review
chlorzoxazone	baclofen 15 mg tablet	
cyclobenzaprine 5 mg, 10 mg tablet	baclofen suspension	
methocarbamol	carisoprodol	
tizanidine tablet	carisoprodol/aspirin	
	cyclobenzaprine 7.5 mg tablet	
	cyclobenzaprine ER	
	DANTRIUM (dantrolene)	
	dantrolene	
	FEXMID (cyclobenzaprine)	
	FLEQSUVY (baclofen)	
	LORZONE (chlorzoxazone)	
	LYVISPAH (baclofen)	
	metaxalone	
	NORGESIC (orphenadrine/aspirin/cafeine)	
	NORGESIC FORTE (orphenadrine/aspirin/cafeine)	
	orphenadrine	
	orphenadrine/aspirin/cafeine	
	ORPHENGESIC FORTE (orphenadrine/aspirin/cafeine)	
	SOMA (carisoprodol)	
	TANLOR (methocarbamol)	
	tizanidine capsule	
	ZANAFLEX (tizanidine)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SMOKING DETERRENTS					
NICOTINE TYPE				Minimum Age Limit 18 years: CHANTIX Quantity Limit 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack 2 treatment courses/year: CHANTIX Starter Pack	
nicotine gum ^{OTC}		NICOTROL INHALER CARTRIDGE			
nicotine lozenge ^{OTC}		NICOTROL NASAL SPRAY			
nicotine patch ^{OTC}					
NON-NICOTINE TYPE					
bupropion SR					
CHANTIX (varenicline)					
varenicline					
STEREROIDS (TOPICAL)					
LOW POTENCY				Non-Preferred Criteria Low Potency - Have tried 2 different preferred low potency agents in the past 6 months Medium Potency - Have tried 2 different preferred medium potency agents in the past 6 months High Potency - Have tried 2 different preferred high potency agents in the past 6 months Very High Potency - Have tried 2 different preferred very high potency agents in the past 6 months	
alclometasone		fluocinolone			
DERMA-SMOOTH-FS (fluocinolone)		hydrocortisone lotion			
desonide		HYDROXYM (hydrocortisone)			
hydrocortisone cream, ointment, solution		PROCTOCORT (hydrocortisone)			
MEDIUM POTENCY					
fluticasone		BESER (fluticasone)			
mometasone		CAPEX (fluocinolone)			
PANDEL (hydrocortisone probutate)		clocortolone			
prednicarbate cream		CLODERM (clocortolone)			
		flurandrenolide			
		fluticasone lotion			
		LOCOID (hydrocortisone butyrate)			
		prednicarbate ointment			
		SYNALAR (fluocinolone)			
HIGH POTENCY					
betamethasone dipropionate cream, lotion		amcinonide			
betamethasone dipropionate augmented		betamethasone dipropionate ointment			
betamethasone valerate		desoximetasone			
fluocinolone		diflorasone			
fluocinonide		Halcinonide			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STEROIDS (TOPICAL) (continued)		
fluocinonide-E	HALOG (halcinonide)	
triamcinolone cream, ointment, lotion	KENALOG (triamcinolone)	
	TOPICORT (desoximetasone)	
	triamcinolone spray	
	VANOS (fluocinonide)	
VERY HIGH POTENCY		
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	BRYHALI (halobetasol)	
halobetasol	clobetasol emulsion	
	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS ^{DUR+}		
SHORT-ACTING		Minimum Age Limit • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXII ER, RITALIN LA, VYVANSE, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil • 18 years: armodafinil, SUNOSI, WAKIX
dexamethylphenidate	ADDERALL (dextroamphetamine/amphetamine)	
dextroamphetamine	amphetamine	
dextroamphetamine/amphetamine	EVEKEO (amphetamine)	
Methylphenidate tablet	EVEKEO ODT (amphetamine)	
PROCENTRA (dextroamphetamine)	FOCALIN (dexamethylphenidate)	
	methamphetamine	
	METHYLN (methylphenidate)	
	Methylphenidate chewable tablet	
	RITALIN (methylphenidate)	
	ZENZEDI (dextroamphetamine)	
LONG-ACTING		
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)	
CONCERTA (methylphenidate)	APTENSIO XR (methylphenidate)	
		Maximum Age Limit • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER
		Quantity Limit – Stimulants (per 31 days) • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE
See next page for additional PA Criteria/DUR+ Rules		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Non-Preferred Short Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Short Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 preferred agent indicated for narcolepsy in the past 6 months OR - Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Armodafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine - Age ≥ 21 years AND - Documented diagnosis of ADD/ADHD Clonidine ER - Documented diagnosis of ADD/ADHD Guanfacine ER - Documented diagnosis of ADD/ADHD JORNAY PM - Documented diagnosis of ADD/ADHD AND 84 days of therapy with 2 different preferred LA methylphenidate agents in the past 12 months AND 84 days of therapy with 1 preferred non-methylphenidate LA stimulant agent in the past 12 months OR - Documented diagnosis of ADD/ADHD AND 84 days of therapy with JORNAY PM in the past 105 days • See next page for additional PA Criteria/DUR+ Rules	Non-Preferred Long Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Long-Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 different preferred agent indicated for narcolepsy in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days ONYDA XR - Requires clinical review QELBREE - Documented diagnosis of ADD/ADHD AND 30 days of therapy with a preferred ADHD agent in the past 105 days OR 30 days of therapy with QELBREE in the past 105 days SUNOSI - Documented diagnosis of narcolepsy or obstructive sleep apnea AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months VYVANSE - Documented diagnosis of binge eating disorder or ADD/ADHD WAKIX - Requires clinical review XYREM Documented diagnosis of narcolepsy or excessive daytime sleepiness OR 30 days of therapy with this agent in the past 105 days XYWAV - Requires clinical review	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Modafinil Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome		
TETRACYCLINES ^{DUR+}		
doxycycline hyclate	demeclocycline	Non-Preferred Agents - Have tried 2 different preferred agents in the past 6 months Demeclocycline - Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA - Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
ORAL		Non-Preferred Criteria - Documented diagnosis of Ulcerative Colitis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days VELSIPITY - Requires clinical review
APRISO (mesalamine)	AZULFIDINE (sulfasalazine)	
balsalazide	COLAZAL (balsalazide)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
UCERIS (budesonide)	mesalamine DR, mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
	UCERIS (budesonide)	



MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 04/07/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
UREA CYCLE DISORDER AGENTS		
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	