

General Preferred Drug List Information

- Gainwell Technologies' DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS		
ANTI-INFECTIVES		Maximum Age Limit • 21 years: all acne agents except isotretinoin products Topical Clindamycin 1% lotion • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa Note: • Isotretinoin products available for all ages • Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis • Preferred clindamycin 1% lotion for ages < 21 years does not require PA Maximum Age Limit • 21 years: all acne agents except isotretinoin products
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
	CLINDACIN (clindamycin)	
	CLINDAGEL (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	erythromycin	
	EVOCLIN (clindamycin)	
	KLARON (sulfacetamide)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
RETIN-A (tretinoin)	AKLIEF (trifarotene)	
tretinoin cream	ALTRENO (tretinoin)	
	ARAZLO (tazarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	RETIN-A MICRO (tretinoin)	
	RETIN-A MICRO PUMP (tretinoin)	
	tretinoin gel	
	tretinoin microsphere	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (continued)		
OTHERS/COMBINATION PRODUCTS		
adapalene/benzoyl peroxide gel	ACANYA (benzoyl peroxide/clindamycin) gel	
clindamycin/benzoyl peroxide 1%-5% gel w/pump	CABTREO (clindamycin/adapalene/benzoyl peroxide) gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
	clindamycin/benzoyl peroxide 1%-5% gel	
	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	ONEXTON (benzoyl peroxide/clindamycin) gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZIANA (clindamycin/tretinoin) gel	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER'S AGENTS DUR+		
CHOLINESTERASE INHIBITORS		Preferred Criteria - Documented approvable diagnosis Non-Preferred Criteria - Documented approvable diagnosis AND See next page for additional PA Criteria/DUR+ Rules
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	
galantamine	ARICEPT (donepezil)	
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ALZHEIMER'S AGENTS ^{DUR+} (continued)					
		Zunveyl (benzgalantamine gluconate) ^{NR}		See previous page for additional PA Criteria/DUR+ Rules	
NMDA RECETPOR ANTAGONISTS				- Have tried 2 different preferred agents in the past 6 months NAMZARIC - Requires clinical review	
memantine		memantine ER			
		NAMENDA (memantine)			
		NAMENDA XR (memantine ER)			
COMBINATION AGENTS					
		NAMZARIC (memantine/donepezil)			
		memantine/donepezil ER			
ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}					
acetaminophen/caffeine/dihydrocodeine		ACTIQ (fentanyl)		MS DOM Opioid Initiative – Criteria details found here	
acetaminophen/codeine		aspirin/butalbital/caffeine/codeine		Morphine Equivalent Daily Dose	
codeine		butalbital/acetaminophen/caffeine/codeine		Concomitant use of Opioids and Benzodiazepines	
ENDOCET (oxycodone/acetaminophen)		butorphanol		Minimum Age Limit	
hydrocodone/acetaminophen		DILAUDID (hydromorphone)		18 years: codeine-containing products and tramadol-containing products	
hydromorphone		fentanyl citrate		Quantity Limit (per 31 rolling days)	
morphine sulfate		FENTORA (fentanyl)		62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol	
oxycodone		FIORICET W/CODEINE (butalbital/acetaminophen/codeine)		186 tablets: butalbital/acetaminophen, butalbital/aspirin	
oxycodone/acetaminophen (325 mg acetaminophen formulations)		hydrocodone/ibuprofen		5 mL: butorphanol nasal	
tramadol 50 mg tablet		meperidine		180 mL: oxycodone liquid	
tramadol/acetaminophen		NALOCET (oxycodone/acetaminophen)		280 mL: QDOLO	
		levorphanol		Non-Preferred Criteria	
		oxymorphone		Have tried 2 different preferred agents in the past 6 months	
		pentazocine/naloxone		MS DOM Opioid Initiative – Criteria details found here	
		PERCOCET (oxycodone/acetaminophen)		Morphine Equivalent Daily Dose	
		PROLATE (oxycodone/acetaminophen)		Concomitant use of Opioids and Benzodiazepines	
		ROXICODONE (oxycodone)		Minimum Age Limit	
		ROXYBOND (oxycodone)		18 years: BUTRANS and tramadol-containing products	
		SEGLENTIS (tramadol/celecoxib)			
		tramadol 25 mg, 75 mg, 100 mg tablet			
		tramadol solution			
BUTRANS (buprenorphine)		BELBUCA (buprenorphine)			
fentanyl patch		buprenorphine patch			
morphine sulfate ER tablet		CONZIP (tramadol)			
		hvdrocodone bitartrate ER			
See next page for additional PA Criteria/DUR+ Rules					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, OPIOID-LONG ACTING ^{DUR+} (continued)		
	hydromorphone ER	See previous page for additional PA Criteria/DUR+ Rules
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	
	METHADOSE (methadone)	
	morphine sulfate ER capsule	
	MS CONTIN (morphine)	
	oxycodone ER	
	OXYCONTIN (oxycodone)	
	oxymorphone ER	
	tramadol ER	Quantity Limit (per 31 rolling days) • 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER • 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOXYDOL ER • 62 films: BELBUCA • 10 patches: fentanyl • 4 patches: BUTRANS Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months
ANALGESICS/ANESTHETICS (TOPICAL)		
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days) • 1 bottle (112 mL): diclofenac 2% solution pump • 1 bottle (150 mL): diclofenac 1.5% solution Non-Preferred Criteria - Have tried 2 preferred agents in the past 6 months Lidocaine 5% Patch - Documented diagnosis of Herpetic Neuralgia OR - Documented diagnosis of Diabetic Neuropathy ZTLIDO - Documented diagnosis of postherpetic neuralgia OR - History of 3 claims with preferred lidocaine 5% patch in the past 6 months
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	
TRIDACAIN (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAIN XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	
	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAIN II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	
ANDROGENIC AGENTS ^{DUR+}		
testosterone	ANDROGEL (testosterone)	All Agents - Limited to male gender Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months See next page for additional PA Criteria/DUR+ Rules
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TLANDO (testosterone undecanoate)	
	VOGELXO (testosterone)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
ANDROGENIC AGENTS ^{DUR+} (continued)						
		UNDECATREX (testosterone undecanoate)	See previous page for additional PA Criteria/DUR+ Rules			
			TLANDO Requires clinical review			
ANGIOTENSIN MODULATORS ^{DUR+}						
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS			EPANED - Automatic approval issued for 0-6 years of age ENTRESTO - Age ≥ 1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction - OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria - ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days - ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days - ACEI/Diuretic Combinations:			
benazepril	ACCUPRIL (quinapril)					
captopril	ALTACE (ramipril)					
enalapril	EPANED (enalapril)					
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS						
fosinopril	LOTENSIN (benazepril)					
lisinopril	moexipril					
quinapril	perindopril					
ramipril	QBRELIS (lisinopril)					
trandolapril	VASOTEC (enalapril)					
	ZESTRIL (lisinopril)					
ACE INHIBITOR (ACEI) COMBINATIONS						
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)					
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)					
ANGIOTENSIN MODULATORS ^{DUR+}						
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days				
enalapril/hydrochlorothiazide	VASERETIC (enalapril/hydrochlorothiazide)					
fosinopril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)					
lisinopril/hydrochlorothiazide						
quinapril/hydrochlorothiazide						
trandolapril/verapamil ER						
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)						
irbesartan	ATACAND (candesartan)					
losartan	AVAPRO (irbesartan)					
olmesartan	BENICAR (olmesartan)					
telmisartan	candesartan					
valsartan tablet	COZAAR (losartan)					
	EDARBI (azilsartan)	ARBs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: - Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: - Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitor Combinations: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days				
	eprosartan					
	MICARDIS (telmisartan)					
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)						
	valsartan solution					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS ^{DUR+} (continued)		
ARB COMBINATIONS		
ENTRESTO (valsartan/sacubitril) tablet ^{DUR+}	ATACAND HCT (candesartan/hydrochlorothiazide)	
irbesartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/amlodipine/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril) sprinkle capsule	
valsartan/hydrochlorothiazide	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	olmesartan/amlodipine/hydrochlorothiazide	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/sacubitril	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURN (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURN HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	vancomycin capsule	
	VOWST (fecal microbio spore, live-brpk)	
	XIFAXAN (rifaximin)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
ANTIBIOTICS (MISCELLANEOUS)						
LINCOSAMIDE ANTIBIOTICS			Quantity Limit 6 tablets/month: SIVEXTRO SIVEXTRO – MANUAL PA ZYVOX – MANUAL PA			
clindamycin		CLEOCIN (clindamycin)				
		CELOCIN PEDIATRIC (clindamycin)				
MACROLIDES						
azithromycin		ERYPED (erythromycin ethylsuccinate) suspension				
clarithromycin		ERYTHROCIN (erythromycin stearate)				
clarithromycin ER		ZITHROMAX (azithromycin)				
E.E.S (erythromycin ethylsuccinate) suspension						
ERY-TAB (erythromycin)						
erythromycin						
erythromycin ethylsuccinate						
NITROFURANTOIN DERIVATIVES						
nitrofurantoin capsule		FURADANTIN (nitrofurantoin) suspension				
nitrofurantoin monohydrate macrocrystals		MACROBID (nitrofurantoin monohydrate macrocrystals)				
		nitrofurantoin suspension				
OXAZOLIDINONES						
		linezolid				
		SIVEXTRO (tedizolid)				
		ZYVOX (linezolid)				
ANTIBIOTICS (TOPICAL)						
bacitracin ^{OTC}		CENTANY (mupirocin)				
bacitracin/polymyxin ^{OTC}		CENTANY AT (mupirocin)				
gentamicin sulfate		mupirocin cream				
mupirocin ointment		XEPI (ozenoxacin)				
neomycin/bacitracin/polymyxin ^{OTC}						
ANTIBIOTICS (VAGINAL)						
CLEOCIN (clindamycin)		clindamycin phosphate				
NUVESSA (metronidazole)		CLINDESSE (clindamycin)				
		SOLOSEC (secnidazole)				
		XACIATO (clindamycin)				
ANTICOAGULANTS						
LOW MOLECULAR WEIGHT HEPARIN (LMWH)			Non-Preferred Criteria - LMWH: - Have tried 1 preferred agent in the past 6 months OR See next page for additional PA Criteria/DUR+ Rules			
enoxaparin		ARIXTRA (fondaparinux)				
		fondaparinux				
		FRAGMIN (dalteparin)				

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICOAGULANTS (continued)		
	LOVENOX (enoxaparin)	See previous page for additional PA Criteria/DUR+ Rules 90 days of therapy with the requested agent in the past 105 days Oral: - Have tried 2 different preferred oral agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
ORAL		
ELIQUIS (apixaban)	dabigatran	
JANTOVEN (warfarin)	PRADAXA (dabigatran) pellet pack	
PRADAXA (dabigatran) capsule	SAVAYSA (edoxaban)	
warfarin	rivaroxaban ^{NR}	
XARELTO (rivaroxaban)		
ANTICONSULSANTS DUR+		
ADJUVANTS		Minimum Age Limit 6 months: DIACOMIT 1 year: BANZEL, EPIDIOLEX 2 years: ONFI, SYMPAZAN 6 years: VALTOCO 12 years: NAYZILAM Maximum Age Limit 2 years: VIGAFYDE Quantity Limit (per 31 days) 2 twin packs: DIASTAT 2 packages: NAYZILAM 2 cartons: VALTOCO Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Banzel, Onfi, and Sympazan - Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR - Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT - Documented diagnosis of Dravet Syndrome AND 1 claim for clobazam in the past 30 days EPIDIOLEX - Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR 1 claim for EPIDIOLEX in the past 30 days
carbamazepine	APTOM (eslicarbazepine acetate)	
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)	
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet	
divalproex	CARBATROL (carbamazepine)	
divalproex ER	DEPAKOTE (divalproex)	
divalproex sprinkle	DIACOMIT (stiripentol)	
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)	
lacosamide	EPRONTIA (topiramate)	
lamotrigine	EQUETRO (carbamazepine)	
lamotrigine blue, green, orange dose pack	felbamate	
levetiracetam	FELBATOL (felbamate)	
levetiracetam ER	FINTEPLA (fenfluramine)	
ADJUVANTS (continued)		
oxcarbazepine tablet	FYCOMPA (perampanel)	
tiagabine	KEPPRA (levetiracetam)	
topiramate	KEPPRA XR (levetiracetam)	
topiramate sprinkle 25 mg	LAMICTAL (lamotrigine)	
TRILEPTAL (oxcarbazepine) suspension	LAMICTAL XR (lamotrigine)	
valproic acid	lamotrigine ER	
zonisamide	lamotrigine ODT	
	lamotrigine ODT blue, green, orange dose pack	
	MOTPOLY XR (lacosamide)	
	oxcarbazepine suspension	
	oxcarbazepine ER	
	OXTELLAR XR (oxcarbazepine)	
	QUDEXY XR (topiramate)	
	ROWEEPRA (levetiracetam)	
	rufinamide	
	SABRIL (vigabatrin)	
	SPRITAM (levetiracetam)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS ^{DUR+} (continued)		
	SUBVENITE (lamotrigine)	FINTEPLA - Requires clinical review SABRIL Powder for Oral Solution - Documented diagnosis of Infantile Spasms OR - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Topiramate ER - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months VIGAFYDE - Age ≤ 2 years AND Documented diagnosis of infantile spasms
	SUBVENITE (lamotrigine) blue, green, orange dose pack	
	TEGRETOL (carbamazepine)	
	TEGRETOL XR (carbamazepine)	
	TOPAMAX (topiramate)	
	topiramate ER	
	TRILEPTAL (oxcarbazepine) tablet	
	TROKENDI XR (topiramate)	
	vigabatrin	
	VIGADRONE (vigabatrin)	
	VIGAFYDE (vigabatrin)	
	VIGPODER (vigabatrin)	
	VIMPAT (lacosamide)	
	XCOPRI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
DILANTIN (phenytoin)		
DILANTIN-125 (phenytoin)		
PHENYTEK (phenytoin)		
phenytoin		
phenytoin ER		
SELECTED BENZODIAZEPINES		
clobazam	DIASTAT (diazepam) rectal gel	
diazepam rectal gel	LIBERVANT (diazepam)	
NAYZILAM (midazolam)	ONFI (clobazam)	
VALTOCO (diazepam)	SYMPAZAN (clobazam)	
SUCCINIMIDES		
ethosuximide	CELONTIN (methsuximide)	
	methsuximide	
	ZARONTIN (ethosuximide)	
ANTIDEPRESSANTS, OTHER ^{DUR+}		
bupropion	APLENZIN (bupropion)	Minimum Age Limit 18 years: all agents Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR - Have tried 1 preferred agent and 1 SSRI in the past 6 months OR See next page for additional PA Criteria/DUR+ Rules
bupropion SR	AUVELITY (bupropion/dextromethorphan)	
bupropion XL	desvenlafaxine ER	
mirtazapine	DESYREL (trazodone)	
trazodone	DRIZALMA SPRINKLE (duloxetine DR)	
TRINTELLIX (vortioxetine)	EFFEXOR XR (venlafaxine)	
venlafaxine	EMSAM (selegiline)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, OTHER ^{DUR+} (continued)		
venlafaxine ER capsule	FETZIMA (levomilnacipran)	See previous page for additional PA Criteria/DUR+ Rules
vilazodone	FORFIVO XL (bupropion)	
	MARPLAN (isocarboxazid)	
	NARDIL (phenelzine)	
	nefazodone	
	phenelzine	
	PRISTIQ (desvenlafaxine)	
	REMERON (mirtazapine)	
	tranylcypromine	
	Trazodone solution ^{NR}	
	venlafaxine ER tablet	
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	AUVELITY and RALDESY Requires clinical review
	WELLBUTRIN XL (bupropion)	
	ZURZUVAE (zuranolone)	
		DRIZALMA Sprinkles Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age
		DULOXETINE Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age
		ZURZUVAE – MANUAL PA
ANTIDEPRESSANTS, SSRIs ^{DUR+}		
citalopram solution, tablet	CELEXA (citalopram)	Minimum Age Limit 6 years: ZOLOFT 7 years: LEXAPRO, PROZAC 8 years: LUVOX 18 years: CELEXA, LUVOX CR, PAXIL, PEXEVA, PROZAC 90 mg
escitalopram	citalopram capsule	
fluoxetine capsule	fluoxetine solution, tablet	
fluvoxamine	fluoxetine DR capsule	
paroxetine tablet	fluvoxamine ER capsule	
paroxetine CR	LEXAPRO (escitalopram)	
paroxetine ER	paroxetine suspension, capsule	
sertraline tablet, solution	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	
ANTIEMETICS ^{DUR+}		
5HT3 RECEPTOR BLOCKERS		Quantity Limit (per 31 days) 6 tablets: AKYNZEO 100 mL: ZOFRAN solution Non-Preferred Agents - Have tried 1 preferred agent in the past 6 months
ondansetron solution, tablet	ANZIMET (dolasetron)	
ondansetron ODT 4 mg, 8 mg	granisetron	
	ondansetron ODT 16 mg tablet	
	SANCUSO (granisetron)	
ANTIEMETIC COMBINATIONS		AKYNZEO – MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)	
	BONJESTA (doxylamine/pyridoxine)	
	doxylamine/pyridoxine	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIEMETICS ^{DUR+} (continued)		
CANNABINOIDS		
	dronabinol	
	MARINOL (dronabinol)	
NMDA RECEPTOR ANTAGONISTS		
aprepitant	EMEND (aprepitant)	
ANTIFUNGALS (ORAL) ^{DUR+}		
clotrimazole	ANCOBON (flucytosine)	Griseofulvin suspension - Automatic approval issued for 0-11 years of age Griseofulvin tablets - Automatic approval issued for 12-17 years of age Minimum Age Limit 18 years: CRESEMBA Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection - Non-Preferred agent indicated for treatment (^) AND - Documented diagnosis of HIV CRESEMBA – MANUAL PA SPORANOX - Requires clinical review
fluconazole	BREXAFEMME (ibrexafungerp)	
nystatin	CRESEMBA (isavuconazonium sulfate)	
terbinafine	DIFLUCAN (fluconazole)	
	flucytosine	
	griseofulvin	
	griseofulvin ultramicrosize	
	itraconazole	
	ketoconazole	
	NOXAFIL (posaconazole)	
	ORAVIG (miconazole)	
	Posaconazole	
	SPORANOX (itraconazole)	
	TOLSURA (itraconazole)	
	VFEND (voriconazole)	
	VIVJOA (oteseconazole)	
	voriconazole	
ANTIFUNGALS (TOPICAL) ^{DUR+}		
ANTIFUNGALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution - Require clinical review
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	
clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)	
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)	
LUZU (luliconazole)	ERTACZO (sertaconazole)	
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)	
miconazole/zinc oxide/petrolatum ointment	JUBLIA (efinaconazole)	
nystatin cream, ointment, powder	ketoconazole foam	
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)	
	luliconazole	
	MICOTRIN AC (clotrimazole)	
	MYCOZYL AC (clotrimazole)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIFUNGALS (TOPICAL) ^{DUR+} (continued)			
	MYCOZYL AP (miconazole)		
	naftifine		
	NAFTIN (naftifine)		
	oxiconazole		
	OXISTAT (oxiconazole)		
	tavaborole		
	VOTRIZA-AL (clotrimazole)		
	VUSION (miconazole/zinc oxide/petrolatum)		
ANTIFUNGAL/STEROID COMBINATIONS			
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion		
nystatin/triamcinolone			
ANTIFUNGALS (VAGINAL)			
clotrimazole cream ^{OTC}	3-DAY VAGINAL CREAM (clotrimazole)		
clotrimazole-3 cream	GYNAZOLE 1 (butoconazole)		
miconazole kit ^{OTC}	terconazole suppository		
terconazole cream			
ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}			
MINIMALLY SEDATING ANTIHISTAMINES		Non-Preferred Criteria • Documented diagnosis of Allergy or Urticaria AND • Have tried 2 different preferred agents in the past 12 months	
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}		
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)		
	desloratadine		
	levocetirizine		
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS			
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)		
loratadine/pseudoephedrine	fexofenadine/pseudoephedrine		
ANTIMIGRAINE AGENTS, ACUTE TREATMENT			
CGRP ORAL AND NASAL			Minimum Age Limit • 6 years: MAXALT • 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray • 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, Relpax, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)		
UBRELVY (ubrogepant)			
INJECTABLES			
sumatriptan	IMITREX (sumatriptan)		
	ZEMBRACE SYMTOUCH (sumatriptan)		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS (TOPICAL) ^{DUR+} (continued)		
NASAL		
sumatriptan	IMITREX (sumatriptan)	
	TOSYMRA (sumatriptan)	
	zolmitriptan	
	ZOMIG (zolmitriptan)	
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}		
naratriptan	almotriptan	
rizatriptan	eletriptan	
sumatriptan	FROVA (frovatriptan)	
zolmitriptan	frovatriptan	
zolmitriptan ODT	IMITREX (sumatriptan)	
	MAXALT (rizatriptan)	
	MAXALT MLT (rizatriptan)	
	RELPAK (eletriptan)	
	REYVOW (lasmiditan)	
	sumatriptan/naproxen	
	ZOMIG (zolmitriptan)	
ANTIMIGRAINE AGENTS, PROPHYLAXIS		
INJECTABLES		Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL	
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)	
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}		
ANTIMIGRAINE AGENTS, PROPHYLAXIS		
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}		
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}		
ORAL		
	QULIPTA (atogepant)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS		
BOSULIF (bosutinib) tablet	AFINITOR (everolimus)	FARYDAK – MANUAL PA IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review LENVIMA - Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review LYNPARZA Tablets - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR - All other indications require clinical review – MANUAL PA
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)	
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)	
COTELLIC (cobimetinib)	ALECENSA (alectinib)	
everolimus	ALUNBRIG (brigatinib)	
GILOTRIF (afatinib)	AUGTYRO (repotrectinib)	
ICLUSIG (ponatinib)	AYVAKIT (avapritinib)	
imatinib	BALVERSA (erdafitinib)	
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule	
INLYTA (axitinib)	BRAFTOVI (encorafenib)	
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)	
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)	
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)	
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)	
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)	
SPRYCEL (dasatinib)	dasatinib	
STIVARGA (regorafenib)	DATROWAY (datopotomab deruxtecan-dlnk) ^{NR}	
SUTENT (sunitinib)	DAURISMO (glasdegib)	
TAFINLAR (dabrafenib)	ERIVEDGE (vismodegib)	
TARCEVA (erlotinib)	ERLEADA (apalutamide)	
TASIGNA (nilotinib)	erlotinib	
TURALIO (pexidartinib)	FOTIVDA (tivozanib)	
TYKERB (lapatinib)	FRUZAQLA (fruquintinib)	
VOTRIENT (pazopanib)	GAVRETO (pralsetinib)	
XALKORI (crizotinib)	gefitinib	
XTANDI (enzalutamide)	GLEEVEC (imatinib)	
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)	
ZYDELIG (idelalisib)	IDHIFA (enasidenib)	
ZYKADIA (ceritinib)	IMKELDI (imatinib)	
	INQOVI (decitabine/cedazuridine)	
	INREBIC (fedratinib)	
	ITOVEBI (inavolisib)	
	IWILFIN (eflornithine)	
	JAYPIRCA (pirtobrutinib)	
	KISQALI (ribociclib)	
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)	
	KOSELUGO (selumetinib/vitamin E)	
	KRAZATI (adagrasib)	
	lapatinib	
	LAZCLUZE (lazertinib)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
	LENVIMA (lenvatinib)	See previous page for additional PA Criteria/DUR+ Rules
	LOBRENA (lorlatinib)	
	LUMAKRAS (sotorasib)	
	LYNPARZA (olaparib)	
	LYTGOBI (futibatinib)	
	MEKTOVI (binimetinib)	
	NERLYNX (neratinib)	
	NUBEQA (darolutamide)	
	ODOMZO (sonidegib)	
	OGSIVEO (nirogacestat)	
	OJEMDA (tovorafenib)	
	OJJAARA (mometotinib)	
	ONUREG (azacitidine)	
	ORGOVYX (relugolix)	
	pazopanib	
	PEMAZYRE (pemigatinib)	
	PIQRAY (apelisib)	
	QINLOCK (ripretinib)	
	RETEVMO (selpercatinib)	
	REVUFORJ (revumenib)	
	REZLIDHIA (olutasidenib)	
	RUBRACA (rucaparib)	
	RYDAPT (midostaurin)	
	SCEMBLIX (asciminib)	
	sorafenib	
	sunitinib	
	TABRECTA (capmatinib)	
	TAGRISSE (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TECENTRIQ HYBREZA (atezolizumab/hyaluronidase-tqjs)	
	TEPMETKO (tepotinib)	
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS (continued)					
		VONJO (pacritinib)			
		VORANIGO (vorasidenib)			
		WELIREG (belzutifan)			
		XOSPATA (gilteritinib)			
		XPOVIO (selinexor)			
		ZEJULA (niraparib)			
ANTIOBESITY SELECT AGENTS					
SAXENDA (liraglutide)		orlistat		All agents – MANUAL PA required	
WEGOVY (semaglutide)		XENICAL (orlistat)			
ANTIPARASITICS (TOPICAL) DUR+					
PEDICULICIDES				Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX	
NATROBA (spinosad)		lindane			
permethrin 1% cream ^{OTC}		malathion			
VANALICE (piperonyl butoxide/pyrethrins)		OVIDE (malathion)			
		SKLICE (ivermectin)			
		spinosad			
SCABICIDES					
ivermectin		CROTAN (crotamiton)		Non-Preferred Criteria • Pediculicides ○ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides ○ Have tried permethrin 5% in the past 90 days	
permethrin 5% cream		ELIMITE (permethrin)			
		EURAX (crotamiton)			
		STROMEKTOL (ivermectin)			
ANTIPARKINSON’S AGENTS (INJECTABLE)					
		VYALEV (foscarbidopa/foslevodopa)		VYALEV • Requires clinical review	
ANTIPARKINSON’S AGENTS (ORAL) DUR+					
ANTICHOLINERGICS				Non-Preferred Criteria • Documented diagnosis of Parkinson’s disease AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days	
benztropine					
trihexyphenidyl					
COMT INHIBITORS				XADAGO • Documented diagnosis of Parkinson’s disease AND See next page for additional PA Criteria/DUR+ Rules	
entacapone		OGENTYS (opicapone)			
		TASMAR (tocapone)			
		tolcapone			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+} (continued)		
DOPAMINE AGONISTS		See previous page for additional PA Criteria/DUR+ Rules 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND 30 days of therapy with a selegiline agent in the past 45 days GOCOVRI - Documented diagnosis of Parkinson's disease AND 30 days of therapy with amantadine IR in the past 105 days AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days LODOSYN and INBRIJA - Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days NOURIANZ - Documented diagnosis of Parkinson's Disease AND - Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND 30 days of therapy with a preferred adjunctive therapy in the past 45 days
pramipexole	NEUPRO (rotigotine)	
ropinirole	pramipexole ER	
	ropinirole ER	
MAO-B INHIBITORS		
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
	ZELAPAR (selegiline)	
OTHERS		
amantadine	carbidopa/levodopa ODT	
bromocriptine	carbidopa/levodopa/entacapone	
carbidopa	CREXONT (carbidopa/levodopa)	
carbidopa/levodopa tablet	DHIVY (carbidopa/levodopa)	
carbidopa/levodopa ER	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	LODOSYN (carbidopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	
ANTIPSORIATICS (TOPICAL)		
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	DUOBRII (halobetasol/tazarotene)	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	
ANTIPSYCHOTICS ^{DUR+}		
INJECTABLE, ATYPICALS ^{DUR+}		Concurrent Therapy Limit for Age < 18 years 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA Minimum Age Limit 3 years: HALDOL See next page for additional PA Criteria/DUR+ Rules
ABILIFY ASIMTUFII (aripiprazole)	ERZOFRI (paliperidone palmitate)	
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS ^{DUR+} (continued)		
INJECTABLE, ATYPICALS ^{DUR+}		See previous page for additional PA Criteria/DUR+ Rules • 5 years: RISPERDAL, thioridazine • 6 years: ABILIFY, trifluoperazine • 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX • 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene • 13 years: REXULTI, ZYPREXA • 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents Quantity Limit • 3 syringes/year: ARISTADA INITIO Non-Preferred Criteria – Atypical Agents • Have tried 2 preferred agents in the past 12 months OR • 30 days of therapy with the requested agent in the past 180 days ARISTADO INTIO, ARISTADO ER, INVEGA SUSTENNA, INVEGA TRINZA, PERSERID AND ZYPREXA RELPREEV • Documented diagnosis of schizophrenia or schizoaffective disorder ABILIFY MAINTENA, ABILIFY ASIMTUFI, or RISPERDAL CONSTA • Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder INVEGA HAFYERA • Documented diagnosis of schizophrenia or schizoaffective disorder AND • 4 claims for INVEGA SUSTENNA in the past year OR • 1 claim for INVEGA TRINZA in the past year OR • 1 claim for INVEGA HAFYERA in the past year ERZOFRI and risperidone ER • Require clinical review NUPLAZID • Documented diagnosis of Parkinson's Disease VRAYLAR • Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder OR • Documented diagnosis major depressive disorder AND - o 30 days of therapy with an antidepressant in the past 45 days OR - o 1 claim for a 90-day supply of an antidepressant in the past 105 days
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	
PERSERIS (risperidone)	ZYPREXA (olanzapine)	
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)	
UZEDY (risperidone)		
ORAL		
aripiprazole tablet	ABILIFY (aripiprazole)	
asenapine	ABILIFY MYCITE (aripiprazole)	
clozapine tablet	ADASUVE (loxapine)	
fluphenazine	aripiprazole ODT, solution	
haloperidol	CAPLYTA (lumateperone)	
haloperidol lactate	chlorpromazine	
olanzapine	clozapine ODT	
perphenazine	CLOZARIL (clozapine)	
perphenazine/amitriptyline	COBENFY (xanomeline/trospium)	
quetiapine	FANAPT (iloperidone)	
quetiapine ER	GEODON (ziprasidone)	
risperidone	IGALMI (dexmedetomidine)	
thioridazine	INVEGA (paliperidone)	
trifluoperazine	LATUDA (lurasidone)	
VRAYLAR (cariprazine)	lurasidone	
ziprasidone	LYBALVI (olanzapine/samidorphan)	
	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		
	SECUADO (asenapine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+}		
CAPSID INHIBITORS		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA - Requires clinical review TYBOST – MANUAL PA
	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS – NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		
ANTIRETROVIRALS ^{DUR+}		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS – PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS		
	maraviroc	
	SELZENTRY (maraviroc)	
ENTRY INHIBITORS – FUSION INHIBITORS		
	FUZEON (enfuvirtide)	
INTEGRASE STRAND TRANSFER INHIBITORS		
APRETUDE (cabotegravir)	cabotegravir ER	
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)	
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)		
EDURANT (rilpivirine)	etravirine	
efavirenz	INTELENCE (etravirine)	
	nevirapine, nevirapine ER	
	PIFELTRO (doravirine)	
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)		
abacavir	didanosine	
EMTRIVA (emtricitabine)	emtricitabine	
lamivudine	EPIVIR (lamivudine)	
ZIAGEN (abacavir)	RETROVIR (zidovudine)	
zidovudine	stavudine	
	VIREAD (tenofovir disoproxil fumarate)	
PHARMACOENHANCER – CYTOCHROME P450 INHIBITORS		
	TYBOST (cobicistat)	
PROTEASE INHIBITORS (NON-PEPTIDIC)		
PREZISTA (darunavir)	APTIVUS (tipranavir)	
	darunavir	
	PREZCOBIX (darunavir/cobicistat)	
PROTEASE INHIBITORS (PEPTIDIC)		
atazanavir	fosamprenavir	
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, ORAL		
ANTI-CYTOMEGALOVIRUS AGENTS		Valganciclovir solution - Automatic approval issued for 0-12 years of age PREVYMIS - Requires clinical review
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVYMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	
ANTIVIRALS, TOPICAL		
ZOVIRAX (acyclovir) cream	acyclovir	
	DENAVIR (penciclovir)	
	penciclovir	
	XERESE (acyclovir/hydrocortisone)	
	ZOVIRAX (acyclovir) ointment	
AROMATASE INHIBITORS		
anastrozole	ARIMIDEX (anastrozole)	
exemestane	AROMASIN (exemestane)	
letrozole	FEMARA (letrozole)	
ATOPIC DERMATITIS		
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)	Minimum Age Limit 3 months: EUCRISA 2 years: ELIDEL, PROTOPIC 0.03% 12 years: OPZELURA 16 years: PROTOPIC 0.1%
ADBRY Autoinjector (tralokinumab-ldrm)	EBGLYSS Pen (lebrikizumab-lbkz)	
DUPIXENT (dupilumab) ^{DUR+}	NEMLUVIO (nemolizumab-ilto)	
ELIDEL (pimecrolimus)	OPZELURA (ruxolitinib)	
EUCRISA (crisaborole) ^{DUR+}	ZORYVE (roflumilast) 0.15% cream	
pimecrolimus		
tacrolimus		
		See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
ADBRY – MANUAL PA		EBGLYSS Requires clinical review	
CIBINQO Requires clinical review		EUCRISA 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months	
DUPIXENT 1 claim with DUPIXENT in the past 60 days OR - New starts require clinical review (see manual PA links below) Asthma – MANUAL PA Atopic Dermatitis – MANUAL PA COPD – MANUAL PA Eosinophilic Esophagitis – MANUAL PA Nasal Polyposis – MANUAL PA Prurigo Nodularis – MANUAL PA		OPZELURA 30 days of therapy with ELIDEL, EUCRISA or PROTOPIC	
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}			
ANTIANGINALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days COREG CR - Documented diagnosis of hypertension AND - Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days CORLANOR – MANUAL PA	
	ASPRUZYO SPRINKLE (ranolazine)		
	ranolazine ER		
BETA- AND ALPHA-BLOCKERS			
carvedilol	carvedilol ER		
labetalol	COREG (carvedilol)		
	COREG CR (carvedilol)		
BETA-BLOCKER/DIURETIC COMBINATIONS			
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)		
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)		
metoprolol/hydrochlorothiazide			
propranolol/hydrochlorothiazide			
BETA-BLOCKERS			
acebutolol	BETAPACE (sotalol)		
atenolol	BETAPACE AF (sotalol)		
bisoprolol	betaxolol		
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)		
metoprolol succinate	INDERAL LA (propranolol)		
metoprolol tartrate	INDERAL XL (propranolol)		
nadolol	INNOPRAN XL (propranolol)		
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)		
pindolol	LOPRESSOR (metoprolol tartrate)		
propranolol	SOTYLIZE (sotalol)		
propranolol ER	TENORMIN (atenolol)		
SORINE (sotalol)	TOPROL XL (metoprolol succinate)		
sotalol			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+} (continued)		
sotalol AF		
timolol		
SINUS NODE AGENTS		
	CORLANOR (ivabradine)	
	ivabradine	
BILE SALTS		
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (elafibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	
	URSO FORTE (ursodiol)	
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
BLADDER RELAXANT PREPARATIONS ^{DUR+} (continued)		
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+} (continued)			
OTHERS			
FORTEO (teriparatide)	calcitonin salmon		
raloxifene	EVENITY (romosozumab-aqgg)		
	EVISTA (raloxifene)		
	MIACALCIN (calcitonin salmon)		
	PROLIA (denosumab)		
	teriparatide		
	TYMLOS (abaloparatide)		
	XGEVA (denosumab)		
BPH AGENTS ^{DUR+}			
5-ALPHA-REDUCTASE INHIBITORS		CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL – Female - Documented State-accepted diagnosis Non-Preferred Criteria – Male - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ENTADFI - Requires clinical review	
dutasteride	AVODART (dutasteride)		
finasteride	ENTADFI (finasteride/tadalafil)		
	PROSCAR (finasteride)		
ALPHA BLOCKERS			
alfuzosin ER	CARDURA (doxazosin)		
doxazosin	CARDURA XL (doxazosin)		
tamsulosin	dutasteride/tamsulosin		
terazosin	FLOMAX (tamsulosin)		
	RAPAFLO (silodosin)		
	silodosin		
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS			
	CIALIS (tadalafil)		
	tadalafil		
BRONCHODILATORS & COPD AGENTS			
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS			Minimum Age Limit 6 years: SPIRIVA RESPIMAT SPIRIVA RESPIMAT - Automatic approval issued for diagnosis of asthma for ≥ 6 years of age BREZTRI AEROSPHERE 3 claims with BREZTRI AEROSPHERE in the past 105 days OR - New starts require clinical review
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)		
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)		
ipratropium/albuterol			
STIOLTO RESPIMAT (tiotropium/olodaterol)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BRONCHODILATORS & COPD AGENTS (continued)		
ANTICHOLINERGIC-BATA AGONIST-GLUCOCORTICOID COMBINATIONS		
	BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}	
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)	
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
INCRUSE ELLIPTA (umeclidinium)	OHTUVAYRE (ensifentrine)	
ipratropium	roflumilast	
SPIRIVA HANDIHALER (tiotropium)	SPIRIVA RESPIMAT (tiotropium) ^{DUR+}	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	YUPERI (revefenacin)	
BRONCHODILATORS, BETA AGONISTS		
INHALATION SOLUTION ^{DUR+}		Non-Preferred Criteria • 1 claim for a preferred agent in the past 6 months OR • 3 claims with the requested agent in the past 105 days
albuterol	arformoterol	
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	
	levalbuterol	
	PERFOROMIST (formoterol)	Minimum Age Limit • 4 years: SEREVENT, XOPENEX HFA • 6 years: XOPENEX Solution • 18 years: AIRSUPRA, BROVANA, PERFOROMIST, STRIVERDI RESPIMAT
INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	AIRSUPRA (albuterol/budesonide)	Quantity Limit (per 31 days) • 2 inhalers: AIRSUPRA -- MANUAL PA
VENTOLIN HFA (albuterol)	levalbuterol HFA	
	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	AIRSUPRA and PROAIR DIGIHALER – Require clinical review XOPENEX HFA and Solution • 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
terbutaline		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
CALCIUM CHANNEL BLOCKERS ^{DUR+}							
LONG-ACTING				Quantity Limit (per 21 days) • 252 capsules: nimodipine • 2520 mL: nimodipine Non-Preferred Criteria – Long Acting • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria – Short Acting • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Nimodipine • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days			
amlodipine		CARDIZEM CD (diltiazem)					
CARTIA XT (diltiazem)		CARDIZEM LA (diltiazem)					
diltiazem ER 24 HR		diltiazem ER 12 HR					
diltiazem CD 24 HR		diltiazem LA 24 HR					
diltiazem XR 24 HR		KATERZIA (amlodipine)					
DILT-XR 24 HR (diltiazem)		levamlodipine					
felodipine		MATZIM LA (diltiazem)					
nifedipine ER		nisoldipine					
TAZTIA XT (diltiazem)		NORVASC (amlodipine)					
verapamil ER		PROCARDIA XL (nifedipine)					
LONG-ACTING							
verapamil SR		SULAR (nisoldipine)					
		TIADYLT ER (diltiazem)					
		TIAZAC (diltiazem)					
		verapamil PM					
		VERELAN PM (verapamil)					
SHORT-ACTING							
diltiazem		CARDIZEM (diltiazem)					
nicardipine		isradipine					
nifedipine		nimodipine capsule and solution					
verapamil		NORLIQVA (amlodipine)					
		NYMALIZE (nimodipine)					
CALORIC AGENTS							
BOOST		All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.		Non-Preferred Agents – MANUAL PA			
BREAKFAST ESSENTIALS							
BRIGHT BEGINNINGS							
DUOCAL							
ENSURE							
NUTREN							
OSMOLITE							
PEDIASURE							
PROMOD							
RESOURCE							
TWOCAL HN							

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)							
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS			Non-Preferred Criteria – All Cephalosporin Generations - Have tried 2 different preferred agents in the past 6 months Maximum Age Limit 18 years: cefdinir suspension				
amoxicillin/clavulanate		amoxicillin/clavulanate ER					
		AUGMENTIN (amoxicillin/clavulanate)					
CEPHALOSPORINS – FIRST GENERATION							
cefadroxil		cephalexin tablet					
cephalexin capsule, suspension							
CEPHALOSPORINS – SECOND GENERATION							
cefaclor capsule		cefaclor ER					
cefprozil		cefaclor suspension					
cefuroxime							
CEPHALOSPORINS – THIRD GENERATION							
cefdinir		cefixime suspension					
cefixime capsule		SUPRAX (cefixime)					
cefpodoxime							
COLONY STIMULATING FACTORS							
FULPHILA (pegfilgrastim-jmdb)		FYLNETRA (pegfilgrastim-pbbk)					
NEUPOGEN (filgrastim)		GRANIX (tbo-filgrastim)					
		LEUKINE (sargramostim)					
		NEULASTA, NEULASTA ONPRO (pegfilgrastim)					
		NIVESTYM (filgrastim-aafi)					
		NYVEPRIA (pegfilgrastim-apgf)					
		RELEUKO (filgrastim-ayow)					
		ROLVEDON (eflapegragrastim-xnst)					
		STIMUFEND (pegfilgrastim-fpgk)					
		UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)					
		ZARXIO (filgrastim-sndz)					
		ZIEXTENZO (pegfilgrastim-bmez)					
CYSTIC FIBROSIS AGENTS ^{DUR+}							
PULMOZYME (dornase alfa)		ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor) ^{NR}				Minimum Age Limit 1 month: KALYDECO granules 3 months: PULMOZYME 1 year: ORKAMBI 2 years: COLY-MYCIN M, TRIKAFTA granules 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet 7 years: CAYSTON See next page for additional PA Criteria/DUR+ Rules	
tobramycin (generic TOBI)		BETHKIS (tobramycin)					
		BRONCHITOL (mannitol)					
		CAYSTON (aztreonam)					
		colistimethate					
		COLY-MYCIN M (colistin)					
		KALYDECO (ivacaftor)					
		KITABIS (tobramycin)					
		ORKAMBI (lumacaftor/ivacaftor)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYSTIC FIBROSIS AGENTS ^{DUR+} (continued)		
	SYMDEKO (tezacaftor/ivacaftor)	See previous page for additional PA Criteria/DUR+ Rules • 18 years: BRONCHITOL Maximum Age Limit • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets Preferred Agents • Documented diagnosis of Cystic Fibrosis OR • Require clinical review ALYFTREK – MANUAL PA KALYDECO – MANUAL PA ORKAMBI – MANUAL PA SYMDEKO – MANUAL PA TOBI PODHALER – Require clinical review TRIKAFTA – MANUAL PA
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
ACTEMRA (tocilizumab) syringe, vial	ABRILADA (adalimumab-afzb)	Preferred Agents – Criteria details found here Non-Preferred Agents • Require clinical review IV Administered Agents • Require clinical review Preferred Agents – Criteria details found here Non-Preferred Agents • Require clinical review IV Administered Agents Require clinical review
AVSOLA (infliximab-axxq)	ACTEMRA ACTPEN (tocilizumab)	
ENBREL (etanercept)	adalimumab-aacf	
HUMIRA (adalimumab)	adalimumab-aaty	
KINERET (anakinra)	adalimumab-adaz	
methotrexate	adalimumab-adbm	
OLUMIANT (baricitinib)	adalimumab-fkjp	
OTEZLA (apremilast)	adalimumab-ryvk	
RINVOQ (upadacitinib)	AMJEVITA (adalimumab-atto)	
RINVOQ LQ (upadacitinib)	ARCALYST (rilonacept)	
SIMPONI (golimumab)	BIMZELX (bimekizumab-bkzx)	
TALTZ (ixekizumab)	CIMZIA (certolizumab)	
TYENNE Syringe, Vial (tocilizumab-aazg)	COSENTYX (secukinumab)	
XELJANZ (tofacitinib) tablet	CYLTEZO (adalimumab-adbm)	
	ENTYVIO (vedolizumab)	
	HADLIMA (adalimumab-bwwd)	
	HULIO (adalimumab-fkjp)	
	HYRIMOZ (adalimumab-adaz)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+} (continued)		
	IDACIO (adalimumab-aacf)	
	ILARIS (canakinumab)	
	ILUMYA (tildrakizumab-asmn)	
	INFLECTRA (infliximab-dyyb)	
	infliximab	
	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	
	LITFULO (ritlecitinib)	
	OMVOH (mirikizumab-mrkz)	
	ORENCIA (abatacept)	
	OTREXUP (methotrexate)	
	OTULFI (ustekinumab-aauz) ^{NR}	
	RASUVO (methotrexate)	
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	
	SILIQ (brodalumab)	
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	
	TREXALL (methotrexate)	
	TYENNE Autoinjector (tocilizumab-aazg)	
	ustekinumab-kfce ^{NR}	
	ustekinumab-ttwe ^{NR}	
	XATMEP (methotrexate)	
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YUFLYMA (adalimumab-aaty)	
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}		
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	Non-Preferred Criteria • Documented diagnosis of cancer or chronic renal failure OR • Antineoplastic therapy in the past 6 months AND • Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR • 1 claim for the requested agent in the past 105 days See next page for additional PA Criteria/DUR+ Rules
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRIT (epoetin alfa)	
	VAFSEO (vadadustat)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		See previous page for additional PA Criteria/DUR+ Rules JESDUVROQ - Requires clinical review MIRCERA - Documented diagnosis of chronic renal failure in the past 2 years
FACTOR DEFICIENCY PRODUCTS DUR+		
FACTOR VIII		HEMLIBRA 3 claims with HEMLIBRA in the past 105 days OR - New starts require clinical review – MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIQ	JIVI	
FEIBA	KCENTRA	
HEMOFIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		
XYNTHA, XYNTHA SOLOFUSE		
FACTOR IX		
ALPHANINE SD	BEQVEZ	
ALPROLIX	REBINYN	
BENEFIX		
IDELVION		
IXINITY		
PROFILNINE		
RIXUBIS		
OTHER HEMOPHILIA PRODUCTS		
COAGADEX (factor X)	ALHEMO (concizumab-mtci) ^{NR}	
FIBRYGA (fibrinogen)	CORIFACT (factor XIII) ^{NR}	
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncg)	
RIASTAP (fibrinogen)	NOVOSEVEN RT (factor VII)	
	SEVENFACT (factor VII)	
	TRETTEN (factor XIII)	
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS		
duloxetine (generic CYMBALTA)	CYMBALTA (duloxetine)	
gabapentin	DIRZALMA SPRINKLE (duloxetine)	
pregabalin	duloxetine 40 mg DR capsules (generic IRENKA)	
SAVELLA (milnacipran)	gabapentin ER	
	GABARONE (gabapentin) ^{NR}	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS (continued)		
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	NEURONTIN (gabapentin)	
	pregabalin ER	
FLUOROQUINOLONES ^{DUR+}		
ciprofloxacin tablet	BAXDELA (delafloxacin)	Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension Criteria for Age < 12 Years - Anthrax infection or exposure, cystic fibrosis, pneumonic plague, or tularemia AND - History of doxycycline in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide LEVAQUIN Solution Criteria for Age < 12 Years - Anthrax infection or exposure AND - CIPRO suspension in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	
GAUCHER’S DISEASE		
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	
GENITAL WARTS & ACTINIC KERATOSIS AGENTS		
CONDYLOX (podofilox)	CARAC (fluorouracil)	Minimum Age Limit 12 years: ALDARA, ZYCLARA 18 years: CONDYLOX, PICATO, VEREGEN
fluorouracil	EFUDEX (fluorouracil)	
imiquimod	VEREGEN (sinecatechins)	
podofilox	ZYCLARA (imiquimod)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
GI ULCER THERAPIES							
H2 RECEPTOR ANTAGONISTS				Prilosec suspension Automatic approval issued for 0-2 years of age			
famotidine		cimetidine					
		nizatidine					
		PEPCID (famotidine)					
OTHERS							
CARAFATE (sucralfate) suspension		CARAFATE (sucralfate) tablet					
misoprostol		CYTOTEC (misoprostol)					
sucralfate		DARTISLA (glycopyrrolate)					
		VOQUEZNA (vonoprazan)					
GI ULCER THERAPIES							
PROTON PUMP INHIBITORS							
esomeprazole capsule		DEXILANT (dexlansoprazole)					
NEXIUM (esomeprazole) packet		dexlansoprazole					
omeprazole		esomeprazole packet					
pantoprazole		KONVOMEK (omeprazole/sodium bicarbonate)					
		lansoprazole Rx					
		NEXIUM (esomeprazole) capsule					
		omeprazole/sodium bicarbonate					
		PREVACID (lansoprazole)					
		PRILOSEC (omeprazole) packet					
		PROTONIX (pantoprazole)					
		rabeprazole					
		ZEGERID (omeprazole/sodium bicarbonate)					
GLUCOCORTICOIDS (INHALED)							
GLUCOCORTICOIDS						Non-Preferred Criteria Glucocorticoids 2 preferred single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Glucocorticoid/Bronchodilator Combinations 2 preferred combination agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: - Institutional-sized products are non-preferred	
ASMANEX (mometasone)		ALVESCO (ciclesonide)					
budesonide 0.25 mg and 0.5 mg		ARMONAIR DIGIHALER (fluticasone)					
fluticasone diskus		ARNUITY ELLIPTA (fluticasone)					
fluticasone HFA		ASMANEX HFA (mometasone)					
PULMICORT FLEXHALER (budesonide)		budesonide 1 mg					
QVAR REDIHALER (beclomethasone)		FLOVENT HFA (fluticasone)					
		FLOVENT DISKUS (fluticasone)					
		PULMICORT (budesonide) nebulizer solution					
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS							
ADVAIR DISKUS (fluticasone/salmeterol)		AIRDUO DIGIHALER (fluticasone/salmeterol)					
ADVAIR HFA (fluticasone/salmeterol)		BREO ELLIPTA (fluticasone/vilanterol)					
DULERA (mometasone/formoterol)		BREYNA (budesonide/formoterol)					
fluticasone/salmeterol diskus		budesonide/formoterol					
fluticasone/salmeterol HFA		fluticasone/vilanterol					
				AIRDUO DIGIHALER Requires clinical review			
				ARMONAIR DIGIHALER Requires clinical review			
				See next page for additional PA Criteria/DUR+ Rules			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOIDS (INHALED) (continued)		
SYMBICORT (budesonide/formoterol)	WIXELA INHUB (fluticasone/salmeterol)	See previous page for additional PA Criteria/DUR+ Rules
GROWTH HORMONES DUR+		
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	All Agents • Age ≥ 18 years ◦ Documented diagnosis of craniopharyngioma, panhypopituitarism, Prader-Willi Syndrome, Turner Syndrome or an approvable adult diagnosis OR ◦ Documented procedure of cranial irradiation • Age < 18 years ◦ Documented diagnosis of idiopathic short stature AND ◦ Documented approvable pediatric diagnosis OR ◦ Documented approvable pediatric diagnosis Minimum Age Limit • 3 years: NGENLA Maximum Age Limit • 18 years: NGENLA and SKYTROFA Non-Preferred Criteria • Documented approvable diagnosis for age as above AND • Have tried 1 preferred agent in the past 6 months OR • 84 days of therapy with the requested agent in the past 105 days SKYTROFA • < 18 years AND • No history of diagnosis of Prader-Willi Syndrome AND • 28 days of therapy with a preferred short-acting growth hormone in the past 105 days
NORDITROPIN FLEXPPO (somatropin)	NGENLA (somatrogon-ghla)	
SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SOGROYA (somapacitan-beco)	
	VOXZOGO (vosoritide)	
	ZOMACTON (somatropin)	
H. PYLORI COMBINATION TREATMENTS		
PYLERA (bismuth subcitrate potassium/metronidazole/ tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline	Quantity Limit • 1 treatment course/year: all agents
	lansoprazole/amoxicillin/clarithromycin	
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HEPATITIS B TREATMENTS (continued)		
	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
MAVYRET (glecaprevir/pibrentasvir) ∞	EPCLUSA (sofosbuvir/velpatasvir) ∞	∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER • Require MANUAL PA <u>Note:</u> • EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) ∞	
ribavirin tablet	ledipasvir/sofosbuvir ∞	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) ∞	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ∞	
	ZEPATIER (elbasvir/grazoprevir) ∞	
HEREDITARY ANGIOEDEMA		
BERINERT (C1 esterase inhibitor)	CINRYZE (C1 esterase inhibitor)	
icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	ORLADEYO (berotralstat)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	
	TAKHZYRO (lanadelumab-flyo)	
HYPERURICEMIA & GOUT ^{DUR+}		
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	
HYPOGLYCEMIA TREATMENT		
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	Minimum Age Limit • 1 year: BAQSIMI • 2 years: GVOKE • 6 years: ZEGALOGUE Quantity Limit (per 31 days) • 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria – GVOKE • 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, BIGUANIDES		
metformin	GLUMETZA (metformin)	
metformin ER (generic GLUCOPHAGE XR)	metformin ER (generic FORTAMET)	
	metformin ER (generic GLUMETZA)	
	metformin solution	
	RIOMET (metformin)	
HYPOGLYCEMICS, DPP4s AND COMBINATIONS ^{DUR+}		
JANUMET (sitagliptin/metformin)	alogliptin	Non-Preferred Criteria - Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days <u>Note:</u> - Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review.
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	
JANUVIA (sitagliptin)	JENTADUETO XR (linagliptin/metformin)	
JENTADUETO (linagliptin/metformin)	KAZANO (alogliptin/metformin)	
TRADJENTA (linagliptin)	KOMBIGLYZE XR (saxagliptin/metformin)	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	
	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}		
BYETTA (exenatide)	BYDUREON (exenatide)	Minimum Age Limit 10 years: BYDUREON BCISE, TRULICITY, VICTOZA 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria - Documented diagnosis of Type 2 Diabetes and no history of SAXENDA or WEGOVY in the past 30 days OR - No documented diagnosis for Type 2 Diabetes and 84 days of therapy with the requested agent in the past 105 days
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	
		See next page for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+} (continued)		
		See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Criteria - Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days AND 84 days of therapy with TRULICITY in the past 6 months AND 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months OR - Documented diagnosis of Type 2 Diabetes AND 84 days of therapy with the request agent in the past 105 days <u>Note:</u> - Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. - Please see the PDL category Anti-obesity Select Agents for a list of covered agents. RYBELSUS 1.5 mg and 3 mg - Require clinical review
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria - Documented diagnosis of Diabetes Mellitus AND - Have tried 1 preferred agent in the past 6 months OR 1 claim with the requested agent in the past 105 days Quantity Limit Insulin quantity limits can be found here <u>Note:</u> - Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries. See next page for additional PA Criteria/DUR+ Rules
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO PEN (insulin lispro)	
insulin aspart protamine mix 70/30 vial	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro protamine mix 75/25 vial	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
LANTUS (insulin glargine)	HUMULIN N KWIKPEN (insulin N)	
TOUJEO (insulin glargine)	insulin degludec	
TOUJEO MAX (insulin glargine)	insulin glargine	
	insulin glargine-yfgn	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	NOVOLIN 70/30 (insulin NPH/regular)	
	NOVOLIN N (insulin NPH)	
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)	
	REZVOGLAR (insulin glargine-aglr)	
	SEMGLEE (insulin glargine-yfgn)	
	TRESIBA (insulin degludec)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}					
nateglinide				See previous page for additional PA Criteria/DUR+ Rules	
repaglinide					
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}					
SGLT-2 INHIBITORS			Non-Preferred Criteria - Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days		
FARXIGA (dapagliflozin)		dapagliflozin			
JARDIANCE (empagliflozin)		INPEFA (sotagliflozin)			
		INVOKANA (canagliflozin)			
		STEGLATRO (ertugliflozin)			
SGLT-2 INHIBITOR COMBINATIONS					
GLYXAMBI (empagliflozin/linagliptin)		dapagliflozin/metformin ER			
SYNJARDY (empagliflozin/metformin)		INVOKAMET (canagliflozin/metformin)			
SYNJARDY XR (empagliflozin/metformin)		INVOKAMET XR (canagliflozin/metformin)			
TRIJARDY XR (empagliflozin/linagliptin/metformin)		QTERN (dapagliflozin/saxagliptin)			
		SEGLUROMET (ertugliflozin/metformin)			
		STEGLUJAN (ertugliflozin/sitagliptin)			
		XIGDUO XR (dapagliflozin/metformin)			
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations					
pioglitazone		ACTOPLUS MET (pioglitazone/metformin)			
pioglitazone/metformin		ACTOS (pioglitazone)			
		DUETACT (pioglitazone/metformin)			
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}					
OFEV (nintedanib)		ESBRIET (pirfenidone)		All Agents - Documented diagnosis of Idiopathic Pulmonary Fibrosis OFEV - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with Ofev in the past 105 days ESBRIET or pirfenidone - Requires clinical review	
		pirfenidone			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
IMMUNE GLOBULINS					
BIVIGAM		ALYGLO			
FLEBOGAMMA		ASCENIV			
GAMASTAN		CABLIVI			
GAMMAGARD		CUTAQUIG			
GAMMAGARD S-D		CUVITRU			
GAMUNEX-C		GAMMAKED			
HIZENTRA		GAMMAPLEX			
HYQVIA		OCTAGAM			
PANZYGA					
PRIVIGEN					
XEMBIFY					
IMMUNOLOGIC THERAPIES FOR ASTHMA					
DUPIXENT (dupilumab) ^{DUR+}		CINQAIR (reslizumab)		CINQAIR • Requires clinical review See below for additional PA Criteria/DUR+ Rules	
FASENRA (benralizumab)		NUCALA (mepolizumab)			
XOLAIR (omalizumab)		TEZSPIRE (tezepelumab-ekko)			
DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ○ Asthma – MANUAL PA ○ Atopic Dermatitis – MANUAL PA ○ COPD – MANUAL PA ○ Eosinophilic Esophagitis – MANUAL PA ○ Nasal Polyposis – MANUAL PA ○ Prurigo Nodularis – MANUAL PA				FASENRA • Requires clinical review – MANUAL PA NUCALA • Requires clinical review TEZSPIRE • Requires clinical review XOLAIR • 1 claim with XOLAIR in the past 45 days OR • New starts require clinical review – MANUAL PA	
IMMUNOSUPPRESSIVE AGENTS, ORAL					
AZASAN (azathioprine)		ASTAGRAF XL (tacrolimus)		Minimum Age Limit • 13 years: RAPAMUNE • 18 years: ZORTRESS Maximum Age Limit • 12 years: PROGRAF Granules See next page for additional PA Criteria/DUR+ Rules	
azathioprine		ENVARSUS XR (tacrolimus)			
CELLCEPT (mycophenolate)		MYFORTIC (mycophenolate)			
cyclosporine		PROGRAF (tacrolimus)			
everolimus		REZUROCK (belumosudil)			
mycophenolate		ZORTRESS (everolimus)			
mycophenolic acid					
NEORAL (cyclosporine)					
RAPAMUNE (sirolimus)					
SANDIMMUNE (cyclosporine)					
sirolimus					
tacrolimus					

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
Preferred Criteria AZASAN - Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis CELLCEPT - Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis GENGRAF, NEORAL, SANDIMMUNE - Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis Everolimus - Documented diagnosis of kidney or liver transplant RAPAMUNE - Documented diagnosis of kidney transplant Tacrolimus - Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis Non-Preferred Criteria MYHIBBIN Suspension - Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND 30 days of therapy with mycophenolate suspension in the past 105 days OR 90 days of therapy with MYHIBBIN Suspension in the past 105 days ASTAGRAF XR or ENVARSUS XR - Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND 30 days of therapy with tacrolimus IR in the past 105 days OR 90 days of therapy with the requested agent in the past 105 days PROGRAF Granules - Age ≤ 11 years AND - Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis MYFORTIC - Documented diagnosis of kidney transplant or psoriasis ZORTRESS - Documented diagnosis of kidney or liver transplant					
INTRANASAL RHINITIS AGENTS					
ANTICHOLINERGICS				Non-Preferred Criteria – Corticosteroids - Documented diagnosis of allergic rhinitis AND - Have tried 1 different preferred agent in the past 6 months	
ipratropium					
ANTI HISTAMINE/CORTICOSTEROID COMBINATIONS					
		azelastine/fluticasone			
		DYMISTA (azelastine/fluticasone)			
		RYALTRIS (olopatadine/mometasone)			
ANTI HISTAMINES					
azelastine		olopatadine			
		PATANASE (olopatadine)			
CORTICOSTEROIDS					
fluticasone		BECONASE AQ (beclomethasone)			
		flunisolide			
		mometasone			
		NASONEX (mometasone)			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
INTRANASAL RHINITIS AGENTS (continued)					
		OMNARIS (ciclesonide)		See previous page for additional PA Criteria/DUR+ Rules	
		QNASL (beclomethasone)			
		XHANCE (fluticasone)			
		ZETONNA (ciclesonide)			
IRON CHELATING AGENTS					
deferasirox (all manufacturers except those listed as non-preferred)		deferasirox (manufacturers starting with 45963, 62332)		JADENU – MANUAL PA	
		deferiprone 1,000 mg tablet			
deferiprone 500 mg tablet		EXJADE (deferasirox)			
FERRIPROX (deferiprone)		JADENU, JADENU SPRINKLE (deferasirox)			
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}					
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}				Minimum Age Limit • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTEGRITY, MOVANTIK, MYTESI, RELISTOR, SYMPROIC, TRULANCE, VIBERZI Gender Limit • Female – AMITIZA 8 mcg	
LINZESS (linaclotide)		AMITIZA (lubiprostone)			
lubiprostone		IBSRELA (tenapanor)			
TRULANCE (plecanatide)		MOTEGRITY (prucalopride)			
		MOVANTIK (naloxegol)			
		prucalopride ^{NR}			
		RELISTOR (methylnaltrexone)			
		SYMPROIC (naldemedine)			
IRRITABLE BOWEL SYNDROME DIARRHEA					
dicyclomine		alosetron			
ED-SPAZ (hyoscyamine)		LOTROXEX (alosetron) ^{DUR+}			
hyoscyamine, hyoscyamine ER		VIBERZI (eluxadoline) ^{DUR+}			
HYOSYNE (hyoscyamine)					
LEVSIN, LEVSIN-SL (hyoscyamine)					
NULEV (hyoscyamine)					
OSCIMIN, OSCIMIN SL (hyoscyamine)					
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}					
		GATTEX (teduglutide)			
		MYTESI (crofelemer)			
IRRITABLE BOWEL SYNDROME – CONSTIPATION ^{DUR+}					
Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY, TRULANCE • Preferred CIC Agents ◦ Documented diagnosis of CIC in the past year AND ◦ No history of GI or bowel obstruction • LINZESS 72 mcg ◦ Age 6-17 years AND		Irritable Bowel Syndrome – Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg, TRULANCE • Preferred IBS-C Agents ◦ Documented diagnosis of IBS-C in the past year AND ◦ No history of GI or bowel obstruction • Non-Preferred IBS-C Agents ◦ Documented diagnosis of IBS-C in the past year AND ◦ No history of GI or bowel obstruction AND		Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, RELISTOR, SYMPROIC • Preferred OIC Agents ◦ Documented diagnosis of OIC and chronic pain in the past year AND ◦ No history of GI or bowel obstruction AND ◦ 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents ◦ All preferred criteria met AND ◦ Have tried 1 preferred OIC agents in the past 6 months OR ◦ 1 claim with the requested agent in the past 105 days	

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
- Documented diagnosis of CIC or pediatric functional constipation in the past year AND - No history of GI or bowel obstruction Non-Preferred CIC Agents - Documented diagnosis of CIC AND - No history of GI or bowel obstruction AND - Have tried 2 preferred CIC agents in the past 6 months OR 1 claim with the requested agent in the past 105 days		- Have tried 2 preferred IBS-C agents in the past 6 months OR 1 claim with the requested agent in the past 105 days	See previous page for additional PA Criteria/DUR+ Rules Relistor Injection - Above OIC criteria OR - Documented diagnosis of OIC and active cancer in the past year AND - No history of GI or bowel obstruction AND 1 claim for an opioid in the past 30 days
IRRITABLE BOWEL SYNDROME – DIARRHEA			
VIBERZI [New starts require clinical review] - Documented diagnosis of IBS – D in the past year and 1 claim for Viberzi in the past 105 days LOTROXEX 1 claim for LOTROXEX in the past 105 days OR - New starts require clinical review – MANUAL PA XIFAXAN – (see Antibiotics, GI)			
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}			
<u>HIV/AIDS Non-infectious Diarrhea</u> MYTESI - Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND 1 claim for an antiretroviral in the past 30 days		<u>Short Bowel Syndrome (SBS)</u> GATTEX 1 claim for GATTEX in the past 105 days OR - New starts require clinical review	
LEUKOTRIENE MODIFIERS ^{DUR+}			
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months	
zafirlukast	SINGULAIR (montelukast)		
	zileuton		
	ZYFLO (zileuton)		
LIPOTROPICS, OTHER (NON-STATINS)			
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria – Fibric Acid Derivatives - Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months JUXTAPID – MANUAL PA KYNAMRO - Requires clinical review See next page for additional PA Criteria/DUR+ Rules	
	NEXLETOL (bempedoic acid)		
	NEXLIZET (bempedoic acid/ezetimibe)		
ANGIOPOIETIN-LIKE 3 INHIBITORS			
	EVKEEZA (evinacumab-dgnb)		
BILE ACID SEQUESTRANTS			
cholestyramine	colesevelam		
cholestyramine light	COLESTID (colestipol)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		See previous page for additional PA Criteria/DUR+ Rules LEQVIO - Requires clinical review NEXLETOL and NEXLIZET - Require clinical review PRALUENT – MANUAL PA
LIPOTROPICS, OTHER (NON-STATINS)		
colestipol tablet	colestipol packet	REPATHA – MANUAL PA WELCHOL - Documented diagnosis of Type 2 Diabetes AND 30 days of therapy with an antidiabetic agent in the past 6 months OR 90 days of therapy with WELCHOL in the past 105 days
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER		
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	
	PRALUENT (alirocumab)	
LIPOTROPICS, STATINS DUR+		
STATINS		Minimum Age Limit 10 years: ATORVALIQ Suspension
atorvastatin	ALTOPREV (lovastatin)	See next page for additional PA Criteria/DUR+ Rules
lovastatin	ATORVALIQ (atorvastatin)	
pravastatin	CRESTOR (rosuvastatin)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, STATINS ^{DUR+} (continued)		
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)	See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Criteria - Have tried 2 different preferred statin or statin combination agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Simvastatin Daily doses ≥ 80 mg require clinical review
simvastatin	FLOLIPID (simvastatin)	
	fluvastatin	
	fluvastatin ER	
	LESCOL XL (fluvastatin)	
	LIPITOR (atorvastatin)	
	LIVALO (pitavastatin)	
	pitavastatin	
	ZOCOR (simvastatin)	
	ZYPITAMAG (pitavastatin)	
STATIN COMBINATIONS		
ezetimibe/simvastatin	amlodipine/atorvastatin	
	CADUET (amlodipine/atorvastatin)	
	VYTORIN (ezetimibe/simvastatin)	
MISCELLANEOUS BRAND/GENERIC		
ALLERGEN EXTRACT IMMUNOTHERAPY		CUMULATIVE quantity limit (per 31 days) 31 tablets: alprazolam ER Quantity Limit (per 31 days) 2 kits: epinephrine EVRYSDI – MANUAL PA
	GRASTEK	
	ORALAIR	
	RAGWITEK	
EPINEPHRINE		
epinephrine (Mylan)	AUVI-Q (epinephrine)	
	epinephrine (all other manufacturers)	
	EPIPEN (epinephrine)	
	EPIPEN JR (epinephrine)	
	NEFFY (epinephrine) ^{NR}	
MISCELLANEOUS		
alprazolam	alprazolam ER	
hydroxyzine HCL	CAMZYOS (mavacamten)	
hydroxyzine pamoate	CRENESSITY (crinecerfont) ^{NR}	
megestrol	EVRYSDI (risdiplam)	
REVLIMID (lenalidomide)	KORLYM (mifepristone)	
	lenalidomide	
	TRYNGOLZA (olezarsen) ^{NR}	
	VERQUVO (vericiguat)	
	VISTARIL (hydroxyzine pamoate)	
	XANAX, XANAX XR (alprazolam)	
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroglycerin)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
MOVEMENT DISORDER AGENTS ^{DUR+}					
AUSTEDO (deutetrabenazine)		INGREZZA INITIATION PACK (valbenazine)		AUSTEDO and AUSTEDO XR • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with either agent in the past 105 days OR • New starts require clinical review – MANUAL PA INGREZZA • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with this agent in the past 105 days OR • New starts require clinical review – MANUAL PA	
AUSTEOD XR (deutetrabenazine)		XENAZINE (tetrabenazine)			
INGREZZA (valbenazine)					
INGREZZA SPRINKLE (valbenazine)					
tetrabenazine					
MULTIPLE SCLEROSIS AGENTS ^{DUR+}					
BETASERON (interferon beta-1b)		AMPYRA (dalfampridine)		Preferred Agents • Documented diagnosis of multiple sclerosis Non-Preferred Criteria • Documented diagnosis of multiple sclerosis AND • Have tried 2 different preferred agents in the past 6 months OR • 3 claims with the requested agent in the last 105 days	
COPAXONE (glatiramer) 20 mg		AUBAGIO (teriflunomide)			
dalfampridine ER		AVONEX (interferon beta-1a)			
dimethyl fumarate		BAFIERTAM (monomethyl fumarate)			
fingolimod		BRIUMVI (ublituximab-xiiy)			
REBIF (interferon beta-1b)		COPAXONE (glatiramer) 40 mg		KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA • Require clinical review MAVENCLAD – MANUAL PA MAYZENT – MANUAL PA OCREVUS and OCREVUS ZUNOVO – MANUAL PA	
REBIF REBIDOSE (interferon beta-1b)		GILENYA (fingolimod)			
teriflunomide		glatiramer			
TYSABRI (natalizumab)		GLATOPA (glatiramer)			
		KESIMPTA PEN (ofatumumab)			
		MAVENCLAD (cladribine)			
		MAYZENT (siponimod)			
		OCREVUS (ocrelizumab)			
		OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)			
		PLEGRIDY (peginterferon beta-1a)			
		PONVORY (ponesimod)			
		TASCENSO ODT (fingolimod)			
		TECFIDERA (dimethyl fumarate)			
		VUMERITY (diroximel fumarate)			
		ZEPOSIA (ozanimod)			
MUSCULAR DYSTROPHY AGENTS					
EMFLAZA (deflazacort)		AGAMREE (vamorolone)		AGAMREE – MANUAL PA ELEVIDYS – MANUAL PA	
		AMONDYS-45 (casimersen)			
		deflazacort			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MUSCULAR DYSTROPHY AGENTS <i>(continued)</i>		
	DUVYZAT (givinostat)	EMFLAZA – MANUAL PA
	ELEVIDYS (delandistrogene moxeparvec-rokl)	EXONDYS – MANUAL PA
	EXONDYS-51 (eteplirsen)	VILTEPSO – MANUAL PA
	VILTEPSO (viltolarsen)	VYONDYS – MANUAL PA
	VYONDYS-53 (golodirsen)	
NSAIDS		
COX II SELECTIVE		Quantity Limit (per 31 days)
meloxicam	CELEBREX (celecoxib)	• 20 tablets: ketorolac tablets
	celecoxib	
	ELYXYB (celecoxib)	ELYXYB
NON-SELECTIVE		• Requires clinical review
diclofenac sodium	DAYPRO (oxaprozin)	Non-Preferred Criteria
diclofenac sodium ER	diclofenac potassium	• Non-Selective & Combinations
EC-naproxen DR 500 mg tablet	DOLOBID (diflunisal)	○ Have tried 2 different preferred non-selective or NSAID/GI protectant combination agents in the past 6 months
etodolac tablet	etodolac capsule, etodolac ER	• COX II Selective
flurbiprofen	FELDENE (piroxicam)	○ Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND
ibuprofen	fenoprofen	○ 90 days of therapy with the requested agent in the past 105 days OR
indomethacin capsule	indomethacin ER, indomethacin suppository	○ Have tried 1 preferred COX-II Selective Agent and 1 preferred Non-Selective Agent OR
ketoprofen	ketoprofen	○ Documented diagnosis of GI Bleed, GERD, PUD, GI Perforation, or Coagulation Disorder AND
ketorolac	kiprofen	○ Have tried 1 preferred COX-II Selective agent
nabumetone	LOFENA (diclofenac potassium)	
naproxen 250 mg, 500 mg	meclofenamate	
piroxicam	mefenamic acid	
sulindac	NALFON (fenoprofen)	
	NAPRELAN (naproxen)	
	NAPROSYN 375 mg (naproxen)	
	naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg	
	oxaprozin	
	RELAFEN DS (nabumetone)	
	TOLECTIN 600 mg (tolmetin)	
	tolmetin	
NSAID/GI PROTECTANT COMBINATIONS		
	ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)	
	diclofenac/misoprostol	
	ibuprofen/famotidine	
	naproxen/esomeprazole	
	VIMOVO (naproxen/esomeprazole)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
OPHTHALMIC AGENTS						
ANTIBIOTICS				Minimum Age Limit • 16 years: RESTASIS • 17 years: XIIDRA • 18 years: CEQUA, MIEBO, VEVYE Quantity Limit (per 31 days) • 2 mL: VEVYE • 3 mL: MIEBO • 5.5 mL: RESTASIS Multidose • 60 units: CEQUA, RESTASIS Droperette, XIIDRA Non-Preferred Criteria • Anti-Inflammatory Agents ◦ Have tried 2 different preferred agents in the past 6 months • Dry Eye Agents / CEQUA ◦ 4 claims for RESTASIS Droperette and XIIDRA in the past 6 months EYSUVIS Requires clinical review MIEBO • Requires clinical review RESTASIS Multidose • Require clinical review TYRVAYA • Requires clinical review VEVYE • Requires clinical review		
bacitracin/polymyxin	AZASITE (azithromycin)					
ciprofloxacin	bacitracin					
erythromycin	BESIVANCE (besifloxacin)					
gentamicin	CILOXAN (ciprofloxacin)					
moxifloxacin	gatifloxacin					
ofloxacin	NATACYN (natamycin0					
polymyxin B/trimethoprim	neomycin/bacitracin/polymyxin					
tobramycin	OCUFLOX (ofloxacin)					
	sulfacetamide					
	TOBREX (tobramycin)					
	VIGAMOX (moxifloxacin)					
ANTIBIOTIC-STEROID COMBINATIONS						
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)	MAXITROL (neomycin/polymyxin/dexamethasone)					
neomycin/bacitracin/polymyxin/hydrocortisone	neomycin/polymyxin/gramicidin					
neomycin/polymyxin/dexamethasone	TOBRADEX ST (tobramycin/dexamethasone)					
PRED-G (gentamicin/prednisolone)						
sulfacetamide/prednisolone						
TOBRADEX (tobramycin/dexamethasone)						
tobramycin/dexamethasone						
ZYLET (tobramycin/loteprednol)						
ANTI-INFLAMMATORY AGENTS						
dexamethasone	ACULAR, ACULAR LS (ketorolac)					
diclofenac sodium	ACUVAIL (ketorolac)					
difluprednate	bromfenac					
FLAREX (fluorometholone)	BROMSITE (bromfenac)					
fluorometholone	DUREZOL (difluprednate)					
flurbiprofen	FML (fluorometholone)					
FML FORTE (fluorometholone)	ILEVRO (nepafenac)					
ketorolac	INVELTYS (loteprednol)					
MAXIDEX (dexamethasone)	LOTEMAX, LOTEMAX SM (loteprednol)					
PRED MILD (prednisolone)	loteprednol					
prednisolone acetate	NEVANAC (nepafenac)					
prednisolone sodium phosphate	PRED FORTE (prednisolone)					
	PROLENSA (bromfenac)					
DRY EYE AGENTS						
RESTASIS Droperette (cyclosporine)	CEQUA (cyclosporine)					
XIIDRA (lifitegrast)	cyclosporine					
	EYSUVIS (loteprednol)					
	MIEBO (perfluorohexyloactane)					
	RESTASIS Multidose (cyclosporine)					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC AGENTS (continued)		
	TYRVAYA (varenicline)	See previous page for additional PA Criteria/DUR+ Rules
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
BETA BLOCKERS		Minimum Age Limit 18 years: IYUZEH Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
BETIMOL (timolol)	betaxolol	
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	
PROSTAGLANDIN ANALOGS		
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprost)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%	
brimonidine 0.2%		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS							
ALREX (loteprednol)		ALOCRIL (nedocromil)		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review			
azelastine		ALOMIDE (lodoxamide)					
cromolyn		bepotastine					
ketotifen ^{OTC}		BEPREVE (bepotastine)					
olopatadine		epinastine					
ZADITOR (ketotifen)		LASTACRAFT (alcaftadine)					
		VERKAZIA (cyclosporine)					
		ZERVIAE (cetirizine)					
OPIATE DEPENDENCE TREATMENTS							
DEPENDENCE		Buprenorphine/naloxone provider summary found here SUBLOCADE – MANUAL PA VIVITROL – MANUAL PA					
buprenorphine/naloxone SL tablet						BRIXADI (buprenorphine)	
naltrexone						buprenorphine	
SUBOXONE (buprenorphine/naloxone)						buprenorphine/naloxone film	
						lofexidine	
						LUCEMYRA (lofexidine)	
						SUBLOCADE (buprenorphine)	
						VIVITROL (naltrexone)	
						ZUBSOLV (buprenorphine/naloxone)	
TREATMENT							
KLOXXADO (naloxone)						LIFEMS NALOXONE (naloxone convenience kit)	
naloxone							
NARCAN (naloxone)							
OPVEE (nalmeferene)							
REXTOVY (naloxone)							
ZIMHI (naloxone)							
OTIC ANTIBIOTICS							
CIPRO HC (ciprofloxacin/hydrocortisone)		ciprofloxacin		Maximum Age Limit 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria - Age ≥ 6 months AND - Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND - Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension			
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)		ciprofloxacin/fluocinolone					
fluocinolone		ciprofloxacin/dexamethasone					
neomycin/polymyxin/hydrocortisone		DERMOTIC (fluocinolone)					
		FLAC OTIC OIL (fluocinolone)					
		hydrocortisone/acetic acid					
		OTOVEL (ciprofloxacin/fluocinolone)					
PANCREATIC ENZYMES							
CREON (lipase/protease/amylase)		PERTZYE (lipase/protease/amylase)		Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months			
ZENPEP (lipase/protease/amylase)		VIOKACE (lipase/protease/amylase)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PARATHYROID AGENTS		
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	
PHOSPHATE BINDERS		
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	REVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	
PLATELET AGGREGATION INHIBITORS		
aspirin/dipyridamole	EFFIENT (prasugrel)	Non-Preferred Criteria - Documented diagnosis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ZONTIVITY – MANUAL PA
BRILINTA (ticagrelor)	PLAVIX (clopidogrel)	
cilostazol		
clopidogrel		
dipyridamole		
pentoxifylline		
prasugrel		
PLATELET STIMULATING AGENTS		
NPLATE (romiplostim)	ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet	DOPTelet (avatrombopag)	
	MULPLETA (lusutrombopag)	
	PROMACTA (eltrombopag) packet	
	TAVALISSE (fostatinib)	
POTASSIUM REMOVING AGENTS		
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)	
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate	
	SPS (sodium polystyrene sulfonate) enema	
	VELTASSA (patiromer calcium sorbitex)	
PRENATAL VITAMINS		
CLASSIC PRENATAL	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
COMPLETE NATAL DHA		
COMPLETENATE		
M-NATAL PLUS		
NIVA-PLUS		
PRENATAL PLUS VITAMIN-MINERAL		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PRENATAL VITAMINS <i>(continued)</i>		
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID SE-NATAL-19 STUART ONE THRIVITE RX TRICARE TRINATAL RX 1 WESNATAL DHA COMPLETE WESTAB PLUS	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
PSEUDOBULBAR AFFECT AGENTS		
	NUEDEXTA (dextromethorphan/quinidine)	Non-Preferred Criteria - Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days
PULMONARY ANTIHYPERTENSIVE AGENTS		
ACTIVIN SIGNALING INHIBITORS		Minimum Age Limit 18 years: ADEMPAS, OPSYNVI, TADLIQ
	WINREVAIR (sotatercept-csrk)	
COMBINATION AGENTS		Maximum Age Limit 12 years: REVATIO suspension
	OPSYNVI (macitentan/tadalafil)	
ENDOTHELIN RECEPTOR ANTAGONISTS		Preferred Criteria PAH Agents - Documented diagnosis of pulmonary hypertension Sildenafil tablets ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days Sildenafil suspension < 12 years of age AND - Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR 90 days stable therapy with sildenafil suspension in the past 105 days
ambrisentan	OPSUMIT (macitentan)	
bosentan	TRACLEER (bosentan)	
LETAIRIS (ambrisentan)	TRYVIO (aprocitentan)	
PDE5 INHIBITORS		Non-Preferred Criteria - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
sildenafil (generic REVATIO) tablet, suspension	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	LIQREV (sildenafil)	
	REVATIO (sildenafil)	
	TADLIQ (tadalafil)	
PROSTACYCLINS		LIQREV, OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS Require clinical review
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	
	VENTAVIS (iloprost)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		See next page for additional PA Criteria/DUR+ Rules
	UPTRAVI (selexipag)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMONARY ANTIHYPERTENSIVE AGENTS <i>(continued)</i>		
SOLUABLE GUANYLATE CYCLASE STIMULATORS		See previous page for additional PA Criteria/DUR+ Rules
	ADEMPAS (riociguat)	
ADEMPAS - Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with ADEMPAS in the past 105 days TADLIQ - Documented diagnosis of pulmonary hypertension AND - Have tried preferred sildenafil suspension in the past 6 months OR 90 days of therapy with TADLIQ in the past 105 days UPTRAVI - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred endothelin receptor antagonist in the past 6 months AND - Have tried 1 preferred PDE5 inhibitor in the past 6 months OR 90 days of therapy with UPTRAVI in the past 105 days		
ROSACEA TREATMENTS		
metronidazole	AVAR (sulfacetamide sodium/sulfur)	<u>Note:</u> - Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. - Other labeled indications are limited to < 21 years.
	AVAR LS (sulfacetamide sodium/sulfur)	
	AVAR-E (sulfacetamide sodium/sulfur)	
	BP 10-1 (sulfacetamide sodium/sulfur)	
	brimonidine	
	EPSOLAY (benzoyl peroxide)	
	FINACEA (azelaic acid)	
	METROCREAM (metronidazole)	
	METROGEL (metronidazole)	
	MIRVASO (brimonidine)	
	NORITATE (metronidazole)	
	OVACE (sulfacetamide sodium)	
	OVACE PLUS (sulfacetamide sodium)	
	RHOFADE (oxymetazoline)	
	ROSADAN (metronidazole)	
	ROSULA (sulfacetamide sodium/sulfur)	
	sodium sulfacetamide	
	sodium sulfacetamide/sulfur	
	SOOLANTRA (ivermectin)	
	SUMADAN (sulfacetamide sodium/sulfur)	
	SUMADAN XLT (sulfacetamide sodium/sulfur/avob)	
	SUMAXIN (sulfacetamide sodium/sulfur)	
	SUMAXIN CP (sulfacetamide sodium/sulfur)	
	SUMAXIN TS (sulfacetamide sodium/sulfur)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA				
SEDATIVE HYPNOTIC AGENTS								
BENZODIAZEPINES ^{DUR+}			MS DOM Opioid Initiative – Criteria details found here • Concomitant use of Opioids and Benzodiazepines Maximum Age Limit • 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit • Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg • Male: all strengths of zolpidem Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months HETLIOZ capsules • Age 18 years or older AND • Documented diagnosis of circadian rhythm sleep disorder OR • Age 16 years and older AND • Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid • Age 3-15 years AND • Documented diagnosis of Smith-Magenis syndrome Note: • Single-source benzodiazepines and barbiturates are NOT covered. ◦ PA's will NOT be issued for these drugs. See below for additional PA Criteria/DUR+ Rules					
estazolam		flurazepam						
temazepam 15 mg, 30 mg capsule		HALCION (triazolam)						
		quazepam						
		RESTORIL (temazepam)						
		temazepam 7.5 mg, 22.5 mg capsule						
		triazolam						
OTHERS ^{DUR+}								
eszopiclone		AMBIEN (zolpidem)						
ramelteon		AMBIEN CR (zolpidem)						
zaleplon		BELSOMRA (suvorexant)						
zolpidem tablet		DAYVIGO (lemborexant)						
		doxepin						
		EDULAR (zolpidem)						
		HETLIOZ LQ (tasimelteon)						
		LUNESTA (eszopiclone)						
		QUVIVIQ (daridorexant)						
		ROZEREM (ramelteon)						
		tasimelteon						
		zolpidem capsule						
		zolpidem sublingual tablet						
		zolpidem ER						

CUMULATIVE Quantity Limit – Benzodiazepines

• 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit – Triazolam

• 10 units/31 days: Quantity limit per rolling days for all strengths.

• 60 units/365 days: Quantity limit per rolling days for all strengths.

CUMULATIVE Quantity Limit – Non-Benzodiazepines

• 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit – HETLIOZ LQ

• 1 bottle (48 mL or 158 mL): Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit – ZOLPIMIST

• 1 canister/31 days: male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

• 1 canister/62 days: female: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SELECT CONTRACEPTIVE PRODUCTS		
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES ^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	
	NATAZIA (estradiol valerate/dienogest)	
	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)	
	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)	
YASMIN (ethinyl estradiol/drospirenone)		
YAZ (ethinyl estradiol/drospirenone)		
TRANSDERMAL CONTRACEPTIVES		
XULANE (norgestromin/ethinyl estradiol)	norgestromin/ethinyl estradiol	
	TWIRLA (levonorgestrel/ethinyl estradiol)	
	ZAFEMY (norgestromin/ethinyl estradiol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SICKLE CELL AGENTS		
DROXIA (hydroxyurea) hydroxyurea	ADAKVEO (crizanlizumab-tmca) CASGEVY (exagamglogene autotemcel) ENDARI (glutamine) HYDREA (hydroxyurea) l-glutamine LYFGENIA (lovotibeglogene autotemcel) SIKLOS (hydroxyurea)	ENDARI – MANUAL PA
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
baclofen 5 mg, 10 mg, 20 mg tablet chlorzoxazone cyclobenzaprine 5 mg, 10 mg tablet methocarbamol tizanidine tablet	AMRIX (cyclobenzaprine) baclofen 15 mg tablet baclofen suspension carisoprodol carisoprodol/aspirin cyclobenzaprine 7.5 mg tablet cyclobenzaprine ER DANTRIUM (dantrolene) dantrolene FEXMID (cyclobenzaprine) FLEQSUVY (baclofen) LORZONE (chlorzoxazone) LYVISPAH (baclofen) metaxalone NORGESIC (orphenadrine/aspirin/cafeine) NORGESIC FORTE (orphenadrine/aspirin/cafeine) orphenadrine orphenadrine/aspirin/cafeine ORPHENGESIC FORTE (orphenadrine/aspirin/cafeine) SOMA (carisoprodol) TANLOR (methocarbamol) tizanidine capsule ZANAFLEX (tizanidine)	Quantity Limit 84 tablets/180 days: carisoprodol Non-Preferred Criteria - Documented diagnosis of an approvable indication AND - Have tried 2 different preferred agents in the past 6 months Baclofen granules, solution, and suspension - Require clinical review. Carisoprodol - Documented diagnosis of acute musculoskeletal condition AND - No history with meprobamate in the past 105 days AND - History of 1 claim for cyclobenzaprine in the past 21 Carisoprodol with codeine - Requires clinical review. Metaxalone 640 mg and TANLOR - Requires clinical review

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SMOKING DETERRENTS					
NICOTINE TYPE				Minimum Age Limit • 18 years: CHANTIX Quantity Limit • 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack • 2 treatment courses/year: CHANTIX Starter Pack	
nicotine gum ^{OTC}		NICOTROL INHALER CARTRIDGE			
nicotine lozenge ^{OTC}		NICOTROL NASAL SPRAY			
nicotine patch ^{OTC}					
NON-NICOTINE TYPE					
bupropion SR					
CHANTIX (varenicline)					
varenicline					
STEROIDS (TOPICAL)					
LOW POTENCY				Non-Preferred Criteria • Low Potency ◦ Have tried 2 different preferred low potency agents in the past 6 months • Medium Potency ◦ Have tried 2 different preferred medium potency agents in the past 6 months • High Potency ◦ Have tried 2 different preferred high potency agents in the past 6 months • Very High Potency ◦ Have tried 2 different preferred very high potency agents in the past 6 months Clobetasol 0.025% • Requires clinical review	
alclometasone		fluocinolone			
DERMA-SMOOTH-FS (fluocinolone)		hydrocortisone lotion			
desonide		HYDROXYM (hydrocortisone)			
hydrocortisone cream, ointment, solution		PROCTOCORT (hydrocortisone)			
MEDIUM POTENCY					
fluticasone		BESER (fluticasone)			
mometasone		CAPEX (fluocinolone)			
PANDEL (hydrocortisone probutate)		clocortolone			
prednicarbate cream		CLODERM (clocortolone)			
		flurandrenolide			
		fluticasone lotion			
		LOCOID (hydrocortisone butyrate)			
		prednicarbate ointment			
		SYNALAR (fluocinolone)			
HIGH POTENCY					
betamethasone dipropionate cream, lotion		amcinonide			
betamethasone dipropionate augmented		betamethasone dipropionate ointment			
betamethasone valerate		desoximetasone			
fluocinolone		diflorasone			
fluocinonide		Halcinonide			
fluocinonide-E		HALOG (halcinonide)			
triamcinolone cream, ointment, lotion		KENALOG (triamcinolone)			
		TOPICORT (desoximetasone)			
		triamcinolone spray			
		VANOS (fluocinonide)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
dexamethylphenidate ER	AZSTARYS (serdexmethylphenidate/dexamethylphenidate)	See previous page for additional PA Criteria/DUR+ Rules Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR Quantity Limit – Narcolepsy (per 31 days) • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX Quantity Limit – Non-Stimulants (per 31 days) • 31 tablets: atomoxetine, guanfacine ER, QELBREE 100 mg • 62 tablets: QELBREE 150 mg and 200 mg • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension VYVANSE • Documented diagnosis of binge eating disorder or ADD/ADHD OR • 90 days of therapy with Vyvanse in the past 90 days
dextroamphetamine ER	COTEMPLA XR ODT (methylphenidate)	
dextroamphetamine/amphetamine ER 20 mg	DAYTRANA (methylphenidate)	
DYANAVEL XR (amphetamine) suspension	DEXEDRINE (dextroamphetamine)	
lisdexamfetamine	dextroamphetamine/amphetamine ER 25 mg	
methylphenidate CD	DYANAVEL XR (amphetamine) tablets	
methylphenidate ER tablet	FOCALIN XR (dexamethylphenidate)	
methylphenidate LA	JORNAY PM (methylphenidate)	
QUILLICHEW ER (methylphenidate)	methylphenidate patch	
QUILLIVANT XR (methylphenidate)	methylphenidate ER capsule	
VYVANSE (lisdexamfetamine) capsules	MYDAYIS (dextroamphetamine/amphetamine)	
	RELEXII (methylphenidate)	
	RITALIN LA (methylphenidate)	
	VYVANSE (lisdexamfetamine) chewable tablets	
	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		
armodafinil	NUVIGIL (armodafinil)	
modafinil	PROVIGIL (modafinil)	
SUNOSI (solriamfetol)	sodium oxybate	
XYREM (sodium oxybate)	WAKIX (pitolisant)	
	XYWAV (calcium/magnesium/potassium/sodium oxybate)	
NON-STIMULANTS		
atomoxetine	INTUNIV (guanfacine)	
clonidine ER	NEXICLON XR (clonidine)	
guanfacine ER	ONYDA XR (clonidine)	
QELBREE (viloxazine)	STRATTERA (atomoxetine)	
	</	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Non-Preferred Short Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Short Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 preferred agent indicated for narcolepsy in the past 6 months OR - Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Armodafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine - Age ≥ 21 years AND - Documented diagnosis of ADD/ADHD Clonidine ER - Documented diagnosis of ADD/ADHD Guanfacine ER - Documented diagnosis of ADD/ADHD JORNAY PM - Documented diagnosis of ADD/ADHD AND 84 days of therapy with 2 different preferred LA methylphenidate agents in the past 12 months AND 84 days of therapy with 1 preferred non-methylphenidate LA stimulant agent in the past 12 months OR - Documented diagnosis of ADD/ADHD AND 84 days of therapy with JORNAY PM in the past 105 days • See next page for additional PA Criteria/DUR+ Rules	Non-Preferred Long Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Long-Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 different preferred agent indicated for narcolepsy in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days ONYDA XR - Requires clinical review QELBREE - Documented diagnosis of ADD/ADHD AND 30 days of therapy with a preferred ADHD agent in the past 105 days OR 30 days of therapy with QELBREE in the past 105 days SUNOSI - Documented diagnosis of narcolepsy or obstructive sleep apnea AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months VYVANSE - Documented diagnosis of binge eating disorder or ADD/ADHD WAKIX - Requires clinical review XYREM Documented diagnosis of narcolepsy or excessive daytime sleepiness OR 30 days of therapy with this agent in the past 105 days XYWAV - Requires clinical review	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Modafinil		
Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome		
TETRACYCLINES ^{DUR+}		
doxycycline hyclate	demeclocycline	Non-Preferred Agents - Have tried 2 different preferred agents in the past 6 months Demeclocycline - Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA - Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
ORAL		Non-Preferred Criteria - Documented diagnosis of Ulcerative Colitis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days VELSIPITY - Requires clinical review
APRISO (mesalamine)	AZULFIDINE (sulfasalazine)	
balsalazide	COLAZAL (balsalazide)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
UCERIS (budesonide)	mesalamine DR, mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
	UCERIS (budesonide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/01/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
UREA CYCLE DISORDER AGENTS		
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	