

General Preferred Drug List Information

- Gainwell Technologies' DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
ACNE AGENTS							
ANTI-INFECTIVES				Maximum Age Limit • 21 years: all acne agents except isotretinoin products Topical Clindamycin 1% lotion • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa Note: • Isotretinoin products available for all ages • Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis • Preferred clindamycin 1% lotion for ages < 21 years does not require PA Maximum Age Limit • 21 years: all acne agents except isotretinoin products			
clindamycin gel (generic CLEOCIN-T)		azelaic acid					
clindamycin lotion, medicated swab, solution		CLEOCIN T (clindamycin)					
		CLINDACIN (clindamycin)					
		CLINDAGEL (clindamycin)					
		clindamycin foam					
		clindamycin gel (generic CLINDAGEL)					
		dapsone					
		ERY (erythromycin)					
		ERYGEL (erythromycin)					
		erythromycin					
		EVOCLIN (clindamycin)					
		KLARON (sulfacetamide)					
		MORGIDOX (doxycycline)					
		sulfacetamide sodium suspension					
		WINLEVI (clascoterone) cream					
ISOTRETINOIN PRODUCTS							
AMNESTEEM (isotretinoin)		ABSORBICA (isotretinoin)					
CLARAVIS (isotretinoin)		isotretinoin					
ZENATANE (isotretinoin)							
KERATOLYTICS (BENZOYL PEROXIDES)							
ACNE MEDICATION (benzoyl peroxide)		BPO towelette (benzoyl peroxide)					
benzoyl peroxide							
LINTERA (benzoyl peroxide)							
RETINOIDS							
adapalene gel, gel with pump		adapalene cream					
RETIN-A (tretinoin)		AKLIEF (trifarotene)					
tretinoin cream		ALTRENO (tretinoin)					
		ARAZLO (tazarotene)					
		ATRALIN (tretinoin)					
		DIFFERIN (adapalene)					
		FABIOR (tazarotene)					
		RETIN-A MICRO (tretinoin)					
		RETIN-A MICRO PUMP (tretinoin)					
		tretinoin gel					
		tretinoin microsphere					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (continued)		
OTHERS/COMBINATION PRODUCTS		See previous page for additional PA Criteria/DUR+ Rules
adapalene/benzoyl peroxide gel	ACANYA (benzoyl peroxide/clindamycin) gel	
clindamycin/benzoyl peroxide 1%-5% gel w/pump	CABTREO (clindamycin/adapalene/benzoyl peroxide) gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
	clindamycin/benzoyl peroxide 1%-5% gel	
	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	ONEXTON (benzoyl peroxide/clindamycin) gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZIANA (clindamycin/tretinoin) gel	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER'S AGENTS DUR+		
CHOLINESTERASE INHIBITORS		Preferred Criteria
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	• Documented approvable diagnosis
galantamine	ARICEPT (donepezil)	Non-Preferred Criteria
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	
		See next page for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ALZHEIMER'S AGENTS ^{DUR+} (continued)					
		Zunveyl (benzgalantamine gluconate) ^{NR}		See previous page for additional PA Criteria/DUR+ Rules	
NMDA RECETPOR ANTAGONISTS				- Have tried 2 different preferred agents in the past 6 months NAMZARIC - Requires clinical review	
memantine		memantine ER			
		NAMENDA (memantine)			
		NAMENDA XR (memantine ER)			
COMBINATION AGENTS					
		NAMZARIC (memantine/donepezil)			
		memantine/donepezil ER			
ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}					
acetaminophen/caffeine/dihydrocodeine		ACTIQ (fentanyl)		MS DOM Opioid Initiative – Criteria details found here	
acetaminophen/codeine		aspirin/butalbital/caffeine/codeine		Morphine Equivalent Daily Dose	
codeine		butalbital/acetaminophen/caffeine/codeine		Concomitant use of Opioids and Benzodiazepines	
ENDOCET (oxycodone/acetaminophen)		butorphanol		Minimum Age Limit	
hydrocodone/acetaminophen		DILAUDID (hydromorphone)		18 years: codeine-containing products and tramadol-containing products	
hydromorphone		fentanyl citrate		Quantity Limit (per 31 rolling days)	
morphine sulfate		FENTORA (fentanyl)		62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol	
oxycodone		FIORICET W/CODEINE (butalbital/acetaminophen/codeine)		186 tablets: butalbital/acetaminophen, butalbital/aspirin	
oxycodone/acetaminophen (325 mg acetaminophen formulations)		hydrocodone/ibuprofen		5 mL: butorphanol nasal	
tramadol 50 mg tablet		meperidine		180 mL: oxycodone liquid	
tramadol/acetaminophen		NALOCET (oxycodone/acetaminophen)		280 mL: QDOLO	
		levorphanol		Non-Preferred Criteria	
		oxymorphone		Have tried 2 different preferred agents in the past 6 months	
		pentazocine/naloxone		MS DOM Opioid Initiative – Criteria details found here	
		PERCOCET (oxycodone/acetaminophen)		Morphine Equivalent Daily Dose	
		PROLATE (oxycodone/acetaminophen)		Concomitant use of Opioids and Benzodiazepines	
		ROXICODONE (oxycodone)		Minimum Age Limit	
		ROXYBOND (oxycodone)		18 years: BUTRANS and tramadol-containing products	
		SEGLENTIS (tramadol/celecoxib)			
		tramadol 25 mg, 75 mg, 100 mg tablet			
		tramadol solution			
BUTRANS (buprenorphine)		BELBUCA (buprenorphine)			
fentanyl patch		buprenorphine patch			
morphine sulfate ER tablet		CONZIP (tramadol)			
		hvdrocodone bitartrate ER			
See next page for additional PA Criteria/DUR+ Rules					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA					
ANALGESICS, OPIOID-LONG ACTING ^{DUR+} (continued)									
	hydromorphone ER	See previous page for additional PA Criteria/DUR+ Rules							
	HYSINGLA ER (hydrocodone)								
	methadone								
	methadone intensol								
	METHADOSE (methadone)								
	morphine sulfate ER capsule								
	MS CONTIN (morphine)								
	oxycodone ER								
	OXYCONTIN (oxycodone)								
	oxymorphone ER								
	tramadol ER								
ANALGESICS/ANESTHETICS (TOPICAL)									
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days) • 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER • 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOXYDOL ER • 62 films: BELBUCA • 10 patches: fentanyl • 4 patches: BUTRANS Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months							
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)								
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)								
lidocaine 40 mg/mL solution	diclofenac epolamine								
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump								
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit								
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)								
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)								
	lidocaine 3% cream								
	lidocaine 4% kit, liquid								
	lidocaine/hydrocortisone								
	lidocaine/prilocaine kit								
	LIDOCAN II, III, IV, V (lidocaine)	Non-Preferred Criteria • Have tried 2 preferred agents in the past 6 months Lidocaine 5% Patch • Documented diagnosis of Herpetic Neuralgia OR • Documented diagnosis of Diabetic Neuropathy ZTLIDO • Documented diagnosis of postherpetic neuralgia OR • History of 3 claims with preferred lidocaine 5% patch in the past 6 months							
	LIDOCORT (lidocaine/hydrocortisone)								
	LIDODERM (lidocaine)								
	LIDOTRAL (lidocaine)								
	LIXOFEN (diclofenac)								
	PENNSAID (diclofenac)								
	PLIAGLIS (lidocaine/tetracaine)								
	TRIDACAINE II, III (lidocaine) patch								
	ZTLIDO (lidocaine)								
ANDROGENIC AGENTS ^{DUR+}									
testosterone	ANDROGEL (testosterone)					All Agents • Limited to male gender Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months See next page for additional PA Criteria/DUR+ Rules			
	JATENZO (testosterone undecanoate)								
	NATESTO (testosterone)								
	TESTIM (testosterone)								
	TLANDO (testosterone undecanoate)								
	VOGELXO (testosterone)								

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANDROGENIC AGENTS ^{DUR+} (continued)					
		UNDECATREX (testosterone undecanoate)		See previous page for additional PA Criteria/DUR+ Rules	
				TLANDO Requires clinical review	
ANGIOTENSIN MODULATORS ^{DUR+}					
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS				EPANED - Automatic approval issued for 0-6 years of age ENTRESTO - Age ≥ 1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations: - Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARBs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: - Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: - Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitor Combinations: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
benazepril		ACCUPRIL (quinapril)			
captopril		ALTACE (ramipril)			
enalapril		EPANED (enalapril)			
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS					
fosinopril		LOTENSIN (benazepril)			
lisinopril		moexipril			
quinapril		perindopril			
ramipril		QBRELIS (lisinopril)			
trandolapril		VASOTEC (enalapril)			
		ZESTRIL (lisinopril)			
ACE INHIBITOR (ACEI) COMBINATIONS					
benazepril/amlodipine		ACCURETIC (quinapril/hydrochlorothiazide)			
benazepril/hydrochlorothiazide		LOTENSIN HCT (benazepril/hydrochlorothiazide)			
captopril/hydrochlorothiazide		LOTREL (benazepril/amlodipine)			
enalapril/hydrochlorothiazide		VASERETIC (enalapril/hydrochlorothiazide)			
fosinopril/hydrochlorothiazide		ZESTORETIC (lisinopril/hydrochlorothiazide)			
lisinopril/hydrochlorothiazide					
quinapril/hydrochlorothiazide					
trandolapril/verapamil ER					
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)					
irbesartan		ATACAND (candesartan)			
losartan		AVAPRO (irbesartan)			
olmesartan		BENICAR (olmesartan)			
telmisartan		candesartan			
valsartan tablet		COZAAR (losartan)			
		EDARBI (azilsartan)			
		eprosartan			
		MICARDIS (telmisartan)			
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)					
		valsartan solution			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS ^{DUR+} (continued)		
ARB COMBINATIONS		See previous page for additional PA Criteria/DUR+ Rules
ENTRESTO (valsartan/sacubitril) tablet ^{DUR+}	ATACAND HCT (candesartan/hydrochlorothiazide)	
irbesartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/amlodipine/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril) sprinkle capsule	
valsartan/hydrochlorothiazide	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	olmesartan/amlodipine/hydrochlorothiazide	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/sacubitril	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURN (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURN HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	vancomycin capsule	
	VOWST (fecal microbio spore, live-brpk)	
	XIFAXAN (rifaximin)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIBIOTICS (MISCELLANEOUS)					
LINCOSAMIDE ANTIBIOTICS			Quantity Limit • 6 tablets/month: SIVEXTRO SIVEXTRO – MANUAL PA ZYVOX – MANUAL PA		
clindamycin		CLEOCIN (clindamycin)			
		CELOCIN PEDIATRIC (clindamycin)			
MACROLIDES					
azithromycin		ERYPED (erythromycin ethylsuccinate) suspension			
clarithromycin		ERYTHROCIN (erythromycin stearate)			
clarithromycin ER		ZITHROMAX (azithromycin)			
E.E.S (erythromycin ethylsuccinate) suspension					
ERY-TAB (erythromycin)					
erythromycin					
erythromycin ethylsuccinate					
NITROFURANTOIN DERIVATIVES					
nitrofurantoin capsule		FURADANTIN (nitrofurantoin) suspension			
nitrofurantoin monohydrate macrocrystals		MACROBID (nitrofurantoin monohydrate macrocrystals)			
		nitrofurantoin suspension			
OXAZOLIDINONES					
		linezolid			
		SIVEXTRO (tedizolid)			
		ZYVOX (linezolid)			
ANTIBIOTICS (TOPICAL)					
bacitracin ^{OTC}		CENTANY (mupirocin)			
bacitracin/polymyxin ^{OTC}		CENTANY AT (mupirocin)			
gentamicin sulfate		mupirocin cream			
mupirocin ointment		XEPI (ozenoxacin)			
neomycin/bacitracin/polymyxin ^{OTC}					
ANTIBIOTICS (VAGINAL)					
CLEOCIN (clindamycin)		clindamycin phosphate			
NUVESSA (metronidazole)		CLINDESSE (clindamycin)			
		SOLOSEC (secnidazole)			
		XACIATO (clindamycin)			
ANTICOAGULANTS					
LOW MOLECULAR WEIGHT HEPARIN (LMWH)			Non-Preferred Criteria • LMWH: ◦ Have tried 1 preferred agent in the past 6 months OR See next page for additional PA Criteria/DUR+ Rules		
enoxaparin		ARIXTRA (fondaparinux)			
		fondaparinux			
		FRAGMIN (dalteparin)			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTICOAGULANTS (continued)					
		LOVENOX (enoxaparin)		See previous page for additional PA Criteria/DUR+ Rules ○ 90 days of therapy with the requested agent in the past 105 days • Oral: ○ Have tried 2 different preferred oral agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
ORAL					
ELIQUIS (apixaban)	dabigatran				
JANTOVEN (warfarin)	PRADAXA (dabigatran) pellet pack				
PRADAXA (dabigatran) capsule	SAVAYSA (edoxaban)				
warfarin	rivaroxaban ^{NR}				
XARELTO (rivaroxaban)					
ANTICONSULSANTS DUR+					
ADJUVANTS		Minimum Age Limit • 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN • 6 years: VALTOCO • 12 years: NAYZILAM Maximum Age Limit • 2 years: VIGAFYDE Quantity Limit (per 31 days) • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 2 cartons: VALTOCO Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days Banzel, Onfi, and Sympazan • Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR • Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT • Documented diagnosis of Dravet Syndrome AND • 1 claim for clobazam in the past 30 days See next page for additional PA Criteria/DUR+ Rules			
carbamazepine	APTOM (eslicarbazepine acetate)				
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)				
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)				
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet				
divalproex	CARBATROL (carbamazepine)				
divalproex ER	DEPAKOTE (divalproex)				
divalproex sprinkle	DIACOMIT (stiripentol)				
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)				
lacosamide	EPRONTIA (topiramate)				
lamotrigine	EQUETRO (carbamazepine)				
lamotrigine blue, green, orange dose pack	felbamate				
levetiracetam	FELBATOL (felbamate)				
levetiracetam ER	FINTEPLA (fenfluramine)				
oxcarbazepine tablet	FYCOMPA (perampanel)				
tiagabine	KEPPRA (levetiracetam)				
topiramate	KEPPRA XR (levetiracetam)				
topiramate sprinkle 15, 25 mg (generic Topamax)	LAMICTAL (lamotrigine)				
TRILEPTAL (oxcarbazepine) suspension	LAMICTAL XR (lamotrigine)				
valproic acid	lamotrigine ER				
zonisamide	lamotrigine ODT				
	lamotrigine ODT blue, green, orange dose pack				
	MOTPOLY XR (lacosamide)				
	oxcarbazepine suspension				
	oxcarbazepine ER				
	OXTELLAR XR (oxcarbazepine)				
	QUDEXY XR (topiramate)				
	ROWEEPR (levetiracetam)				
	rufinamide				
	SABRIL (vigabatrln)				

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS ^{DUR+} (continued)		
ADJUVANTS (continued)		See previous page for additional PA Criteria/DUR+ Rules EPIDIOLEX - Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR 1 claim for EPIDIOLEX in the past 30 days FINTEPLA - Requires clinical review SABRIL Powder for Oral Solution - Documented diagnosis of Infantile Spasms OR - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Topiramate ER - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months VIGAFYDE - Age ≤ 2 years AND - Documented diagnosis of infantile spasms
	SPRITAM (levetiracetam)	
	SUBVENITE (lamotrigine)	
	SUBVENITE (lamotrigine) blue, green, orange dose pack	
	TEGRETOL (carbamazepine)	
	TEGRETOL XR (carbamazepine)	
	TOPAMAX TABLET (topiramate)	
	TOPAMAX SPRINKLE (topiramate)	
	topiramate ER capsule (generic Trokendi XR)	
	topiramate ER sprinkle capsule (generic Qudexy XR)	
	topiramate sprinkle 50 mg	
	TRILEPTAL (oxcarbazepine) tablet	
	TROKENDI XR (topiramate)	
	vigabatrin	
	VIGADRONE (vigabatrin)	
	VIGAFYDE (vigabatrin)	
	VIGPODER (vigabatrin)	
	VIMPAT (lacosamide)	
	XCOPRI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
	DILANTIN (phenytoin)	
	DILANTIN-125 (phenytoin)	
	PHENYTEK (phenytoin)	
	phenytoin	
	phenytoin ER	
SELECTED BENZODIAZEPINES		
	clobazam	DIASTAT (diazepam) rectal gel
	diazepam rectal gel	LIBERVANT (diazepam)
	NAYZILAM (midazolam)	ONFI (clobazam)
	VALTOCO (diazepam)	SYMPAZAN (clobazam)
SUCCINIMIDES		
	ethosuximide	CELONTIN (methsuximide)
		methsuximide
		ZARONTIN (ethosuximide)

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIDEPRESSANTS, OTHER ^{DUR+}					
bupropion		APLENZIN (bupropion)		Minimum Age Limit • 18 years: all agents Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR	
bupropion SR		AUVELITY (bupropion/dextromethorphan)			
bupropion XL		desvenlafaxine ER			
mirtazapine		DESYREL (trazodone)			
trazodone		DRIZALMA SPRINKLE (duloxetine DR)			
TRINTELLIX (vortioxetine)		EFFEXOR XR (venlafaxine)			
venlafaxine		EMSAM (selegiline)			
venlafaxine ER capsule		FETZIMA (levomilnacipran)			
vilazodone		FORFIVO XL (bupropion)			
		MARPLAN (isocarboxazid)			
		NARDIL (phenelzine)			
		nefazodone			
		phenelzine			
		PRISTIQ (desvenlafaxine)			
		REMERON (mirtazapine)			
		tranylcypromine			
		Trazodone solution ^{NR}			
		venlafaxine ER tablet			
		VIIBRYD (vilazodone)			
		WELLBUTRIN SR (bupropion)			
		WELLBUTRIN XL (bupropion)			
		ZURZUVAE (zuranolone)			
ANTIDEPRESSANTS, SSRIs ^{DUR+}					
citalopram solution, tablet		CELEXA (citalopram)		Minimum Age Limit • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: LUVOX • 18 years: CELEXA, LUVOX CR, PAXIL, PEXEVA, PROZAC 90 mg	
escitalopram		citalopram capsule			
fluoxetine capsule		fluoxetine solution, tablet			
fluvoxamine		fluoxetine DR capsule			
paroxetine tablet		fluvoxamine ER capsule			
paroxetine CR		LEXAPRO (escitalopram)			
paroxetine ER		paroxetine suspension, capsule			
sertraline tablet, solution		PAXIL (paroxetine)			
		PAXIL CR (paroxetine)			
		PROZAC (fluoxetine)			
		sertraline capsule			
		ZOLOFT (sertraline)			
ANTIEMETICS ^{DUR+}					
5HT3 RECEPTOR BLOCKERS				Quantity Limit (per 31 days) • 6 tablets: AKYNZEO • 100 mL: ZOFRAN solution See next page for additional PA Criteria/DUR+ Rules	
ondansetron solution, tablet		ANZIMET (dolasetron)			
ondansetron ODT 4 mg, 8 mg		granisetron			
		ondansetron ODT 16 mg tablet			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
ANTIEMETICS ^{DUR+} (continued)							
		SANCUSO (granisetron)		See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Agents Have tried 1 preferred agent in the past 6 months AKYNZEO – MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.			
ANTIEMETIC COMBINATIONS							
DICLEGIS (doxylamine/pyridoxine)		AKYNZEO (netupitant/palonosetron)					
		BONJESTA (doxylamine/pyridoxine)					
		doxylamine/pyridoxine					
CANNABINOIDS							
		dronabinol					
		MARINOL (dronabinol)					
NMDA RECEPTOR ANTAGONISTS							
aprepitant		EMEND (aprepitant)					
ANTIFUNGALS (ORAL) ^{DUR+}							
clotrimazole		ANCOBON (flucytosine)		Griseofulvin suspension - Automatic approval issued for 0-11 years of age Griseofulvin tablets - Automatic approval issued for 12-17 years of age Minimum Age Limit 18 years: CRESEMBA Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection - Non-Preferred agent indicated for treatment (^) AND - Documented diagnosis of HIV CRESEMBA – MANUAL PA SPORANOX - Requires clinical review			
fluconazole		BREXAFEMME (ibrexafungerp)					
nystatin		CRESEMBA (isavuconazonium sulfate)					
terbinafine		DIFLUCAN (fluconazole)					
		flucytosine					
		griseofulvin					
		griseofulvin ultramicrosize					
		itraconazole					
		ketoconazole					
		NOXAFIL (posaconazole)					
		ORAVIG (miconazole)					
		Posaconazole					
		SPORANOX (itraconazole)					
		TOLSURA (itraconazole)					
		VFEND (voriconazole)					
		VIVJOA (oteseconazole)					
		voriconazole					
ANTIFUNGALS (TOPICAL) ^{DUR+}							
ANTIFUNGALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution - Require clinical review					
ciclopirox cream, gel, solution, suspension						BENSAL HP (salicylic acid)	
clotrimazole cream, solution ^{Rx & OTC}						CILODAN (ciclopirox)	
econazole						ciclopirox shampoo	
ketoconazole cream, shampoo						clotrimazole solution (NDC 50228-0502-61)	
LUZU (luliconazole)						ERTACZO (sertaconazole)	
miconazole cream, powder, solution ^{OTC}						EXTINA (ketoconazole)	
miconazole/zinc oxide/petrolatum ointment						JUBLIA (efinaconazole)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS (TOPICAL) ^{DUR+} (continued)		
nystatin cream, ointment, powder	ketoconazole foam	See previous page for additional PA Criteria/DUR+ Rules
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)	
	luliconazole	
	MICOTRIN AC (clotrimazole)	
	MYCOZYL AC (clotrimazole)	
	MYCOZYL AP (miconazole)	
	naftifine	
	NAFTIN (naftifine)	
	oxiconazole	
	OXISTAT (oxiconazole)	
	tavaborole	
	VOTRIZA-AL (clotrimazole)	
	VUSION (miconazole/zinc oxide/petrolatum)	
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion	
nystatin/triamcinolone		
ANTIFUNGALS (VAGINAL)		
clotrimazole cream ^{OTC}	3-DAY VAGINAL CREAM (clotrimazole)	
clotrimazole-3 cream	GYNAZOLE 1 (butoconazole)	
miconazole kit ^{OTC}	terconazole suppository	
terconazole cream		
ANTI-HISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}		
MINIMALLY SEDATING ANTI-HISTAMINES		Non-Preferred Criteria - Documented diagnosis of Allergy or Urticaria AND - Have tried 2 different preferred agents in the past 12 months
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}	
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)	
	desloratadine	
	levocetirizine	
MINIMALLY SEDATING ANTI-HISTAMINE/DECONGESTANT COMBINATIONS		
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)	
loratadine/pseudoephedrine	fexofenadine/pseudoephedrine	
ANTIMIGRAINE AGENTS, ACUTE TREATMENT		
CGRP ORAL AND NASAL		Minimum Age Limit 6 years: MAXALT
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)	See next page for additional PA Criteria/DUR+ Rules
UBRELVY (ubrogepant)		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AGENTS, ACUTE TREATMENT^{DUR+} (continued)		
INJECTABLES		• See previous page for additional PA Criteria/DUR+ Rules • 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray • 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, Relpax, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets • Quantity Limit (per 31 days) • ORAL ◦ 4 tablets: REYVOW 50 mg ◦ 6 tablets: AXERT, Relpax, ZOMIG ◦ 8 tablets: NURTEC ODT, REYVOW 100 mg ◦ 9 tablets: AMERGE, FROVA, IMITREX, TREXIMET ◦ 12 tablets: MAXALT ◦ 16 tablets: UBRELVY • NASAL ◦ 1 box: all agents • CUMULATIVE Quantity Limit (per 31 days) • INJECTABLES ◦ 4 injections: all agents • Non-Preferred Criteria • ORAL ◦ Have tried 2 preferred oral agents in the past 90 days • NASAL ◦ Have tried 2 preferred oral agents in the past 90 days AND ◦ Have tried a preferred nasal agent in the past 90 days • AXERT, TREXIMET, and ZOMIG nasal • Automatic approval for 12-17 years of age • NURTEC ODT and UBRELVY – <u>MANUAL PA</u> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor • REYVOW • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 90 days AND • Have tried preferred NURTEC ODT in the past 90 days • ZAVZPRET – <u>MANUAL PA</u> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • Have tried both NURTEC ODT and UBRELVY in the past 6 months AND • No concurrent therapy with another CGRP AGENT
sumatriptan	IMITREX (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIMIGRAINE AGENTS, ACUTE TREATMENT ^{DUR+} (continued)					
NASAL				See previous page for additional PA Criteria/DUR+ Rules	
sumatriptan		IMITREX (sumatriptan)			
		TOSYMRA (sumatriptan)			
		zolmitriptan			
		ZOMIG (zolmitriptan)			
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}					
naratriptan		almotriptan			
rizatriptan		eletriptan			
sumatriptan		FROVA (frovatriptan)			
zolmitriptan		frovatriptan			
zolmitriptan ODT		IMITREX (sumatriptan)			
		MAXALT (rizatriptan)			
		MAXALT MLT (rizatriptan)			
		RELPAK (eletriptan)			
		REYVOW (lasmiditan)			
		sumatriptan/naproxen			
		ZOMIG (zolmitriptan)			
ANTIMIGRAINE AGENTS, PROPHYLAXIS					
INJECTABLES				Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA	
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}		EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL			
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}		VYEPTI (eptinezumab-jjmr)			
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}					
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}					
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}					
ORAL					
		QULIPTA (atogepant)			
		NURTEC ODT (rimegepant)			
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS					
BOSULIF (bosutinib) tablet		AFINITOR (everolimus)		FARYDAK – MANUAL PA IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review See next page for additional PA Criteria/DUR+ Rules	
CAPRESLA (vandetanib)		AFINITOR DISPERZ (everolimus)			
COMETRIQ (cabozantinib)		AKEEGA (niraparib/abiraterone)			
COTELLIC (cobimetinib)		ALECENSA (alectinib)			
everolimus		ALUNBRIG (brigatinib)			
GILOTRIF (afatinib)		AUGTYRO (repotrectinib)			
ICLUSIG (ponatinib)		AYVAKIT (avapritinib)			
imatinib		BALVERSA (erdafitinib)			

See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule	See previous page for additional PA Criteria/DUR+ Rules LENVIMA Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review LYNPARZA Tablets - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR All other indications require clinical review – MANUAL PA
INLYTA (axitinib)	BRAFTOVI (encorafenib)	
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)	
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)	
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)	
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)	
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)	
SPRYCEL (dasatinib)	dasatinib	
STIVARGA (regorafenib)	DATROWAY (datopotomab deruxtecan-dlnk) ^{NR}	
SUTENT (sunitinib)	DAURISMO (glasdegib)	
TAFINLAR (dabrafenib)	ERIVEDGE (vismodegib)	
TARCEVA (erlotinib)	ERLEADA (apalutamide)	
TASIGNA (nilotinib)	erlotinib	
TURALIO (pexidartinib)	FOTIVDA (tivozanib)	
TYKERB (lapatinib)	FRUZAQLA (fruquintinib)	
VOTRIENT (pazopanib)	GAVRETO (pralsetinib)	
XALKORI (crizotinib)	gefitinib	
XTANDI (enzalutamide)	GLEEVEC (imatinib)	
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)	
ZYDELIG (idelalisib)	IDHIFA (enasidenib)	
ZYKADIA (ceritinib)	IMKELDI (imatinib)	
	INQOVI (decitabine/cedazuridine)	
	INREBIC (fedratinib)	
	ITOVEBI (inavolisib)	
	IWILFIN (eflornithine)	
	JAYPIRCA (pirtobrutinib)	
	KISQALI (ribociclib)	
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)	
	KOSELUGO (selumetinib/vitamin E)	
	KRAZATI (adagrasib)	
	lapatinib	
	LAZCLUZE (lazertinib)	
	LENVIMA (lenvatinib)	
	LOBRENA (lorlatinib)	
	LUMAKRAS (sotorasib)	
	LYNPARZA (olaparib)	
	LYTGOBI (futibatinib)	
	MEKTOVI (binimetinib)	
	NERLYNX (neratinib)	
	NUBEQA (darolutamide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
	ODOMZO (sonidegib)	See previous page for additional PA Criteria/DUR+ Rules
	OGSIVEO (nirogacestat)	
	OJEMDA (tovorafenib)	
	OJJAARA (mometotinib)	
	ONUREG (azacitidine)	
	ORGOVYX (relugolix)	
	pazopanib	
	PEMAZYRE (pemigatinib)	
	PIQRAY (alpelisib)	
	QINLOCK (ripretinib)	
	RETEVMO (selpercatinib)	
	REVUFORJ (revumenib)	
	REZLIDHIA (olutasidenib)	
	RUBRACA (rucaparib)	
	RYDAPT (midostaurin)	
	SCEMBLIX (asciminib)	
	sorafenib	
	sunitinib	
	TABRECTA (capmatinib)	
	TAGRISSO (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TECENTRIQ HYBREZA (atezolizumab/hyaluronidase-tqjs)	
	TEPMETKO (tepotinib)	
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	
	VONJO (pacritinib)	
	VORANIGO (vorasidenib)	
	WELIREG (belzutifan)	
	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA				
ANTIOBESITY SELECT AGENTS								
SAXENDA (liraglutide)		orlistat		All agents – MANUAL PA required				
WEGOVY (semaglutide)		XENICAL (orlistat)						
ANTIPARASITICS (TOPICAL) ^{DUR+}								
PEDICULICIDES			Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX Non-Preferred Criteria • Pediculicides ◦ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides • Have tried permethrin 5% in the past 90 days					
NATROBA (spinosad)		lindane						
permethrin 1% cream ^{OTC}		malathion						
VANALICE (piperonyl butoxide/pyrethrins)		OVIDE (malathion)						
		SKLICE (ivermectin)						
		spinosad						
SCABICIDES								
ivermectin		CROTAN (crotamiton)						
permethrin 5% cream		ELIMITE (permethrin)						
		EURAX (crotamiton)						
		STROMEKTOL (ivermectin)						
ANTIPARKINSON'S AGENTS (INJECTABLE)								
		VYALEV (foscarbidopa/foslevodopa)		VYALEV • Requires clinical review				
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+}								
ANTICHOLINERGICS			• 30 days of therapy with a selegiline agent in the past 45 days GOCOVRI • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with amantadine IR in the past 105 days AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days LODOSYN and INBRIJA • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days See previous page for additional PA Criteria/DUR+ Rules					
benztropine								
trihexyphenidyl								
COMT INHIBITORS								
entacapone		OGENTYS (opicapone)						
		TASMAR (tocapone)						
		tolcapone						
ropinirole		pramipexole ER						
		ropinirole ER						
MAO-B INHIBITORS								
selegiline		AZILECT (rasagiline)						
		rasagiline						
		XADAGO (safinamide)						
		ZELAPAR (selegiline)						

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+} (continued)		
OTHERS		See previous page for additional PA Criteria/DUR+ Rules NOURIANZ • Documented diagnosis of Parkinson's Disease AND • Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND • 30 days of therapy with a preferred adjunctive therapy in the past 45 days
amantadine	carbidopa/levodopa ODT	
bromocriptine	carbidopa/levodopa/entacapone	
carbidopa	CREXONT (carbidopa/levodopa)	
carbidopa/levodopa tablet	DHIVY (carbidopa/levodopa)	
carbidopa/levodopa ER	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	LODOSYN (carbidopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	
ANTIPSORIATICS (TOPICAL)		
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	DUOBRII (halobetasol/tazarotene)	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	
ANTIPSYCHOTICS ^{DUR+}		
INJECTABLE, ATYPICALS ^{DUR+}		Concurrent Therapy Limit for Age < 18 years • 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA Minimum Age Limit • 3 years: HALDOL
ABILIFY ASIMTUFII (aripiprazole)	ERZOFR [®] (paliperidone palmitate)	
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	• 5 years: RISPERDAL, thioridazine • 6 years: ABILIFY, trifluoperazine • 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX • 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene • 13 years: REXULTI, ZYPREXA
INJECTABLE, ATYPICALS ^{DUR+}		
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	
PERSERIS (risperidone)	ZYPREXA (olanzapine)	
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)	
UZEDY (risperidone)		
ORAL		
aripiprazole tablet	ABILIFY (aripiprazole)	
		See next page for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS^{DUR+} (continued)		
asenapine	ABILIFY MYCITE (aripiprazole)	See previous page for additional PA Criteria/DUR+ Rules 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents Quantity Limit 3 syringes/year: ARISTADA INITIO Non-Preferred Criteria – Atypical Agents - Have tried 2 preferred agents in the past 12 months OR 30 days of therapy with the requested agent in the past 180 days ARISTADO INTIO, ARISTADO ER, INVEGA SUSTENNA, INVEGA TRINZA, PERSERID AND ZYPREXA RELPREEV - Documented diagnosis of schizophrenia or schizoaffective disorder ABILIFY MAINTENA, ABILIFY ASIMTUFI, or RISPERDAL CONSTA - Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder INVEGA HAFYERA - Documented diagnosis of schizophrenia or schizoaffective disorder AND 4 claims for INVEGA SUSTENNA in the past year OR 1 claim for INVEGA TRINZA in the past year OR 1 claim for INVEGA HAFYERA in the past year ERZOFR and risperidone ER - Require clinical review NUPLAZID - Documented diagnosis of Parkinson's Disease VRAYLAR - Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder OR - Documented diagnosis major depressive disorder AND 30 days of therapy with an antidepressant in the past 45 days OR 1 claim for a 90-day supply of an antidepressant in the past 105 days
clozapine tablet	ADASUVE (loxapine)	
fluphenazine	aripiprazole ODT, solution	
haloperidol	CAPLYTA (lumateperone)	
haloperidol lactate	chlorpromazine	
olanzapine	clozapine ODT	
perphenazine	CLOZARIL (clozapine)	
perphenazine/amitriptyline	COBENFY (xanomeline/trospium)	
quetiapine	FANAPT (iloperidone)	
quetiapine ER	GEODON (ziprasidone)	
risperidone	IGALMI (dexmedetomidine)	
thioridazine	INVEGA (paliperidone)	
trifluoperazine	LATUDA (lurasidone)	
VRAYLAR (cariprazine)	lurasidone	
ziprasidone	LYBALVI (olanzapine/samidorphan)	
	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		
	SECUADO (asenapine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+}		
CAPSID INHIBITORS		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA - Requires clinical review TYBOST – MANUAL PA
	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS – NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS – PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS		
	maraviroc	
	SELZENTRY (maraviroc)	
ENTRY INHIBITORS – FUSION INHIBITORS		
	FUZEON (enfuvirtide)	
INTEGRASE STRAND TRANSFER INHIBITORS		
APRETUDE (cabotegravir)	cabotegravir ER	
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)	
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)		See previous page for additional PA Criteria/DUR+ Rules
EDURANT (rilpivirine)	etravirine	
efavirenz	INTELENCE (etravirine)	
	nevirapine, nevirapine ER	
	PIFELTRO (doravirine)	
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)		
abacavir	didanosine	
EMTRIVA (emtricitabine)	emtricitabine	
lamivudine	EPIVIR (lamivudine)	
ZIAGEN (abacavir)	RETROVIR (zidovudine)	
zidovudine	stavudine	
	VIREAD (tenofovir disoproxil fumarate)	
PHARMACOENHANCER – CYTOCHROME P450 INHIBITORS		
	TYBOST (cobicistat)	
PROTEASE INHIBITORS (NON-PEPTIDIC)		
PREZISTA (darunavir)	APTIVUS (tipranavir)	
	darunavir	
	PREZCOBIX (darunavir/cobicistat)	
PROTEASE INHIBITORS (PEPTIDIC)		
atazanavir	fosamprenavir	
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIVIRALS, ORAL					
ANTI-CYTOMEGALOVIRUS AGENTS			Valganciclovir solution - Automatic approval issued for 0-12 years of age PREVYMIS - Requires clinical review		
valganciclovir tablet	LIVTENCITY (maribavir)				
	PREVYMIS (letermovir)				
	VALCYTE (valganciclovir)				
	valganciclovir solution				
ANTI-HERPETIC AGENTS					
acyclovir	SITAVIG (acyclovir)				
famciclovir	VALTREX (valacyclovir)				
valacyclovir					
ANTI-INFLUENZA AGENTS					
oseltamivir	FLUMADINE (rimantadine)				
	RAPIVAB (peramivir)				
	RELENZA (zanamivir)				
	rimantadine				
	TAMIFLU (oseltamivir)				
	XOFLUZA (baloxavir)				
ANTIVIRALS, TOPICAL					
ZOVIRAX (acyclovir) cream	acyclovir				
	DENAVIR (penciclovir)				
	penciclovir				
	XERESE (acyclovir/hydrocortisone)				
	ZOVIRAX (acyclovir) ointment				
AROMATASE INHIBITORS					
anastrozole	ARIMIDEX (anastrozole)				
exemestane	AROMASIN (exemestane)				
letrozole	FEMARA (letrozole)				
ATOPIC DERMATITIS					
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)		Minimum Age Limit 3 months: EUCRISA 2 years: ELIDEL, PROTOPIC 0.03% 12 years: OPZELURA 16 years: PROTOPIC 0.1% See next page for additional PA Criteria/DUR+ Rules		
ADBRY Autoinjector (tralokinumab-ldrm)	EBGLYSS Pen (lebrikizumab-lbkz)				
DUPIXENT (dupilumab) ^{DUR+}	NEMLUVIO (nemolizumab-ilto)				
ELIDEL (pimecrolimus)	OPZELURA (ruxolitinib)				
EUCRISA (crisaborole) ^{DUR+}	ZORYVE (roflumilast) 0.15% cream				
pimecrolimus					
tacrolimus					

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
ADBRY – MANUAL PA		EBGLYSS Requires clinical review	
CIBINQO Requires clinical review		EUCRISA 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months	
DUPIXENT 1 claim with DUPIXENT in the past 60 days OR - New starts require clinical review (see manual PA links below) Asthma – MANUAL PA Atopic Dermatitis – MANUAL PA COPD – MANUAL PA Eosinophilic Esophagitis – MANUAL PA Nasal Polyposis – MANUAL PA Prurigo Nodularis – MANUAL PA		OPZELURA 30 days of therapy with ELIDEL, EUCRISA or PROTOPIC	
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}			
ANTIANGINALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days COREG CR - Documented diagnosis of hypertension AND - Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days CORLANOR – MANUAL PA	
	ASPRUZO SPRINKLE (ranolazine)		
	ranolazine ER		
BETA- AND ALPHA-BLOCKERS			
carvedilol	carvedilol ER		
labetalol	COREG (carvedilol)		
	COREG CR (carvedilol)		
BETA-BLOCKER/DIURETIC COMBINATIONS			
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)		
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)		
metoprolol/hydrochlorothiazide			
propranolol/hydrochlorothiazide			
BETA-BLOCKERS			
acebutolol	BETAPACE (sotalol)		
atenolol	BETAPACE AF (sotalol)		
bisoprolol	betaxolol		
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)		
metoprolol succinate	INDERAL LA (propranolol)		
metoprolol tartrate	INDERAL XL (propranolol)		
nadolol	INNOPRAN XL (propranolol)		
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)		
pindolol	LOPRESSOR (metoprolol tartrate)		
propranolol	SOTYLIZE (sotalol)		
propranolol ER	TENORMIN (atenolol)		
SORINE (sotalol)	TOPROL XL (metoprolol succinate)		
sotalol			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+} (continued)		
sotalol AF		See previous page for additional PA Criteria/DUR+ Rules
timolol		
SINUS NODE AGENTS		
	CORLANOR (ivabradine)	
	ivabradine	
BILE SALTS		
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (elafibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	
	URSO FORTE (ursodiol)	
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+} <i>(continued)</i>		
OTHERS		See previous page for additional PA Criteria/DUR+ Rules
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	EVENITY (romosozumab-aqqg)	
	EVISTA (raloxifene)	
	MIACALCIN (calcitonin salmon)	
	PROLIA (denosumab)	
	teriparatide	
	TYMLOS (abaloparatide)	
	XGEVA (denosumab)	
BPH AGENTS ^{DUR+}		
5-ALPHA-REDUCTASE INHIBITORS		CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL – Female
dutasteride	AVODART (dutasteride)	• Documented State-accepted diagnosis
finasteride	ENTADFI (finasteride/tadalafil)	
	PROSCAR (finasteride)	
ALPHA BLOCKERS		Non-Preferred Criteria – Male
alfuzosin ER	CARDURA (doxazosin)	• Have tried 2 different preferred agents in the past 6 months OR
doxazosin	CARDURA XL (doxazosin)	• 90 days of therapy with the requested agent in the past 105 days
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		ENTADFI
	CIALIS (tadalafil)	• Requires clinical review
	tadalafil	
BRONCHODILATORS & COPD AGENTS		
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		Minimum Age Limit
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	• 6 years: SPIRIVA RESPIMAT
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	SPIRIVA RESPIMAT
ipratropium/albuterol		• Automatic approval issued for diagnosis of asthma for ≥ 6 years of age
STIOLTO RESPIMAT (tiotropium/olodaterol)		BREZTRI AEROSPHERE
		• 3 claims with BREZTRI AEROSPHERE in the past 105 days OR
		• New starts require clinical review
		See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BRONCHODILATORS, BETA AGONISTS (continued)		
ANTICHOLINERGIC-BATA AGONIST-GLUCOCORTICOID COMBINATIONS		See previous page for additional PA Criteria/DUR+ Rules
	BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}	
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)	Non-Preferred Criteria 1 claim for a preferred agent in the past 6 months OR 3 claims with the requested agent in the past 105 days
ANTICHOLINERGICS AND COPD AGENTS		Minimum Age Limit 4 years: SEREVENT, XOPENEX HFA 6 years: XOPENEX Solution 18 years: BROVANA, PERFOROMIST, STRIVERDI RESPIMAT
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	Quantity Limit (per 31 days) 2 inhalers: -- MANUAL PA
INCRUSE ELLIPTA (umeclidinium)	OHTUVAYRE (ensifentrine)	
ipratropium	roflumilast	
SPIRIVA HANDIHALER (tiotropium)	SPIRIVA RESPIMAT (tiotropium) ^{DUR+}	
	tiotropium	XOPENEX HFA and Solution 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
	TUDORZA PRESSAIR (aclidinium)	
	YUPERI (revefenacin)	
INHALATION SOLUTION ^{DUR+}		
albuterol	arformoterol	
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	
	levalbuterol	
	PERFOROMIST (formoterol)	
INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	levalbuterol HFA	
VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	
terbutaline		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
CALCIUM CHANNEL BLOCKERS ^{DUR+}					
LONG-ACTING				Quantity Limit (per 21 days) • 252 capsules: nimodipine • 2520 mL: nimodipine Non-Preferred Criteria – Long Acting • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria – Short Acting • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Nimodipine • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days	
amlodipine		CARDIZEM CD (diltiazem)			
CARTIA XT (diltiazem)		CARDIZEM LA (diltiazem)			
diltiazem ER 24 HR		diltiazem ER 12 HR			
diltiazem CD 24 HR		diltiazem LA 24 HR			
diltiazem XR 24 HR		KATERZIA (amlodipine)			
DILT-XR 24 HR (diltiazem)		levamlodipine			
felodipine		MATZIM LA (diltiazem)			
nifedipine ER		nisoldipine			
TAZTIA XT (diltiazem)		NORVASC (amlodipine)			
verapamil ER		PROCARDIA XL (nifedipine)			
LONG-ACTING					
verapamil SR		SULAR (nisoldipine)			
		TIADYL [®] ER (diltiazem)			
		TIAZAC (diltiazem)			
		verapamil PM			
		VERELAN PM (verapamil)			
SHORT-ACTING					
diltiazem		CARDIZEM (diltiazem)			
nicardipine		isradipine			
nifedipine		nimodipine capsule and solution			
verapamil		NORLIQVA (amlodipine)			
		NYMALIZE (nimodipine)			
CALORIC AGENTS					
BOOST		All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.		Non-Preferred Agents – <u>MANUAL PA</u>	
BREAKFAST ESSENTIALS					
BRIGHT BEGINNINGS					
DUOCAL					
ENSURE					
NUTREN					
OSMOLITE					
PEDIASURE					
PROMOD					
RESOURCE					
TWOCAL HN					

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)							
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS			Non-Preferred Criteria – All Cephalosporin Generations - Have tried 2 different preferred agents in the past 6 months Maximum Age Limit 18 years: cefdinir suspension				
amoxicillin/clavulanate		amoxicillin/clavulanate ER					
		AUGMENTIN (amoxicillin/clavulanate)					
CEPHALOSPORINS – FIRST GENERATION							
cefadroxil		cephalexin tablet					
cephalexin capsule, suspension							
CEPHALOSPORINS – SECOND GENERATION							
cefaclor capsule		cefaclor ER					
cefprozil		cefaclor suspension					
cefuroxime							
CEPHALOSPORINS – THIRD GENERATION							
cefdinir		cefixime suspension					
cefixime capsule		SUPRAX (cefixime)					
cefpodoxime							
COLONY STIMULATING FACTORS							
FULPHILA (pegfilgrastim-jmdb)		FYLNETRA (pegfilgrastim-pbbk)					
NEUPOGEN (filgrastim)		GRANIX (tbo-filgrastim)					
		LEUKINE (sargramostim)					
		NEULASTA, NEULASTA ONPRO (pegfilgrastim)					
		NIVESTYM (filgrastim-aafi)					
		NYVEPRIA (pegfilgrastim-apgf)					
		RELEUKO (filgrastim-ayow)					
		ROLVEDON (eflapegrastim-xnst)					
		STIMUFEND (pegfilgrastim-fpgk)					
		UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)					
		ZARXIO (filgrastim-sndz)					
		ZIEXTENZO (pegfilgrastim-bmez)					
CYSTIC FIBROSIS AGENTS ^{DUR+}							
PULMOZYME (dornase alfa)		ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor) ^{NR}				Minimum Age Limit 1 month: KALYDECO granules 3 months: PULMOZYME 1 year: ORKAMBI 2 years: COLY-MYCIN M, TRIKAFTA granules See next page for additional PA Criteria/DUR+ Rules	
tobramycin (generic TOBI)		BETHKIS (tobramycin)					
		BRONCHITOL (mannitol)					
		CAYSTON (aztreonam)					
		colistimethate					
		COLY-MYCIN M (colistin)					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYSTIC FIBROSIS AGENTS ^{DUR+} (continued)		
	KALYDECO (ivacaftor)	See previous page for additional PA Criteria/DUR+ Rules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL Maximum Age Limit • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets Preferred Agents • Documented diagnosis of Cystic Fibrosis OR • Require clinical review ALYFTREK – MANUAL PA KALYDECO – MANUAL PA ORKAMBI – MANUAL PA SYMDEKO – MANUAL PA TOBI PODHALER – Require clinical review TRIKAFTA – MANUAL PA
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
ACTEMRA (tocilizumab) syringe, vial	ABRILADA (adalimumab-afzb)	Preferred Agents – Criteria details found here Non-Preferred Agents • Require clinical review IV Administered Agents • Require clinical review Preferred Agents – Criteria details found here See next page for additional PA Criteria/DUR+ Rules
AVSOLA (infliximab-axxq)	ACTEMRA ACTPEN (tocilizumab)	
ENBREL (etanercept)	adalimumab-aacf	
HUMIRA (adalimumab)	adalimumab-aaty	
KINERET (anakinra)	adalimumab-adaz	
methotrexate	adalimumab-adbm	
OLUMIANT (baricitinib)	adalimumab-fkjp	
OTEZLA (apremilast)	adalimumab-ryvk	
RINVOQ (upadacitinib)	AMJEVITA (adalimumab-atto)	
RINVOQ LQ (upadacitinib)	ARCALYST (rilonacept)	
SIMPONI (golimumab)	BIMZELX (bimekizumab-bkzx)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS^{DUR+} (continued)		
TALTZ (ixekizumab)	CIMZIA (certolizumab)	See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Agents Require clinical review IV Administered Agents Require clinical review
TYENNE Syringe, Vial (tocilizumab-aazg)	COSENTYX (secukinumab)	
XELJANZ (tofacitinib) tablet	CYLTEZO (adalimumab-adbm)	
	ENTYVIO (vedolizumab)	
	HADLIMA (adalimumab-bwwd)	
	HULIO (adalimumab-fkjp)	
	HYRIMOZ (adalimumab-adaz)	
	IDACIO (adalimumab-aacf)	
	ILARIS (canakinumab)	
	ILUMYA (tildrakizumab-asmn)	
	INFLECTRA (infliximab-dyyb)	
	infliximab	
	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	
	LITFULO (ritlectinib)	
	OMVOH (mirikizumab-mrkz)	
	ORENCIA (abatacept)	
	OTREXUP (methotrexate)	
	OTULFI (ustekinumab-aauz) ^{NR}	
	RASUVO (methotrexate)	
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	
	SILIQ (brodalumab)	
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	
	TREXALL (methotrexate)	
	TYENNE Autoinjector (tocilizumab-aazg)	
	ustekinumab-kfce ^{NR}	
	ustekinumab-ttwe ^{NR}	
	XATMEP (methotrexate)	
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YUFLYMA (adalimumab-aaty)	
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}					
EPOGEN (epoetin alfa)		ARANESP (darbepoetin alfa)		Non-Preferred Criteria • Documented diagnosis of cancer or chronic renal failure OR • Antineoplastic therapy in the past 6 months AND • Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR • 1 claim for the requested agent in the past 105 days JESDUVROQ • Requires clinical review MIRCERA • Documented diagnosis of chronic renal failure in the past 2 years	
MIRCERA (methoxy polyethylene glycol-epoetin-beta)		JESDUVROQ (daprodustat)			
RETACRIT (epoetin alfa-epbx)		PROCRT (epoetin alfa)			
		VAFSEO (vadadustat)			
FACTOR DEFICIENCY PRODUCTS ^{DUR+}					
FACTOR VIII				HEMLIBRA • 3 claims with HEMLIBRA in the past 105 days OR • New starts require clinical review – MANUAL PA	
ADVATE		ADYNOVATE			
AFSTYLA		ELOCTATE			
ALPHANATE		ESPEROCT			
ALTUVIIIQ		JIVI			
FEIBA		KCENTRA			
HEMOFIL M		OBIZUR			
HUMATE-P		VONVENDI			
KOATE					
KOGENATE FS					
FACTOR VIII					
KOVALTRY					
NOVOEIGHT					
NUWIQ					
RECOMBINATE					
WILATE					
XYNTHA, XYNTHA SOLOFUSE					
FACTOR IX					
ALPHANINE SD		BEQVEZ			
ALPROLIX		REBINYN			
BENEFIX					
IDELVION					
IXINITY					
PROFILNINE					
RIXUBIS					
OTHER HEMOPHILIA PRODUCTS					
COAGADEX (factor X)		ALHEMO (concizumab-mtci) ^{NR}			
FIBRYGA (fibrinogen)		CORIFACT (factor XIII) ^{NR}			
HEMLIBRA (emicizumab-kxwh) ^{DUR+}		HYMPAVZI (marstacimab-hncq)			
RIASTAP (fibrinogen)		NOVOSEVEN RT (factor VII)			
		SEVENFACT (factor VII)			
		TRETEN (factor XIII)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS		
duloxetine (generic CYMBALTA)	CYMBALTA (duloxetine)	
gabapentin	DIRZALMA SPRINKLE (duloxetine)	
pregabalin	duloxetine 40 mg DR capsules (generic IRENKA)	
SAVELLA (milnacipran)	gabapentin ER	
	GABARONE (gabapentin) ^{NR}	
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	NEURONTIN (gabapentin)	
	pregabalin ER	
FLUOROQUINOLONES ^{DUR+}		
ciprofloxacin tablet	BAXDELA (delafloxacin)	Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension Criteria for Age < 12 Years - Anthrax infection or exposure, cystic fibrosis, pneumonic plague, or tularemia AND - History of doxycycline in the past 3 months OR See next page for additional PA Criteria/DUR+ Rules See previous page for additional PA Criteria/DUR+ Rules 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide LEVAQUIN Solution Criteria for Age < 12 Years - Anthrax infection or exposure AND - CIPRO suspension in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	
GAUCHER'S DISEASE		
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
GENITAL WARTS & ACTINIC KERATOSIS AGENTS					
CONDYLOX (podofilox)		CARAC (fluorouracil)		Minimum Age Limit • 12 years: ALDARA, ZYCLARA • 18 years: CONDYLOX, PICATO, VEREGEN	
fluorouracil		EFUDEX (fluorouracil)			
imiquimod		VEREGEN (sinecatechins)			
podofilox		ZYCLARA (imiquimod)			
GI ULCER THERAPIES					
H2 RECEPTOR ANTAGONISTS				Prilosec suspension • Automatic approval issued for 0-2 years of age	
famotidine		cimetidine			
		nizatidine			
		PEPCID (famotidine)			
OTHERS					
CARAFATE (sucralfate) suspension		CARAFATE (sucralfate) tablet			
misoprostol		CYTOTEC (misoprostol)			
sucralfate		DARTISLA (glycopyrrolate)			
		VOQUEZNA (vonoprazan)			
PROTON PUMP INHIBITORS					
esomeprazole capsule		DEXILANT (dexlansoprazole)			
NEXIUM (esomeprazole) packet		dexlansoprazole			
omeprazole		esomeprazole packet			
pantoprazole		KONVOMEK (omeprazole/sodium bicarbonate)			
		lansoprazole Rx			
		NEXIUM (esomeprazole) capsule			
		omeprazole/sodium bicarbonate			
		PREVACID (lansoprazole)			
		PRILOSEC (omeprazole) packet			
		PROTONIX (pantoprazole)			
		rabeprazole			
		ZEGERID (omeprazole/sodium bicarbonate)			
GLUCOCORTICOIDS (INHALED)					
GLUCOCORTICOIDS				Non-Preferred Criteria • Glucocorticoids ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days	
ASMANEX (mometasone)		ALVESCO (ciclesonide)			
budesonide 0.25 mg and 0.5 mg		ARMONAIR DIGIHALER (fluticasone)			
fluticasone diskus		ARNUIITY ELLIPTA (fluticasone)			
fluticasone HFA		ASMANEX HFA (mometasone)			
PULMICORT FLEXHALER (budesonide)		budesonide 1 mg			
QVAR REDIHALER (beclomethasone)		FLOVENT HFA (fluticasone)			
		FLOVENT DISKUS (fluticasone)			
		PULMICORT (budesonide) nebulizer solution			
See next page for additional PA Criteria/DUR+ Rules					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOIDS (INHALED) (continued)		
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		See previous page for additional PA Criteria/DUR+ Rules
ADVAIR DISKUS (fluticasone/salmeterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)	
ADVAIR HFA (fluticasone/salmeterol)	AIRSUPRA (albuterol/budesonide)	
DULERA (mometasone/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)	
fluticasone/salmeterol diskus	BREYNA (budesonide/formoterol)	
fluticasone/salmeterol HFA	budesonide/formoterol	
SYMBICORT (budesonide/formoterol)	fluticasone/vilanterol	
	WIXELA INHUB (fluticasone/salmeterol)	
GROWTH HORMONES DUR+		
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	All Agents
NORDITROPIN FLEXPRO (somatropin)	NGENLA (somatrogen-ghla)	
SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SOGROYA (somapacitan-beco)	
	VOXZOGO (vosoritide)	
	ZOMACTON (somatropin)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
H. PYLORI COMBINATION TREATMENTS		
PYLERA (bismuth subcitrate potassium/metronidazole/ tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline lansoprazole/amoxicillin/clarithromycin	Quantity Limit 1 treatment course/year: all agents
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	
	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
MAVYRET (glecaprevir/pibrentasvir) ∞	EPCLUSA (sofosbuvir/velpatasvir) ∞	∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER - Require MANUAL PA Note: - EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) ∞	
ribavirin tablet	ledipasvir/sofosbuvir ∞	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) ∞	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ∞	
	ZEPATIER (elbasvir/grazoprevir) ∞	
HEREDITARY ANGIOEDEMA		
BERINERT (C1 esterase inhibitor)	CINRYZE (C1 esterase inhibitor)	
icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	ORLADEYO (berotralstat)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	
	TAKHZYRO (lanadelumab-flyo)	
HYPERURICEMIA & GOUT DUR+		
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
HYPOGLYCEMIA TREATMENT					
BAQSIMI (glucagon)		GVOKE (glucagon) Step Edit		Minimum Age Limit • 1 year: BAQSIMI • 2 years: GVOKE • 6 years: ZEGALOGUE Quantity Limit (per 31 days) • 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria – GVOKE • 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days	
GLUCAGEN (glucagon)					
glucagon emergency kit					
glucagon vial					
ZEGALOGUE (dasiglucagon)					
HYPOGLYCEMICS, BIGUANIDES					
metformin		GLUMETZA (metformin)		Non-Preferred Criteria • Have tried 2 different preferred DPP4 agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Note: Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review	
metformin ER (generic GLUCOPHAGE XR)		metformin ER (generic FORTAMET)			
		metformin ER (generic GLUMETZA)			
		metformin solution			
		RIOMET (metformin)			
JANUMET (sitagliptin/metformin)		alogliptin			
JANUMET XR (sitagliptin/metformin)		alogliptin/metformin			
JANUVIA (sitagliptin)		JENTADUETO XR (linagliptin/metformin)			
JENTADUETO (linagliptin/metformin)		KAZANO (alogliptin/metformin)			
TRADJENTA (linagliptin)		KOMBIGLYZE XR (saxagliptin/metformin)			
		NESINA (alogliptin)			
		ONGLYZA (saxagliptin)			
		OSENl (alogliptin/pioglitazone)			
		saxagliptin			
		saxagliptin/metformin ER			
		sitagliptin			
		sitagliptin/metformin			
		ZITUVIMET (sitagliptin/metformin)			
		ZITUVIMET XR (sitagliptin/metformin)			
		ZITUVIO (sitagliptin)			
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}					
BYETTA (exenatide)		BYDUREON (exenatide)		Minimum Age Limit • 10 years: BYDUREON BCISE, TRULICITY, VICTOZA • 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria • Documented diagnosis of Type 2 Diabetes and no history of SAXENDA or WEGOVY in the past 30 days OR See next page for additional PA Criteria/DUR+ Rules	
TRULICITY (dulaglutide)		exenatide			
VICTOZA (liraglutide)		liraglutide			
		MOUNJARO (tirzepatide)			
		OZEMPIC (semaglutide)			
		RYBELSUS (semaglutide)			
		SOLIQUA (insulin glargine/lixisenatide)			
		SYMLINPEN (pramlintide)			
		XULTOPHY (insulin degludec/liraglutide)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+} (continued)		
		See previous page for additional PA Criteria/DUR+ Rules No documented diagnosis for Type 2 Diabetes and 84 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria - Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days AND 84 days of therapy with TRULICITY in the past 6 months AND 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months OR - Documented diagnosis of Type 2 Diabetes AND 84 days of therapy with the request agent in the past 105 days <u>Note:</u> - Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. - Please see the PDL category Anti-obesity Select Agents for a list of covered agents. RYBELSUS 1.5 mg and 3 mg Require clinical review
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria - Documented diagnosis of Diabetes Mellitus AND - Have tried 1 preferred agent in the past 6 months OR 1 claim with the requested agent in the past 105 days Quantity Limit Insulin quantity limits can be found here <u>Note:</u> - Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries.
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN,	
insulin aspart protamine mix 70/30 vial	TEMPO PEN (insulin lispro)	
insulin lispro	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro protamine mix 75/25 vial	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
LANTUS (insulin glargine)	HUMULIN N KWIKPEN (insulin N)	
TOUJEO (insulin glargine)	insulin degludec	
TOUJEO MAX (insulin glargine)	insulin glargine	
	insulin glargine-yfgn	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	NOVOLIN 70/30 (insulin NPH/regular)	
	NOVOLIN N (insulin NPH)	
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+} (continued)					
		NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)		See previous page for additional PA Criteria/DUR+ Rules	
		REZVOGLAR (insulin glargine-aglr)			
		SEMGLEE (insulin glargine-yfqn)			
		TRESIBA (insulin degludec)			
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}					
nateglinide					
repaglinide					
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}					
SGLT-2 INHIBITORS				Non-Preferred Criteria - Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days	
FARXIGA (dapagliflozin)		dapagliflozin			
JARDIANCE (empagliflozin)		INPEFA (sotagliflozin)			
		INVOKANA (canagliflozin)			
		STEGLATRO (ertugliflozin)			
SGLT-2 INHIBITOR COMBINATIONS					
GLYXAMBI (empagliflozin/linagliptin)		dapagliflozin/metformin ER			
SYNJARDY (empagliflozin/metformin)		INVOKAMET (canagliflozin/metformin)			
SYNJARDY XR (empagliflozin/metformin)		INVOKAMET XR (canagliflozin/metformin)			
TRIJARDY XR (empagliflozin/linagliptin/metformin)		QTERN (dapagliflozin/saxagliptin)			
		SEGLUROMET (ertugliflozin/metformin)			
		STEGLUJAN (ertugliflozin/sitagliptin)			
		XIGDUO XR (dapagliflozin/metformin)			
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations					
pioglitazone		ACTOPLUS MET (pioglitazone/metformin)			
pioglitazone/metformin		ACTOS (pioglitazone)			
		DUETACT (pioglitazone/metformin)			
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}					
OFEV (nintedanib)		ESBRIET (pirfenidone)		All Agents - Documented diagnosis of Idiopathic Pulmonary Fibrosis OFEV - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with Ofev in the past 105 days ESBRIET or pirfenidone - Requires clinical review	
		pirfenidone			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNE GLOBULINS		
BIVIGAM	ALYGLO	
FLEBOGAMMA	ASCENIV	
GAMASTAN	CABLIVI	
GAMMAGARD	CUTAQUIG	
GAMMAGARD S-D	CUVITRU	
GAMUNEX-C	GAMMAKED	
HIZENTRA	GAMMAPLEX	
HYQVIA	OCTAGAM	
PANZYGA		
PRIVIGEN		
XEMBIFY		
IMMUNOLOGIC THERAPIES FOR ASTHMA		
DUPIXENT (dupilumab) ^{DUR+}	CINQAIR (reslizumab)	CINQAIR • Requires clinical review See below for additional PA Criteria/DUR+ Rules
FASENRA (benralizumab)	NUCALA (mepolizumab)	
XOLAIR (omalizumab)	TEZSPIRE (tezepelumab-ekko)	
DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ○ Asthma – MANUAL PA ○ Atopic Dermatitis – MANUAL PA ○ COPD – MANUAL PA ○ Eosinophilic Esophagitis – MANUAL PA ○ Nasal Polyposis – MANUAL PA ○ Prurigo Nodularis – MANUAL PA		FASENRA • Requires clinical review – MANUAL PA NUCALA • Requires clinical review TEZSPIRE • Requires clinical review XOLAIR • 1 claim with XOLAIR in the past 45 days OR • New starts require clinical review – MANUAL PA
IMMUNOSUPPRESSIVE AGENTS, ORAL		
AZASAN (azathioprine)	ASTAGRAF XL (tacrolimus)	Minimum Age Limit • 13 years: RAPAMUNE • 18 years: ZORTRESS Maximum Age Limit • 12 years: PROGRAF Granules See next page for additional PA Criteria/DUR+ Rules
azathioprine	ENVARSUS XR (tacrolimus)	
CELLCEPT (mycophenolate)	MYFORTIC (mycophenolate)	
cyclosporine	PROGRAF (tacrolimus)	
everolimus	REZUROCK (belumosudil)	
mycophenolate	ZORTRESS (everolimus)	
mycophenolic acid		
NEORAL (cyclosporine)		
RAPAMUNE (sirolimus)		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SANDIMMUNE (cyclosporine)		See previous page for additional PA Criteria/DUR+ Rules
sirolimus		
tacrolimus		
Preferred Criteria		
• AZASAN ◦ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE ◦ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • Everolimus ◦ Documented diagnosis of kidney or liver transplant • RAPAMUNE ◦ Documented diagnosis of kidney transplant • Tacrolimus ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis		
Non-Preferred Criteria		
• MYHIBBIN Suspension ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with mycophenolate suspension in the past 105 days OR ◦ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ASTAGRAF XR or ENVARSUS XR ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with tacrolimus IR in the past 105 days OR ◦ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules ◦ Age ≤ 11 years AND ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC ◦ Documented diagnosis of kidney transplant or psoriasis • ZORTRESS ◦ Documented diagnosis of kidney or liver transplant		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
INTRANASAL RHINITIS AGENTS					
ANTICHOLINERGICS			Non-Preferred Criteria – Corticosteroids • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months		
ipratropium					
ANTIHISTAMINE/CORTICOSTEROID COMBINATIONS					
	azelastine/fluticasone				
	DYMISTA (azelastine/fluticasone)				
	RYALTRIS (olopatadine/mometasone)				
ANTIISTAMINES					
azelastine		olopatadine			
	PATANASE (olopatadine)				
CORTICOSTEROIDS					
fluticasone		BECONASE AQ (beclomethasone)			
	flunisolide				
	mometasone				
	NASONEX (mometasone)				
	OMNARIS (ciclesonide)				
	QNASL (beclomethasone)				
	XHANCE (fluticasone)				
	ZETONNA (ciclesonide)				
IRON CHELATING AGENTS					
deferasirox (all manufacturers except those listed as non-preferred)		deferasirox (manufacturers starting with 45963, 62332)		JADENU – MANUAL PA	
deferiprone 500 mg tablet		EXJADE (deferasirox)			
FERRIPROX (deferiprone)		JADENU, JADENU SPRINKLE (deferasirox)			
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}					
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}				Minimum Age Limit • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTEGRITY, MOVANTIK, MYTESI, RELISTOR, SYMPROIC, TRULANCE, VIBERZI Gender Limit • Female – AMITIZA 8 mcg See next page for additional PA Criteria/DUR+ Rules	
LINZESS (linaclotide)		AMITIZA (lubiprostone)			
lubiprostone		IBSRELA (tenapanor)			
TRULANCE (plecanatide)		MOTTEGRITY (prucalopride)			
		MOVANTIK (naloxegol)			
		prucalopride ^{NR}			
		RELISTOR (methylnaltrexone)			
		SYMPROIC (naldemedine)			
IRRITABLE BOWEL SYNDROME DIARRHEA					
dicyclomine		alosetron			
ED-SPAZ (hyoscyamine)		LOTRONEX (alosetron) ^{DUR+}			
hyoscyamine, hyoscyamine ER		VIBERZI (eluxadoline) ^{DUR+}			
HYOSYNE (hyoscyamine)					
LEVSIN, LEVSIN-SL (hyoscyamine)					
NULEV (hyoscyamine)					
OSCIMIN, OSCIMIN SL (hyoscyamine)					
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}					
		GATTEX (teduglutide)			
		MYTESI (crofelemer)			

See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME – CONSTIPATION ^{DUR+}		
<u>Chronic Idiopathic Constipation (CIC):</u> Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY, TRULANCE • Preferred CIC Agents - o Documented diagnosis of CIC in the past year AND - o No history of GI or bowel obstruction • LINZESS 72 mcg - o Age 6-17 years AND - o Documented diagnosis of CIC or pediatric functional constipation in the past year AND - o No history of GI or bowel obstruction • Non-Preferred CIC Agents - o Documented diagnosis of CIC AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred CIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	<u>Irritable Bowel Syndrome – Constipation Dominant (IBS-C):</u> AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg, TRULANCE • Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction • Non-Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred IBS-C agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	<u>Opioid Induced Constipation (OIC):</u> AMITIZA 24 mcg, MOVANTIK, RELISTOR, SYMPROIC • Preferred OIC Agents - o Documented diagnosis of OIC and chronic pain in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents - o All preferred criteria met AND - o Have tried 1 preferred OIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days • Relistor Injection - o Above OIC criteria OR - o Documented diagnosis of OIC and active cancer in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days
IRRITABLE BOWEL SYNDROME – DIARRHEA		
• VIBERZI [New starts require clinical review] Documented diagnosis of IBS – D in the past year and 1 claim for Viberzi in the past 105 days • LOTROXEX - o 1 claim for LOTROXEX in the past 105 days OR - o New starts require clinical review – MANUAL PA • XIFAXAN – (see Antibiotics, GI) See previous page for additional PA Criteria/DUR+ Rules		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
<u>HIV/AIDS Non-infectious Diarrhea</u> • MYTESI - o Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND - o 1 claim for an antiretroviral in the past 30 days	<u>Short Bowel Syndrome (SBS)</u> • GATTEX - o 1 claim for GATTEX in the past 105 days OR - o New starts require clinical review	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LEUKOTRIENE MODIFIERS ^{DUR+}		
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit • 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	
LIPOTROPICS, OTHER (NON-STATINS)		
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria – Fibric Acid Derivatives ◦ Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months JUXTAPID – MANUAL PA
	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ezetimibe)	KYNAMRO • Requires clinical review LEQVIO • Requires clinical review NEXLETOL and NEXLIZET • Require clinical review PRALUENT – MANUAL PA
ANGIOPOIETIN-LIKE 3 INHIBITORS		
	EVKEEZA (evinacumab-dgnb)	
BILE ACID SEQUESTRANTS		
cholestyramine	colesevelam	
cholestyramine light	COLESTID (colestipol)	
LIPOTROPICS, OTHER (NON-STATINS)		
colestipol tablet	colestipol packet	REPATHA – MANUAL PA WELCHOL • Documented diagnosis of Type 2 Diabetes AND • 30 days of therapy with an antidiabetic agent in the past 6 months OR 90 days of therapy with WELCHOL in the past 105 days
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
LIPOTROPICS, OTHER (NON-STATINS) (continued)			
NIACIN		See previous page for additional PA Criteria/DUR+ Rules	
niacin ER			
OMEGA-3 FATTY ACIDS			
omega-3 acid ethyl esters	icosapent ethyl		
	LOVAZA (omega-3 acid ethyl esters)		
PCSK-9 INHIBITORS			
REPATHA (evolocumab)	LEQVIO (inclisiran)		
	PRALUENT (alirocumab)		
LIPOTROPICS, STATINS DUR+			
STATINS		Minimum Age Limit 10 years: ATORVALIQ Suspension Non-Preferred Criteria - Have tried 2 different preferred statin or statin combination agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Simvastatin Daily doses ≥ 80 mg require clinical review	
atorvastatin	ALTOPREV (lovastatin)		
lovastatin	ATORVALIQ (atorvastatin)		
pravastatin	CRESTOR (rosuvastatin)		
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)		
simvastatin	FLOLIPID (simvastatin)		
	fluvastatin		
	fluvastatin ER		
	LESCOL XL (fluvastatin)		
	LIPITOR (atorvastatin)		
	LIVALO (pitavastatin)		
	pitavastatin		
	ZOCOR (simvastatin)		
	ZYPITAMAG (pitavastatin)		
STATIN COMBINATIONS			
ezetimibe/simvastatin	amlodipine/atorvastatin		
	CADUET (amlodipine/atorvastatin)		
	VYTORIN (ezetimibe/simvastatin)		
MISCELLANEOUS BRAND/GENERIC			
ALLERGEN EXTRACT IMMUNOTHERAPY			CUMULATIVE quantity limit (per 31 days) 31 tablets: alprazolam ER Quantity Limit (per 31 days) 2 kits: epinephrine
	GRASTEK		
	ORALAIR		
	RAGWITEK		
EPINEPHRINE			EVRYSDI – MANUAL PA
epinephrine (Mylan)	AUVI-Q (epinephrine)		
	epinephrine (all other manufacturers)		
	EPIPEN (epinephrine)		
	EPIPEN JR (epinephrine)		
	NEFFY (epinephrine) ^{NR}		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MISCELLANEOUS BRAND/GENERIC (continued)		
MISCELLANEOUS		See previous page for additional PA Criteria/DUR+ Rules
alprazolam	alprazolam ER	
hydroxyzine HCL	CAMZYOS (mavacamten)	
hydroxyzine pamoate	CRENESSITY (crinecerfont) ^{NR}	
megestrol	EVRYSDI (risdiplam)	
REVLIMID (lenalidomide)	KORLYM (mifepristone)	
	lenalidomide	
	TRYNGOLZA (olezarsen) ^{NR}	
	VERQUVO (vericiguat)	
	VISTARIL (hydroxyzine pamoate)	
	XANAX, XANAX XR (alprazolam)	
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroglycerin)		
MOVEMENT DISORDER AGENTS ^{DUR+}		
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	AUSTEDO and AUSTEDO XR • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with either agent in the past 105 days OR • New starts require clinical review – MANUAL PA INGREZZA • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with this agent in the past 105 days OR • New starts require clinical review – MANUAL PA
AUSTEOD XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		
MULTIPLE SCLEROSIS AGENTS ^{DUR+}		
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	Preferred Agents • Documented diagnosis of multiple sclerosis Non-Preferred Criteria • Documented diagnosis of multiple sclerosis AND • Have tried 2 different preferred agents in the past 6 months OR • 3 claims with the requested agent in the last 105 days KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA • Require clinical review
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	
dimethyl fumarate	BAFIERTAM (monomethyl fumarate)	
fingolimod	BRIUMVI (ublituximab-xiiy)	
REBIF (interferon beta-1b)	COPAXONE (glatiramer) 40 mg	
REBIF REBIDOSE (interferon beta-1b)	GILENYA (fingolimod)	
teriflunomide	glatiramer	
TYSABRI (natalizumab)	GLATOPA (glatiramer)	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
		See next page for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MULTIPLE SCLEROSIS AGENTS ^{DUR+} (continued)		
	MAYZENT (siponimod)	See previous page for additional PA Criteria/DUR+ Rules
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	PLEGRIDY (peginterferon beta-1a)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	TECFIDERA (dimethyl fumarate)	
	VUMERITY (diroximel fumarate)	
	ZEPOSIA (ozanimod)	
MUSCULAR DYSTROPHY AGENTS		
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	AGAMREE – MANUAL PA
	AMONDYS-45 (casimersen)	ELEVIDYS – MANUAL PA
	deflazacort	
	DUVYZAT (givinostat)	EMFLAZA – MANUAL PA
	ELEVIDYS (delandistrogene moxeparvovec-rokl)	EXONDYS – MANUAL PA
	EXONDYS-51 (eteplirsen)	VILTEPSO – MANUAL PA
	VILTEPSO (viltolarsen)	
	VYONDYS-53 (golodirsen)	VYONDYS – MANUAL PA
NSAIDS		
COX II SELECTIVE		Quantity Limit (per 31 days) • 20 tablets: ketorolac tablets ELYXYB • Requires clinical review
meloxicam	CELEBREX (celecoxib)	
	celecoxib	
	ELYXYB (celecoxib)	Non-Preferred Criteria • Non-Selective & Combinations - Have tried 2 different preferred non-selective or NSAID/GI protectant combination agents in the past 6 months • COX II Selective - Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND 90 days of therapy with the requested agent in the past 105 days OR - Have tried 1 preferred COX-II Selective Agent and 1 preferred Non-Selective Agent OR See next page for additional PA Criteria/DUR+ Rules
NON-SELECTIVE		
diclofenac sodium	DAYPRO (oxaprozin)	
diclofenac sodium ER	diclofenac potassium	
EC-naproxen DR 500 mg tablet	DOLOBID (diflunisal)	
etodolac tablet	etodolac capsule, etodolac ER	
flurbiprofen	FELDENE (piroxicam)	
ibuprofen	fenoprofen	
indomethacin capsule	indomethacin ER, indomethacin suppository	
ketoprofen	ketoprofen	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
NSAIDS (continued)					
ketorolac		kiprofen		See previous page for additional PA Criteria/DUR+ Rules - Documented diagnosis of GI Bleed, GERD, PUD, GI Perforation, or Coagulation Disorder AND - Have tried 1 preferred COX-II Selective agent	
nabumetone		LOFENA (diclofenac potassium)			
naproxen 250 mg, 500 mg		meclofenamate			
piroxicam		mefenamic acid			
sulindac		NALFON (fenoprofen)			
		NAPRELAN (naproxen)			
		NAPROSYN 375 mg (naproxen)			
		naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg			
		oxaprozin			
		RELAFEN DS (nabumetone)			
		TOLECTIN 600 mg (tolmetin)			
		tolmetin			
NSAID/GI PROTECTANT COMBINATIONS					
		ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)			
		diclofenac/misoprostol			
		ibuprofen/famotidine			
		naproxen/esomeprazole			
		VIMOVO (naproxen/esomeprazole)			
OPHTHALMIC AGENTS					
ANTIBIOTICS				Minimum Age Limit 16 years: RESTASIS 17 years: XIIDRA 18 years: CEQUA, MIEBO, VEVYE Quantity Limit (per 31 days) 2 mL: VEVYE 3 mL: MIEBO 5.5 mL: RESTASIS Multidose 60 units: CEQUA, RESTASIS Droperette, XIIDRA Non-Preferred Criteria Anti-Inflammatory Agents - Have tried 2 different preferred agents in the past 6 months Dry Eye Agents / CEQUA 4 claims for RESTASIS Droperette and XIIDRA in the past 6 months EYSUVIS Requires clinical review	
bacitracin/polymyxin		AZASITE (azithromycin)			
ciprofloxacin		bacitracin			
erythromycin		BESIVANCE (besifloxacin)			
gentamicin		CILOXAN (ciprofloxacin)			
moxifloxacin		gatifloxacin			
ofloxacin		NATACYN (natamycin0			
polymyxin B/trimethoprim		neomycin/bacitracin/polymyxin			
tobramycin		OCUFLOX (ofloxacin)			
		sulfacetamide			
		TOBREX (tobramycin)			
		VIGAMOX (moxifloxacin)			
ANTIBIOTIC-STEROID COMBINATIONS					
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)		MAXITROL (neomycin/polymyxin/dexamethasone)			
neomycin/bacitracin/polymyxin/hydrocortisone		neomycin/polymyxin/gramicidin			
neomycin/polymyxin/dexamethasone		TOBRADEX ST (tobramycin/dexamethasone)			
PRED-G (gentamicin/prednisolone)					
sulfacetamide/prednisolone					
TOBRADEX (tobramvcin/dexamethasone)					
See next page for additional PA Criteria/DUR+ Rules					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC AGENTS <i>(continued)</i>		
tobramycin/dexamethasone		See previous page for additional PA Criteria/DUR+ Rules
ZYLET (tobramycin/loteprednol)		
ANTI-INFLAMMATORY AGENTS		MIEBO
dexamethasone	ACULAR, ACULAR LS (ketorolac)	• Requires clinical review
diclofenac sodium	ACUVAIL (ketorolac)	
difluprednate	bromfenac	RESTASIS Multidose
FLAREX (fluorometholone)	BROMSITE (bromfenac)	• Require clinical review
fluorometholone	DUREZOL (difluprednate)	
flurbiprofen	FML (fluorometholone)	TYRVAYA
FML FORTE (fluorometholone)	ILEVRO (nepafenac)	• Requires clinical review
ketorolac	INVELTYS (loteprednol)	
MAXIDEX (dexamethasone)	LOTEMAX, LOTEMAX SM (loteprednol)	VEVYE
PRED MILD (prednisolone)	loteprednol	Requires clinical review
prednisolone acetate	NEVANAC (nepafenac)	
prednisolone sodium phosphate	PRED FORTE (prednisolone)	
	PROLENSA (bromfenac)	
DRY EYE AGENTS		
RESTASIS Dropperette (cyclosporine)	CEQUA (cyclosporine)	
XIIDRA (lifitegrast)	cyclosporine	
	EYSUVIS (loteprednol)	
	MIEBO (perfluorohexyloactane)	
	RESTASIS Multidose (cyclosporine)	
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
BETA BLOCKERS		Minimum Age Limit
BETIMOL (timolol)	betaxolol	• 18 years: IYUZEH
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol dropperette, daily drop, gel	Non-Preferred Criteria
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	• Have tried 2 different preferred agents in the past 6 months OR
timolol drops 0.25%, 0.5%		• 90 days of therapy with the requested agent in the past 105 days
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC, GLAUCOMA AGENTS (continued)		
PROSTAGLANDIN ANALOGS		See previous page for additional PA Criteria/DUR+ Rules
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprost)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%	
brimonidine 0.2%		
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS		
ALREX (loteprednol)	ALOCRIL (nedocromil)	Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen OTC	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACRAFT (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIAE (cetirizine)	
OPIATE DEPENDENCE TREATMENTS		
DEPENDENCE		Buprenorphine/naloxone provider summary found here SUBLOCADE – MANUAL PA VIVITROL – MANUAL PA
buprenorphine/naloxone SL tablet	BRIXADI (buprenorphine)	
naltrexone	buprenorphine	
SUBOXONE (buprenorphine/naloxone)	buprenorphine/naloxone film	
	lofexidine	
	LUCEMYRA (lofexidine)	
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone)	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
OPIATE DEPENDENCE TREATMENTS (continued)					
OPVEE (nalmeferene)				See previous page for additional PA Criteria/DUR+ Rules	
REXTOVY (naloxone)					
ZIMHI (naloxone)					
OTIC ANTIBIOTICS					
CIPRO HC (ciprofloxacin/hydrocortisone)		ciprofloxacin		Maximum Age Limit 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria - Age ≥ 6 months AND - Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND - Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension	
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)		ciprofloxacin/fluocinolone			
fluocinolone		ciprofloxacin/dexamethasone			
neomycin/polymyxin/hydrocortisone		DERMOTIC (fluocinolone)			
		FLAC OTIC OIL (fluocinolone)			
		hydrocortisone/acetic acid			
		OTOVEL (ciprofloxacin/fluocinolone)			
PANCREATIC ENZYMES					
CREON (lipase/protease/amylase)		PERTZYE (lipase/protease/amylase)		Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months	
ZENPEP (lipase/protease/amylase)		VIOKACE (lipase/protease/amylase)			
PARATHYROID AGENTS					
calcitriol		doxercalciferol			
cinacalcet		RAYALDEE (calcifediol)			
ergocalciferol		ROCALTROL (calcitriol)			
paricalcitol		SENSIPAR (cinacalcet)			
ZEMPLAR (paricalcitol)		YORVIPATH (palopegteriparatide)			
PHOSPHATE BINDERS					
calcium acetate		AURYXIA (ferric citrate)			
CALPHRON (calcium acetate)		FOSRENOL (lanthanum)			
sevelamer carbonate tablet		lanthanum			
		MAGNEBIND (calcium carbonate/magnesium)			
		RENVELA (sevelamer)			
		sevelamer carbonate packet, sevelamer HCl			
		VELPHORO (sucroferric oxyhydroxide)			
		XPHOZAH (tenapanor)			
PLATELET AGGREGATION INHIBITORS					
aspirin/dipyridamole		EFFIENT (prasugrel)		Non-Preferred Criteria - Documented diagnosis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ZONTIVITY – MANUAL PA	
BRILINTA (ticagrelor)		PLAVIX (clopidogrel)			
cilostazol					
clopidogrel					
dipyridamole					
pentoxifylline					
prasugrel					

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
PLATELET STIMULATING AGENTS					
NPLATE (romiplostim)		ALVAIZ (eltrombopag)			
PROMACTA (eltrombopag) tablet		DOPTelet (avatrombopag)			
		MULPLETA (lusutrombopag)			
		PROMACTA (eltrombopag) packet			
		TAVALISSE (fostamatinib)			
POTASSIUM REMOVING AGENTS					
LOKELMA (sodium zirconium cyclosilicate)		KIONEX (sodium polystyrene sulfonate)			
SPS (sodium polystyrene sulfonate) suspension		sodium polystyrene sulfonate			
		SPS (sodium polystyrene sulfonate) enema			
		VELTASSA (patiromer calcium sorbitex)			
PRENATAL VITAMINS					
CLASSIC PRENATAL		All prenatal vitamins are non-preferred except for those specifically indicated as preferred.		List of Preferred NDC's for Prenatal Vitamins can be found here	
COMPLETE NATAL DHA					
COMPLETENATE					
M-NATAL PLUS					
NIVA-PLUS					
PRENATAL PLUS VITAMIN-MINERAL					
PRENATAL VITAMINS (continued)					
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID		All prenatal vitamins are non-preferred except for those specifically indicated as preferred.		List of Preferred NDC's for Prenatal Vitamins can be found here	
SE-NATAL-19					
STUART ONE					
THRIVITE RX					
TRICARE					
TRINATAL RX 1					
WESNATAL DHA COMPLETE					
WESTAB PLUS					
PSEUDOBULBAR AFFECT AGENTS					
		NUEDEXTA (dextromethorphan/quinidine)		Non-Preferred Criteria - Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days	
PULMONARY ANTIHYPERTENSIVE AGENTS					
ACTIVIN SIGNALING INHIBITORS				Minimum Age Limit 18 years: ADEMPAS, OPSYNVI, TADLIQ	
		WINREVAIR (sotatercept-csrk)			
COMBINATION AGENTS				Maximum Age Limit 12 years: REVATIO suspension	
		OPSYNVI (macitentan/tadalafil)			
ENDOTHELIN RECEPTOR ANTAGONISTS				Preferred Criteria PAH Agents See next page for additional PA Criteria/DUR+ Rules	
ambrisentan		OPSUMIT (macitentan)			
bosentan		TRACLEER (bosentan)			
LETAIRIS (ambrisentan)		TRYVIO (aprocitentan)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMONARY ANTIHYPERTENSIVE AGENTS (continued)		
PDE5 INHIBITORS		See previous page for additional PA Criteria/DUR+ Rules - Documented diagnosis of pulmonary hypertension Sildenafil tablets ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days Sildenafil suspension < 12 years of age AND - Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR 90 days stable therapy with sildenafil suspension in the past 105 days Non-Preferred Criteria - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days LIQREV, OPSUMIT, OPSYNI, ORENITRAM ER, TYVASO, and VENTAVIS - Require clinical review
sildenafil (generic REVATIO) tablet, suspension	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	LIQREV (sildenafil)	
	REVATIO (sildenafil)	
	TADLIQ (tadalafil)	
PROSTACYCLINS		
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	
	VENTAVIS (iloprost)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		
	UPTRAVI (selexipag)	
SOLUBLE GUANYLATE CYCLASE STIMULATORS		
	ADEMPAS (riociguat)	
ADEMPAS		
- Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with ADEMPAS in the past 105 days		
TADLIQ		
- Documented diagnosis of pulmonary hypertension AND - Have tried preferred sildenafil suspension in the past 6 months OR 90 days of therapy with TADLIQ in the past 105 days		
UPTRAVI		
- Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred endothelin receptor antagonist in the past 6 months AND - Have tried 1 preferred PDE5 inhibitor in the past 6 months OR 90 days of therapy with UPTRAVI in the past 105 days		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ROSACEA TREATMENTS					
metronidazole		AVAR (sulfacetamide sodium/sulfur)		<u>Note:</u> • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.	
		AVAR LS (sulfacetamide sodium/sulfur)			
		AVAR-E (sulfacetamide sodium/sulfur)			
		BP 10-1 (sulfacetamide sodium/sulfur)			
		brimonidine			
		EPSOLAY (benzoyl peroxide)			
		FINACEA (azelaic acid)			
		METROCREAM (metronidazole)			
		METROGEL (metronidazole)			
		MIRVASO (brimonidine)			
		NORITATE (metronidazole)			
		OVACE (sulfacetamide sodium)			
		OVACE PLUS (sulfacetamide sodium)			
		RHOFADE (oxymetazoline)			
		ROSADAN (metronidazole)			
		ROSULA (sulfacetamide sodium/sulfur)			
		sodium sulfacetamide			
		sodium sulfacetamide/sulfur			
		SOOLANTRA (ivermectin)			
		SUMADAN (sulfacetamide sodium/sulfur)			
		SUMADAN XLT (sulfacetamide sodium/sulfur/avob)			
		SUMAXIN (sulfacetamide sodium/sulfur)			
		SUMAXIN CP (sulfacetamide sodium/sulfur)			
		SUMAXIN TS (sulfacetamide sodium/sulfur)			
SEDATIVE HYPNOTIC AGENTS					
BENZODIAZEPINES ^{DUR+}				MS DOM Opioid Initiative – Criteria details found here • Concomitant use of Opioids and Benzodiazepines Maximum Age Limit • 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit • Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg • Male: all strengths of zolpidem Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months See next page for additional PA Criteria/DUR+ Rules	
estazolam		flurazepam			
temazepam 15 mg, 30 mg capsule		HALCION (triazolam)			
		quazepam			
		RESTORIL (temazepam)			
		temazepam 7.5 mg, 22.5 mg capsule			
		triazolam			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SEDATIVE HYPNOTIC AGENTS <i>(continued)</i>		
OTHERS DUR+		See previous page for additional PA Criteria/DUR+ Rules
eszopiclone	AMBIEN (zolpidem)	HETLIOZ capsules - Age 18 years or older AND - Documented diagnosis of circadian rhythm sleep disorder OR - Age 16 years and older AND - Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid - Age 3-15 years AND - Documented diagnosis of Smith-Magenis syndrome Note: - Single-source benzodiazepines and barbiturates are NOT covered. - PA's will NOT be issued for these drugs.
ramelteon	AMBIEN CR (zolpidem)	
zaleplon	BELSOMRA (suvorexant)	
zolpidem tablet	DAYVIGO (lemborexant)	
	doxepin	
	EDULAR (zolpidem)	
	HETLIOZ LQ (tasimelteon)	
	LUNESTA (eszopiclone)	
	QUVIVIQ (daridorexant)	
	ROZEREM (ramelteon)	
	tasimelteon	
	zolpidem capsule	
	zolpidem sublingual tablet	
	zolpidem ER	
		See below for additional PA Criteria/DUR+ Rules
CUMULATIVE Quantity Limit – Benzodiazepines 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – Triazolam 10 units/31 days: Quantity limit per rolling days for all strengths. 60 units/365 days: Quantity limit per rolling days for all strengths. CUMULATIVE Quantity Limit – Non-Benzodiazepines 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – HETLIOZ LQ 1 bottle (48 mL or 158 mL): Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – ZOLPIMIST 1 canister/31 days: male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. 1 canister/62 days: female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SELECT CONTRACEPTIVE PRODUCTS		
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES ^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	
	NATAZIA (estradiol valerate/dienogest)	
	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)	
	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)	
YASMIN (ethinyl estradiol/drospirenone)		
YAZ (ethinyl estradiol/drospirenone)		
TRANSDERMAL CONTRACEPTIVES		
XULANE (norgestromin/ethinyl estradiol)	norgestromin/ethinyl estradiol	
	TWIRLA (levonorgestrel/ethinyl estradiol)	
	ZAFEMY (norgestromin/ethinyl estradiol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SICKLE CELL AGENTS		
DROXIA (hydroxyurea) hydroxyurea	ADAKVEO (crizanlizumab-tmca) CASGEVY (exagamglogene autotemcel) ENDARI (glutamine) HYDREA (hydroxyurea) l-glutamine LYFGENIA (lovotibeglogene autotemcel) SIKLOS (hydroxyurea)	ENDARI – MANUAL PA
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
baclofen 5 mg, 10 mg, 20 mg tablet chlorzoxazone cyclobenzaprine 5 mg, 10 mg tablet methocarbamol tizanidine tablet	AMRIX (cyclobenzaprine) baclofen 15 mg tablet baclofen suspension carisoprodol carisoprodol/aspirin cyclobenzaprine 7.5 mg tablet cyclobenzaprine ER DANTRIUM (dantrolene) dantrolene FEXMID (cyclobenzaprine) FLEQSUVY (baclofen) LORZONE (chlorzoxazone) LYVISPAH (baclofen) metaxalone NORGESIC (orphenadrine/aspirin/cafeine) NORGESIC FORTE (orphenadrine/aspirin/cafeine) orphenadrine orphenadrine/aspirin/cafeine ORPHENGESIC FORTE (orphenadrine/aspirin/cafeine) SOMA (carisoprodol) TANLOR (methocarbamol) tizanidine capsule ZANAFLEX (tizanidine)	Quantity Limit 84 tablets/180 days: carisoprodol Non-Preferred Criteria - Documented diagnosis of an approvable indication AND - Have tried 2 different preferred agents in the past 6 months Baclofen granules, solution, and suspension - Require clinical review. Carisoprodol - Documented diagnosis of acute musculoskeletal condition AND - No history with meprobamate in the past 105 days AND - History of 1 claim for cyclobenzaprine in the past 21 Carisoprodol with codeine - Requires clinical review. Metaxalone 640 mg and TANLOR - Requires clinical review

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SMOKING DETERRENTS					
NICOTINE TYPE			Minimum Age Limit 18 years: CHANTIX Quantity Limit 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack 2 treatment courses/year: CHANTIX Starter Pack		
nicotine gum ^{OTC}		NICOTROL INHALER CARTRIDGE			
nicotine lozenge ^{OTC}		NICOTROL NASAL SPRAY			
nicotine patch ^{OTC}					
NON-NICOTINE TYPE					
bupropion SR					
CHANTIX (varenicline)					
varenicline					
STEROIDS (TOPICAL)					
LOW POTENCY			Non-Preferred Criteria - Low Potency - Have tried 2 different preferred low potency agents in the past 6 months - Medium Potency - Have tried 2 different preferred medium potency agents in the past 6 months - High Potency - Have tried 2 different preferred high potency agents in the past 6 months - Very High Potency - Have tried 2 different preferred very high potency agents in the past 6 months Clobetasol 0.025% - Requires clinical review		
alclometasone		fluocinolone			
DERMA-SMOOTH-FS (fluocinolone)		hydrocortisone lotion			
desonide		HYDROXYM (hydrocortisone)			
hydrocortisone cream, ointment, solution		PROCTOCORT (hydrocortisone)			
MEDIUM POTENCY					
fluticasone		BESER (fluticasone)			
mometasone		CAPEX (fluocinolone)			
PANDEL (hydrocortisone probutate)		clocortolone			
prednicarbate cream		CLODERM (clocortolone)			
		flurandrenolide			
		fluticasone lotion			
		LOCOID (hydrocortisone butyrate)			
		prednicarbate ointment			
		SYNALAR (fluocinolone)			
HIGH POTENCY					
betamethasone dipropionate cream, lotion		amcinonide			
betamethasone dipropionate augmented		betamethasone dipropionate ointment			
betamethasone valerate		desoximetasone			
fluocinolone		diflorasone			
fluocinonide		Halcinonide			
fluocinonide-E		HALOG (halcinonide)			
triamcinolone cream, ointment, lotion		KENALOG (triamcinolone)			
		TOPICORT (desoximetasone)			
		triamcinolone spray			
		VANOS (fluocinonide)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STERIODS (TOPICAL) (continued)		
VERY HIGH POTENCY		See previous page for additional PA Criteria/DUR+ Rules
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	BRYHALI (halobetasol)	
halobetasol	clobetasol emulsion	
	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS DUR+		
SHORT-ACTING		Minimum Age Limit 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXII ER, RITALIN LA, VYVANSE, XELSTRYM 7 years: XYREM 13 years: MYDAYIS 16 years: modafinil 18 years: armodafinil, SUNOSI, WAKIX Maximum Age Limit 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER Quantity Limit – Stimulants (per 31 days) 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE See next page for additional PA Criteria/DUR+ Rules
dexamethylphenidate	ADDERALL (dextroamphetamine/amphetamine)	
dextroamphetamine	amphetamine	
dextroamphetamine/amphetamine	EVEKEO (amphetamine)	
Methylphenidate tablet	EVEKEO ODT (amphetamine)	
PROCENTRA (dextroamphetamine)	FOCALIN (dexamethylphenidate)	
	methamphetamine	
	METHYLN (methylphenidate)	
	Methylphenidate chewable tablet	
	RITALIN (methylphenidate)	
	ZENZEDI (dextroamphetamine)	
LONG-ACTING		
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)	
CONCERTA (methylphenidate)	APTENSIO XR (methylphenidate)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
dexmethylphenidate ER	AZSTARYS (serdexmethylphenidate/dexmethylphenidate)	See previous page for additional PA Criteria/DUR+ Rules Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR Quantity Limit – Narcolepsy (per 31 days) • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX Quantity Limit – Non-Stimulants (per 31 days) • 31 tablets: atomoxetine, guanfacine ER, QELBREE 100 mg • 62 tablets: QELBREE 150 mg and 200 mg • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension VYVANSE • Documented diagnosis of binge eating disorder or ADD/ADHD OR • 90 days of therapy with Vyvanse in the past 90 days
dextroamphetamine ER	COTEMPLA XR ODT (methylphenidate)	
dextroamphetamine/amphetamine ER 20 mg	DAYTRANA (methylphenidate)	
DYANAVEL XR (amphetamine) suspension	DEXEDRINE (dextroamphetamine)	
lisdexamfetamine	dextroamphetamine/amphetamine ER 25 mg	
methylphenidate CD	DYANAVEL XR (amphetamine) tablets	
methylphenidate ER tablet	FOCALIN XR (dexmethylphenidate)	
methylphenidate LA	JORNAY PM (methylphenidate)	
QUILLICHEW ER (methylphenidate)	methylphenidate patch	
QUILLIVANT XR (methylphenidate)	methylphenidate ER capsule	
VYVANSE (lisdexamfetamine) capsules	MYDAYIS (dextroamphetamine/amphetamine)	
	RELEXII (methylphenidate)	
	RITALIN LA (methylphenidate)	
	VYVANSE (lisdexamfetamine) chewable tablets	
	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		
armodafinil	NUVIGIL (armodafinil)	
modafinil	PROVIGIL (modafinil)	
SUNOSI (solriamfetol)	sodium oxybate	
XYREM (sodium oxybate)	WAKIX (pitolisant)	
	XYWAV (calcium/magnesium/potassium/sodium oxybate)	
NON-STIMULANTS		
atomoxetine	INTUNIV (guanfacine)	
clonidine ER	NEXICLON XR (clonidine)	
guanfacine ER	ONYDA XR (clonidine)	
QELBREE (viloxazine)	STRATTERA (atomoxetine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Non-Preferred Short Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Short Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 preferred agent indicated for narcolepsy in the past 6 months OR - Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Armodafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine - Age ≥ 21 years AND - Documented diagnosis of ADD/ADHD Clonidine ER - Documented diagnosis of ADD/ADHD Guanfacine ER - Documented diagnosis of ADD/ADHD JORNAY PM - Documented diagnosis of ADD/ADHD AND 84 days of therapy with 2 different preferred LA methylphenidate agents in the past 12 months AND 84 days of therapy with 1 preferred non-methylphenidate LA stimulant agent in the past 12 months OR - Documented diagnosis of ADD/ADHD AND 84 days of therapy with JORNAY PM in the past 105 days	Non-Preferred Long Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Long-Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 different preferred agent indicated for narcolepsy in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days ONYDA XR - Requires clinical review QELBREE - Documented diagnosis of ADD/ADHD AND 30 days of therapy with a preferred ADHD agent in the past 105 days OR 30 days of therapy with QELBREE in the past 105 days SUNOSI - Documented diagnosis of narcolepsy or obstructive sleep apnea AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months VYVANSE - Documented diagnosis of binge eating disorder or ADD/ADHD WAKIX - Requires clinical review XYREM Documented diagnosis of narcolepsy or excessive daytime sleepiness OR 30 days of therapy with this agent in the past 105 days XYWAV - Requires clinical review	
See next page for additional PA Criteria/DUR+ Rules		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Modafinil Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome		
TETRACYCLINES ^{DUR+}		
doxycycline hyclate	demeclocycline	Non-Preferred Agents - Have tried 2 different preferred agents in the past 6 months Demeclocycline - Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA - Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
ORAL		Non-Preferred Criteria - Documented diagnosis of Ulcerative Colitis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days VELSIPITY - Requires clinical review
APRISO (mesalamine)	AZULFIDINE (sulfasalazine)	
balsalazide	COLAZAL (balsalazide)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
UCERIS (budesonide)	mesalamine DR, mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
	UCERIS (budesonide)	



MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 04/01/2025
Version 2025_4
Updated 05/20/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
UREA CYCLE DISORDER AGENTS		
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	