

General Preferred Drug List Information

- Gainwell Technologies' DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS		
ANTI-INFECTIVES		Maximum Age Limit • 21 years: all acne agents except isotretinoin products Topical Clindamycin 1% lotion • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa Note: • Isotretinoin products available for all ages • Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis • Preferred clindamycin 1% lotion for ages < 21 years does not require PA Maximum Age Limit • 21 years: all acne agents except isotretinoin products
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
	CLINDACIN (clindamycin)	
	CLINDAGEL (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	erythromycin	
	EVOCLIN (clindamycin)	
	KLARON (sulfacetamide)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
RETIN-A (tretinoin)	AKLIEF (trifarotene)	
tretinoin cream	ALTRENO (tretinoin)	
	ARAZLO (tazarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	RETIN-A MICRO (tretinoin)	
	RETIN-A MICRO PUMP (tretinoin)	
	tretinoin gel	
	tretinoin microsphere	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (continued)		
OTHERS/COMBINATION PRODUCTS		See previous page for additional PA Criteria/DUR+ Rules
adapalene/benzoyl peroxide gel	ACANYA (benzoyl peroxide/clindamycin) gel	
clindamycin/benzoyl peroxide 1%-5% gel w/pump	CABTREO (clindamycin/adapalene/benzoyl peroxide) gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
	clindamycin/benzoyl peroxide 1%-5% gel	
	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	ONEXTON (benzoyl peroxide/clindamycin) gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZIANA (clindamycin/tretinoin) gel	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER'S AGENTS ^{DUR+}		
CHOLINESTERASE INHIBITORS		Preferred Criteria
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	• Documented approvable diagnosis
galantamine	ARICEPT (donepezil)	Non-Preferred Criteria
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	
		See next page for additional PA Criteria/DUR+ Rules

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ALZHEIMER'S AGENTS ^{DUR+} (continued)					
		Zunveyl (benzgalantamine gluconate) ^{NR}		See previous page for additional PA Criteria/DUR+ Rules	
NMDA RECETPOR ANTAGONISTS				- Have tried 2 different preferred agents in the past 6 months NAMZARIC - Requires clinical review ZUNVEYL - Requires clinical review	
memantine		memantine ER			
		NAMENDA (memantine)			
		NAMENDA XR (memantine ER)			
COMBINATION AGENTS					
		NAMZARIC (memantine/donepezil)			
		memantine/donepezil ER			
ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}					
acetaminophen/caffeine/dihydrocodeine		ACTIQ (fentanyl)		MS DOM Opioid Initiative – Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines Minimum Age Limit 18 years: codeine-containing products and tramadol-containing products Quantity Limit (per 31 rolling days) 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol 186 tablets: butalbital/acetaminophen, butalbital/aspirin 5 mL: butorphanol nasal 180 mL: oxycodone liquid 280 mL: QDOLO Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MS DOM Opioid Initiative – Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines Minimum Age Limit 18 years: BUTRANS and tramadol-containing products	
acetaminophen/codeine		aspirin/butalbital/caffeine/codeine			
codeine		butalbital/acetaminophen/caffeine/codeine			
ENDOCET (oxycodone/acetaminophen)		butorphanol			
hydrocodone/acetaminophen		DILAUDID (hydromorphone)			
hydromorphone		fentanyl citrate			
morphine sulfate		FENTORA (fentanyl)			
oxycodone		FIORICET W/CODEINE (butalbital/acetaminophen/codeine)			
oxycodone/acetaminophen (325 mg acetaminophen formulations)		hydrocodone/ibuprofen			
tramadol 50 mg tablet		meperidine			
tramadol/acetaminophen		NALOCET (oxycodone/acetaminophen)			
		levorphanol			
		oxymorphone			
		pentazocine/naloxone			
		PERCOCET (oxycodone/acetaminophen)			
		PROLATE (oxycodone/acetaminophen)			
		ROXICODONE (oxycodone)			
		ROXYBOND (oxycodone)			
		SEGLENTIS (tramadol/celecoxib)			
		tramadol 25 mg, 75 mg, 100 mg tablet			
		tramadol solution			
ANALGESICS, OPIOID-LONG ACTING ^{DUR+}					
BUTRANS (buprenorphine)		BELBUCA (buprenorphine)		See next page for additional PA Criteria/DUR+ Rules	
fentanyl patch		buprenorphine patch			
morphine sulfate ER tablet		CONZIP (tramadol)			
		hydrocodone bitartrate ER			
		hvdromorphone ER			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANALGESICS, OPIOID-LONG ACTING ^{DUR+} (continued)					
	HYSINGLA ER (hydrocodone)	See previous page for additional PA Criteria/DUR+ Rules			
	methadone	Quantity Limit (per 31 rolling days)			
	methadone intensol	• 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER			
	METHADOSE (methadone)	• 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOHYDRO ER			
	morphine sulfate ER capsule	• 62 films: BELBUCA			
	MS CONTIN (morphine)	• 10 patches: fentanyl			
	oxycodone ER	• 4 patches: BUTRANS			
	OXYCONTIN (oxycodone)	Non-Preferred Criteria			
	oxymorphone ER	Have tried 2 different preferred agents in the past 6 months			
	tramadol ER				
ANALGESICS/ANESTHETICS (TOPICAL)					
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days)			
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	• 1 bottle (112 mL): diclofenac 2% solution pump			
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	• 1 bottle (150 mL): diclofenac 1.5% solution			
lidocaine 40 mg/mL solution	diclofenac epolamine				
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	Non-Preferred Criteria			
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	• Have tried 2 preferred agents in the past 6 months			
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)				
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	Lidocaine 5% Patch			
	lidocaine 3% cream	• Documented diagnosis of Herpetic Neuralgia OR			
	lidocaine 4% kit, liquid	• Documented diagnosis of Diabetic Neuropathy			
	lidocaine/hydrocortisone				
	lidocaine/prilocaine kit	ZTLIDO			
	LIDOCAN II, III, IV, V (lidocaine)	• Documented diagnosis of postherpetic neuralgia OR			
	LIDOCORT (lidocaine/hydrocortisone)	• History of 3 claims with preferred lidocaine 5% patch in the past 6 months			
	LIDODERM (lidocaine)				
	LIDOTRAL (lidocaine)				
	LIXOFEN (diclofenac)				
	PENNSAID (diclofenac)				
	PLIAGLIS (lidocaine/tetracaine)				
	TRIDACAINE II, III (lidocaine) patch				
	ZTLIDO (lidocaine)				
ANDROGENIC AGENTS ^{DUR+}					
testosterone	ANDROGEL (testosterone)	All Agents			
	JATENZO (testosterone undecanoate)	• Limited to male gender			
	NATESTO (testosterone)	Non-Preferred Criteria			
	TESTIM (testosterone)	• Have tried 2 different preferred agents in the past 6 months			
	TLANDO (testosterone undecanoate)				
	VOGELXO (testosterone)	See next page for additional PA Criteria/DUR+ Rules			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANDROGENIC AGENTS ^{DUR+} (continued)		
	UNDECATREX (testosterone undecanoate)	See previous page for additional PA Criteria/DUR+ Rules TLANDO Requires clinical review
ANGIOTENSIN MODULATORS ^{DUR+}		
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		EPANED - Automatic approval issued for 0-6 years of age ENTRESTO - Age ≥ 1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations: - Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARBs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: - Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: - Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitor Combinations: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		
benazepril	ACCUPRIL (quinapril)	
captopril	ALTACE (ramipril)	
enalapril	EPANED (enalapril)	
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		
fosinopril	LOTENSIN (benazepril)	
lisinopril	moexipril	
quinapril	perindopril	
ramipril	QBRELIS (lisinopril)	
trandolapril	VASOTEC (enalapril)	
	ZESTRIL (lisinopril)	
ACE INHIBITOR (ACEI) COMBINATIONS		
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	
enalapril/hydrochlorothiazide	VASERETIC (enalapril/hydrochlorothiazide)	
fosinopril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)	
lisinopril/hydrochlorothiazide		
quinapril/hydrochlorothiazide		
trandolapril/verapamil ER		
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
irbesartan	ATACAND (candesartan)	
losartan	AVAPRO (irbesartan)	
olmesartan	BENICAR (olmesartan)	
telmisartan	candesartan	
valsartan tablet	COZAAR (losartan)	
	EDARBI (azilsartan)	
	eprosartan	
	MICARDIS (telmisartan)	
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
	valsartan solution	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS ^{DUR+} (continued)		
ARB COMBINATIONS		See previous page for additional PA Criteria/DUR+ Rules
ENTRESTO (valsartan/sacubitril) tablet ^{DUR+}	ATACAND HCT (candesartan/hydrochlorothiazide)	
irbesartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/amlodipine/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril) sprinkle capsule	
valsartan/hydrochlorothiazide	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	olmesartan/amlodipine/hydrochlorothiazide	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/sacubitril	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURN (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURN HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	vancomycin capsule	
	VOWST (fecal microbio spore, live-brpk)	
	XIFAXAN (rifaximin)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIBIOTICS (MISCELLANEOUS)					
LINCOSAMIDE ANTIBIOTICS				Quantity Limit 6 tablets/month: SIVEXTRO SIVEXTRO – MANUAL PA ZYVOX – MANUAL PA	
clindamycin		CLEOCIN (clindamycin)			
		CELOCIN PEDIATRIC (clindamycin)			
MACROLIDES					
azithromycin		ERYPED (erythromycin ethylsuccinate) suspension			
clarithromycin		ERYTHROCIN (erythromycin stearate)			
clarithromycin ER		ZITHROMAX (azithromycin)			
E.E.S (erythromycin ethylsuccinate) suspension					
ERY-TAB (erythromycin)					
erythromycin					
erythromycin ethylsuccinate					
NITROFURANTOIN DERIVATIVES					
nitrofurantoin capsule		FURADANTIN (nitrofurantoin) suspension			
nitrofurantoin monohydrate macrocrystals		MACROBID (nitrofurantoin monohydrate macrocrystals)			
		nitrofurantoin suspension			
OXAZOLIDINONES					
		linezolid			
		SIVEXTRO (tedizolid)			
		ZYVOX (linezolid)			
ANTIBIOTICS (TOPICAL)					
bacitracin ^{OTC}		CENTANY (mupirocin)			
bacitracin/polymyxin ^{OTC}		CENTANY AT (mupirocin)			
gentamicin sulfate		mupirocin cream			
mupirocin ointment		XEPI (ozenoxacin)			
neomycin/bacitracin/polymyxin ^{OTC}					
ANTIBIOTICS (VAGINAL)					
CLEOCIN (clindamycin)		clindamycin phosphate			
NUVESSA (metronidazole)		CLINDESSE (clindamycin)			
		SOLOSEC (secnidazole)			
		XACIATO (clindamycin)			
ANTICOAGULANTS					
LOW MOLECULAR WEIGHT HEPARIN (LMWH)				Non-Preferred Criteria - LMWH: - Have tried 1 preferred agent in the past 6 months OR See next page for additional PA Criteria/DUR+ Rules	
enoxaparin		ARIXTRA (fondaparinux)			
		fondaparinux			
		FRAGMIN (dalteparin)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTICOAGULANTS (continued)					
	LOVENOX (enoxaparin)	See previous page for additional PA Criteria/DUR+ Rules 90 days of therapy with the requested agent in the past 105 days • Oral: - Have tried 2 different preferred oral agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days			
ORAL					
ELIQUIS (apixaban)	dabigatran				
JANTOVEN (warfarin)	PRADAXA (dabigatran) pellet pack				
PRADAXA (dabigatran) capsule	SAVAYSA (edoxaban)				
warfarin	rivaroxaban				
XARELTO (rivaroxaban)					
ANTICONSULSANTS DUR+					
ADJUVANTS		Minimum Age Limit 6 months: DIACOMIT 1 year: BANZEL, EPIDIOLEX 2 years: ONFI, SYMPAZAN 2 years: VALTOCO 12 years: NAYZILAM Maximum Age Limit 2 years: VIGAFYDE Quantity Limit (per 31 days) 2 twin packs: DIASTAT 2 packages: NAYZILAM 2 cartons: VALTOCO Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Banzel, Onfi, and Sympazan - Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR - Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT - Documented diagnosis of Dravet Syndrome AND 1 claim for clobazam in the past 30 days See next page for additional PA Criteria/DUR+ Rules			
carbamazepine	APTOM (eslicarbazepine acetate)				
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)				
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)				
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet				
divalproex	CARBATROL (carbamazepine)				
divalproex ER	DEPAKOTE (divalproex)				
divalproex sprinkle	DIACOMIT (stiripentol)				
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)				
lacosamide	EPRONTIA (topiramate)				
lamotrigine	EQUETRO (carbamazepine)				
lamotrigine blue, green, orange dose pack	felbamate				
levetiracetam	FELBATOL (felbamate)				
levetiracetam ER	FINTEPLA (fenfluramine)				
oxcarbazepine tablet	FYCOMPA (perampanel)				
tiagabine	KEPPRA (levetiracetam)				
topiramate	KEPPRA XR (levetiracetam)				
topiramate sprinkle 15, 25 mg (generic Topamax)	LAMICTAL (lamotrigine)				
TRILEPTAL (oxcarbazepine) suspension	LAMICTAL XR (lamotrigine)				
valproic acid	lamotrigine ER				
zonisamide	lamotrigine ODT				
	lamotrigine ODT blue, green, orange dose pack				
	MOTPOLY XR (lacosamide)				
	oxcarbazepine suspension				
	oxcarbazepine ER				
	OXTELLAR XR (oxcarbazepine)				
	QUDEXY XR (topiramate)				
	ROWEEPPRA (levetiracetam)				
	rufinamide				
	SABRIL (vigabatrln)				

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTICONVULSANTS ^{DUR+} (continued)			
ADJUVANTS (continued)		See previous page for additional PA Criteria/DUR+ Rules EPIDIOLEX - Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR 1 claim for EPIDIOLEX in the past 30 days FINTEPLA - Requires clinical review SABRIL Powder for Oral Solution - Documented diagnosis of Infantile Spasms OR - Have tried 2 different preferred agents in the past 6 months OR - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days Topiramate ER - Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months VIGAFYDE - Age ≤ 2 years AND - Documented diagnosis of infantile spasms	
	SPRITAM (levetiracetam)		
	SUBVENITE (lamotrigine)		
	SUBVENITE (lamotrigine) blue, green, orange dose pack		
	TEGRETOL (carbamazepine)		
	TEGRETOL XR (carbamazepine)		
	TOPAMAX TABLET (topiramate)		
	TOPAMAX SPRINKLE (topiramate)		
	topiramate ER capsule (generic Trokendi XR)		
	topiramate ER sprinkle capsule (generic Qudexy XR)		
	topiramate sprinkle 50 mg		
	TRILEPTAL (oxcarbazepine) tablet		
	TROKENDI XR (topiramate)		
	vigabatrin		
	VIGADRONE (vigabatrin)		
	VIGAFYDE (vigabatrin)		
	VIGPODER (vigabatrin)		
	VIMPAT (lacosamide)		
	XCOPRI (cenobamate)		
	ZONISADE (zonisamide) suspension		
	ZTALMY (ganaxolone)		
HYDANTOINS			
	DILANTIN (phenytoin)		
	DILANTIN-125 (phenytoin)		
	PHENYTEK (phenytoin)		
	phenytoin		
	phenytoin ER		
SELECTED BENZODIAZEPINES			
	clobazam	DIASTAT (diazepam) rectal gel	
	diazepam rectal gel	LIBERVANT (diazepam)	
	NAYZILAM (midazolam)	ONFI (clobazam)	
	VALTOCO (diazepam)	SYMPAZAN (clobazam)	
SUCCINIMIDES			
	ethosuximide	CELONTIN (methsuximide)	
		methsuximide	
		ZARONTIN (ethosuximide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIDEPRESSANTS, OTHER DUR+					
bupropion		APLENZIN (bupropion)		Minimum Age Limit • 18 years: all agents Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days AUVELITY and RALDESY • Requires clinical review DRIZALMA Sprinkles • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age DULOXETINE • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age ZURZUVAE – MANUAL PA	
bupropion SR		AUVELITY (bupropion/dextromethorphan)			
bupropion XL		desvenlafaxine ER			
mirtazapine		DESYREL (trazodone)			
trazodone		DRIZALMA SPRINKLE (duloxetine DR)			
TRINTELLIX (vortioxetine)		EFFEXOR XR (venlafaxine)			
venlafaxine		EMSAM (selegiline)			
venlafaxine ER capsule		FETZIMA (levomilnacipran)			
vilazodone		FORFIVO XL (bupropion)			
		MARPLAN (isocarboxazid)			
		NARDIL (phenelzine)			
		nefazodone			
		phenelzine			
		PRISTIQ (desvenlafaxine)			
		REMERON (mirtazapine)			
		tranylcypromine			
		Trazodone solution ^{NR}			
		venlafaxine ER tablet			
		VIIBRYD (vilazodone)			
		WELLBUTRIN SR (bupropion)			
		WELLBUTRIN XL (bupropion)			
		ZURZUVAE (zuranolone)			
ANTIDEPRESSANTS, SSRIs DUR+					
citalopram solution, tablet		CELEXA (citalopram)		Minimum Age Limit • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: LUVOX • 18 years: CELEXA, LUVOX CR, PAXIL, PEXEVA, PROZAC 90 mg	
escitalopram		citalopram capsule			
fluoxetine capsule		fluoxetine solution, tablet			
fluvoxamine		fluoxetine DR capsule			
paroxetine tablet		fluvoxamine ER capsule			
paroxetine CR		LEXAPRO (escitalopram)			
paroxetine ER		paroxetine suspension, capsule			
sertraline tablet, solution		PAXIL (paroxetine)			
		PAXIL CR (paroxetine)			
		PROZAC (fluoxetine)			
		sertraline capsule			
		ZOLOFT (sertraline)			
ANTIEMETICS DUR+					
5HT3 RECEPTOR BLOCKERS				Quantity Limit (per 31 days) • 6 tablets: AKYNZEO • 100 mL: ZOFTRAN solution See next page for additional PA Criteria/DUR+ Rules	
ondansetron solution, tablet		ANZIMET (dolasetron)			
ondansetron ODT 4 mg, 8 mg		granisetron			
		ondansetron ODT 16 mg tablet			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
ANTIEMETICS ^{DUR+} (continued)							
		SANCUSO (granisetron)		See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Agents Have tried 1 preferred agent in the past 6 months AKYNZEO – MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.			
ANTIEMETIC COMBINATIONS							
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)						
	BONJESTA (doxylamine/pyridoxine)						
	doxylamine/pyridoxine						
CANNABINOIDS							
	dronabinol						
	MARINOL (dronabinol)						
NMDA RECEPTOR ANTAGONISTS							
aprepitant	EMEND (aprepitant)						
ANTIFUNGALS (ORAL) ^{DUR+}							
clotrimazole	ANCOBON (flucytosine)		Griseofulvin suspension - Automatic approval issued for 0-11 years of age Griseofulvin tablets - Automatic approval issued for 12-17 years of age Minimum Age Limit 18 years: CRESEMBA Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection - Non-Preferred agent indicated for treatment (^) AND - Documented diagnosis of HIV CRESEMBA – MANUAL PA SPORANOX - Requires clinical review				
fluconazole	BREXAFEMME (ibrexafungerp)						
nystatin	CRESEMBA (isavuconazonium sulfate)						
terbinafine	DIFLUCAN (fluconazole)						
	flucytosine						
	griseofulvin						
	griseofulvin ultramicrosize						
	itraconazole						
	ketoconazole						
	NOXAFIL (posaconazole)						
	ORAVIG (miconazole)						
	Posaconazole						
	SPORANOX (itraconazole)						
	TOLSURA (itraconazole)						
	VFEND (voriconazole)						
	VIVJOA (oteseconazole)						
	voriconazole						
ANTIFUNGALS (TOPICAL) ^{DUR+}							
ANTIFUNGALS		Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution - Require clinical review					
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)						
clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)						
econazole	ciclopirox shampoo						
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)						
LUZU (luliconazole)	ERTACZO (sertaconazole)						
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)						
miconazole/zinc oxide/petrolatum ointment	JUBLIA (efinaconazole)						

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIFUNGALS (TOPICAL) ^{DUR+} (continued)			
nystatin cream, ointment, powder	ketoconazole foam	See previous page for additional PA Criteria/DUR+ Rules	
terbinafine ^{OTC}	KETODAN (ketoconazole)		
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)		
	luliconazole		
	MICOTRIN AC (clotrimazole)		
	MYCOZYL AC (clotrimazole)		
	MYCOZYL AP (miconazole)		
	naftifine		
	NAFTIN (naftifine)		
	oxiconazole		
	OXISTAT (oxiconazole)		
	tavaborole		
	VOTRIZA-AL (clotrimazole)		
	VUSION (miconazole/zinc oxide/petrolatum)		
ANTIFUNGAL/STEROID COMBINATIONS			
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion		
nystatin/triamcinolone			
ANTIFUNGALS (VAGINAL)			
clotrimazole cream ^{OTC}	3-DAY VAGINAL CREAM (clotrimazole)		
clotrimazole-3 cream	GYNAZOLE 1 (butoconazole)		
miconazole kit ^{OTC}	terconazole suppository		
terconazole cream			
ANTI-HISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}			
MINIMALLY SEDATING ANTI-HISTAMINES		Non-Preferred Criteria - Documented diagnosis of Allergy or Urticaria AND - Have tried 2 different preferred agents in the past 12 months	
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}		
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)		
	desloratadine		
	levocetirizine		
MINIMALLY SEDATING ANTI-HISTAMINE/DECONGESTANT COMBINATIONS			
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)		
loratadine/pseudoephedrine	fexofenadine/pseudoephedrine		
ANTIMIGRAINE AGENTS, ACUTE TREATMENT			
CGRP ORAL AND NASAL			Minimum Age Limit See next page for additional PA Criteria/DUR+ Rules
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)		
UBRELVY (ubrogepant)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AGENTS, ACUTE TREATMENT^{DUR+} (continued)		
INJECTABLES		See previous page for additional PA Criteria/DUR+ Rules
sumatriptan	IMITREX (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	• 6 years: MAXALT • 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray • 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, Relpax, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets Quantity Limit (per 31 days) • ORAL ◦ 4 tablets: REYVOW 50 mg ◦ 6 tablets: almotriptan, Relpax, ZOMIG ◦ 8 tablets: NURTEC ODT, REYVOW 100 mg ◦ 9 tablets: naratriptan, FROVA, IMITREX, sumatriptan/naproxen, SYMBRAVO ◦ 12 tablets: MAXALT ◦ 16 tablets: UBRELVY • NASAL ◦ 1 box: all agents CUMULATIVE Quantity Limit (per 31 days) • INJECTABLES ◦ 4 injections: all agents Non-Preferred Criteria • ORAL ◦ Have tried 2 preferred oral agents in the past 90 days • NASAL ◦ Have tried 2 preferred oral agents in the past 90 days AND ◦ Have tried a preferred nasal agent in the past 90 days Almotriptan and sumatriptan/naproxen • Automatic approval for 12-17 years of age NURTEC ODT and UBRELVY – MANUAL PA • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor REYVOW • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 90 days AND • Have tried preferred NURTEC ODT in the past 90 days SYMBRAVO • Requires clinical review See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIMIGRAINE AGENTS, ACUTE TREATMENT ^{DUR+} (continued)					
NASAL				See previous page for additional PA Criteria/DUR+ Rules ZAVZPRET – MANUAL PA - Documented diagnosis of Migraine AND - Have tried 2 different triptans in the past 6 months AND - Have tried both NURTEC ODT and UBRELVY in the past 6 months AND No concurrent therapy with another CGRP AGENT	
sumatriptan		IMITREX (sumatriptan)			
		TOSYMRA (sumatriptan)			
		zolmitriptan			
		ZOMIG (zolmitriptan)			
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}					
naratriptan		almotriptan			
rizatriptan		eletriptan			
sumatriptan		FROVA (frovatriptan)			
zolmitriptan		frovatriptan			
zolmitriptan ODT		IMITREX (sumatriptan)			
		MAXALT (rizatriptan)			
		MAXALT MLT (rizatriptan)			
		RELPAX (eletriptan)			
		REYVOW (lasmiditan)			
		sumatriptan/naproxen			
		ZOMIG (zolmitriptan)			
ANTIMIGRAINE AGENTS, PROPHYLAXIS					
INJECTABLES				Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY – MANUAL PA VYEPTI – MANUAL PA	
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}		EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL			
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}		VYEPTI (eptinezumab-jjmr)			
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}					
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}					
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}					
ORAL					
		QULIPTA (atogepant)			
		NURTEC ODT (rimegepant)			
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS					
BOSULIF (bosutinib) tablet		AFINITOR (everolimus)		FARYDAK – MANUAL PA IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review See next page for additional PA Criteria/DUR+ Rules	
CAPRESLA (vandetanib)		AFINITOR DISPERZ (everolimus)			
COMETRIQ (cabozantinib)		AKEEGA (niraparib/abiraterone)			
COTELLIC (cobimetinib)		ALECENSA (alectinib)			
everolimus		ALUNBRIG (brigatinib)			
GILOTRIF (afatinib)		AUGTYRO (repotrectinib)			
ICLUSIG (ponatinib)		AYVAKIT (avapritinib)			
imatinib		BALVERSA (erdafitinib)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule	See previous page for additional PA Criteria/DUR+ Rules LENVIMA Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review LYNPARZA Tablets - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR All other indications require clinical review – MANUAL PA
INLYTA (axitinib)	BRAFTOVI (encorafenib)	
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)	
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)	
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)	
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)	
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)	
SPRYCEL (dasatinib)	dasatinib	
STIVARGA (regorafenib)	DATROWAY (datopotomab deruxtecan-dlnk) ^{NR}	
SUTENT (sunitinib)	DAURISMO (glasdegib)	
TAFINLAR (dabrafenib)	ERIVEDGE (vismodegib)	
TARCEVA (erlotinib)	ERLEADA (apalutamide)	
TASIGNA (nilotinib)	erlotinib	
TURALIO (pexidartinib)	FOTIVDA (tivozanib)	
TYKERB (lapatinib)	FRUZAQIA (fruquintinib)	
VOTRIENT (pazopanib)	GAVRETO (pralsetinib)	
XALKORI (crizotinib)	gefitinib	
XTANDI (enzalutamide)	GLEEVEC (imatinib)	
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)	
ZYDELIG (idelalisib)	IDHIFA (enasidenib)	
ZYKADIA (ceritinib)	IMKELDI (imatinib)	
	INQOVI (decitabine/cedazuridine)	
	INREBIC (fedratinib)	
	ITOVEBI (inavolisib)	
	IWILFIN (eflornithine)	
	JAYPIRCA (pirtobrutinib)	
	KISQALI (ribociclib)	
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)	
	KOSELUGO (selumetinib/vitamin E)	
	KRAZATI (adagrasib)	
	lapatinib	
	LAZCLUZE (lazertinib)	
	LENVIMA (lenvatinib)	
	LOBRENA (lorlatinib)	
	LUMAKRAS (sotorasib)	
	LYNPARZA (olaparib)	
	LYTGOBI (futibatinib)	
	MEKTOVI (binimetinib)	
	NERLYNX (neratinib)	
	NUBEQA (darolutamide)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*ANTINEOPLASTICS – SELECTED SYSTEMIC ENZYME INHIBITORS <i>(continued)</i>		
	ODOMZO (sonidegib)	See previous page for additional PA Criteria/DUR+ Rules
	OGSIVEO (nirogacestat)	
	OJEMDA (tovorafenib)	
	OJJAARA (mometotinib)	
	ONUREG (azacitidine)	
	ORGOVYX (relugolix)	
	pazopanib	
	PEMAZYRE (pemigatinib)	
	PIQRAY (alpelisib)	
	QINLOCK (ripretinib)	
	RETEVMO (selpercatinib)	
	REVUFORJ (revumenib)	
	REZLIDHIA (olutasidenib)	
	RUBRACA (rucaparib)	
	RYDAPT (midostaurin)	
	SCEMBLIX (asciminib)	
	sorafenib	
	sunitinib	
	TABRECTA (capmatinib)	
	TAGRISSO (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TECENTRIQ HYBREZA (atezolizumab/hyaluronidase-tqjs)	
	TEPMETKO (tepotinib)	
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	
	VONJO (pacritinib)	
	VORANIGO (vorasidenib)	
	WELIREG (belzutifan)	
	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIOBESITY SELECT AGENTS					
SAXENDA (liraglutide)		orlistat		All agents – MANUAL PA required Wegovy Initial Authorization • Age 18 years or older AND • Documented diagnosis of Body Mass Index (BMI) ≥ 30 AND • History of ≤ 6 claims with Wegovy in the past 9 months AND • No history of a claim with Imcivree, Xenical, or any other GLP-1 agonist indicated for treatment of obesity or diabetes in the past 30 days OR • Manual PA required when criteria is not met • Initial authorization is defined as no more than 6 claims for Wegovy within 9 month period • Reauthorization and maintenance reauthorization require clinical review	
WEGOVY (semaglutide)		XENICAL (orlistat)			
ANTIPARASITICS (TOPICAL) DUR+					
PEDICULICIDES				Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX Non-Preferred Criteria • Pediculicides ◦ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides • Have tried permethrin 5% in the past 90 days	
NATROBA (spinosad)		lindane			
permethrin 1% cream ^{OTC}		malathion			
VANALICE (piperonyl butoxide/pyrethrins)		OVIDE (malathion)			
		SKLICE (ivermectin)			
		spinosad			
SCABICIDES					
ivermectin		CROTAN (crotamiton)			
permethrin 5% cream		ELIMITE (permethrin)			
		EURAX (crotamiton)			
		STROMECTOL (ivermectin)			
ANTIPARKINSON'S AGENTS (INJECTABLE)					
		VYALEV (foscarnidopa/foslevodopa)		VYALEV • Requires clinical review	
ANTIPARKINSON'S AGENTS (ORAL) DUR+					
ANTICHOLINERGICS				• 30 days of therapy with a selegiline agent in the past 45 days	
benztropine					
trihexyphenidyl					
COMT INHIBITORS				GOCOVRI • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with amantadine IR in the past 105 days AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days See next page for additional PA Criteria/DUR+ Rules	
entacapone		OGENTYS (opicapone)			
		TASMAR (tocapone)			
		tolcapone			
ropinirole		pramipexole ER			
		ropinirole ER			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+} (continued)		
MAO-B INHIBITORS		See previous page for additional PA Criteria/DUR+ Rules LODOSYN and INBRIJA - Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days NOURIANZ - Documented diagnosis of Parkinson's Disease AND - Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND 30 days of therapy with a preferred adjunctive therapy in the past 45 days
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
	ZELAPAR (selegiline)	
OTHERS		
amantadine	carbidopa/levodopa ODT	
bromocriptine	carbidopa/levodopa/entacapone	
carbidopa	CREXONT (carbidopa/levodopa)	
carbidopa/levodopa tablet	DHIVY (carbidopa/levodopa)	
carbidopa/levodopa ER	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	LODOSYN (carbidopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	
ANTIPSORIATICS (TOPICAL)		
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	DUOBRII (halobetasol/tazarotene)	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	
ANTIPSYCHOTICS ^{DUR+}		
INJECTABLE, ATYPICALS ^{DUR+}		Concurrent Therapy Limit for Age < 18 years 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA Minimum Age Limit 3 years: HALDOL
ABILIFY ASIMTUFI (aripiprazole)	ERZOFRI (paliperidone palmitate)	
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	
INJECTABLE, ATYPICALS ^{DUR+}		See next page for additional PA Criteria/DUR+ Rules
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS ^{DUR+} (continued)		
PERSERIS (risperidone)	ZYPREXA (olanzapine)	See previous page for additional PA Criteria/DUR+ Rules
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)	
UZEDY (risperidone)		
ORAL		• 5 years: RISPERDAL, thioridazine • 6 years: ABILIFY, trifluoperazine • 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX • 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene • 13 years: REXULTI, ZYPREXA • 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents Quantity Limit • 3 syringes/year: ARISTADA INITIO Non-Preferred Criteria – Atypical Agents • Have tried 2 preferred agents in the past 12 months OR • 30 days of therapy with the requested agent in the past 180 days ARISTADO INTIO, ARISTADO ER, INVEGA SUSTENNA, INVEGA TRINZA, PERSERID AND ZYPREXA RELPREVV • Documented diagnosis of schizophrenia or schizoaffective disorder ABILIFY MAINTENA, ABILIFY ASIMTUFI, or RISPERDAL CONSTA • Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder INVEGA HAFYERA • Documented diagnosis of schizophrenia or schizoaffective disorder AND • 4 claims for INVEGA SUSTENNA in the past year OR • 1 claim for INVEGA TRINZA in the past year OR • 1 claim for INVEGA HAFYERA in the past year ERZOFRI and risperidone ER • Require clinical review NUPLAZID • Documented diagnosis of Parkinson's Disease Quantity Limit • 3 syringes/year: ARISTADA INITIO See next page for additional PA Criteria/DUR+ Rules
aripiprazole tablet	ABILIFY (aripiprazole)	
asenapine	ABILIFY MYCITE (aripiprazole)	
clozapine tablet	ADASUVE (loxapine)	
fluphenazine	aripiprazole ODT, solution	
haloperidol	CAPLYTA (lumateperone)	
haloperidol lactate	chlorpromazine	
olanzapine	clozapine ODT	
perphenazine	CLOZARIL (clozapine)	
perphenazine/amitriptyline	COBENFY (xanomeline/trospium)	
quetiapine	FANAPT (iloperidone)	
quetiapine ER	GEODON (ziprasidone)	
risperidone	IGALMI (dexmedetomidine)	
thioridazine	INVEGA (paliperidone)	
trifluoperazine	LATUDA (lurasidone)	
VRAYLAR (cariprazine)	lurasidone	
ziprasidone	LYBALVI (olanzapine/samidorphan)	
	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		
	SECUADO (asenapine)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		See previous page for additional PA Criteria/DUR+ Rules VRAYLAR • Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder OR • Documented diagnosis major depressive disorder AND - o 30 days of therapy with an antidepressant in the past 45 days OR - o 1 claim for a 90-day supply of an antidepressant in the past 105 days
ANTIRETROVIRALS DUR+		
CAPSID INHIBITORS		Non-Preferred Criteria • 1 claim with the requested agent in the past 105 days STRIBILD – MANUAL PA SUNLENCA • Requires clinical review TYBOST – MANUAL PA
	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS – NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
COMBINATION PRODUCTS – NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		See previous page for additional PA Criteria/DUR+ Rules
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS – PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS		
	maraviroc	
	SELZENTRY (maraviroc)	
ENTRY INHIBITORS – FUSION INHIBITORS		
	FUZEON (enfuvirtide)	
INTEGRASE STRAND TRANSFER INHIBITORS		
APRETUDE (cabotegravir)	cabotegravir ER	
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)	
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)	
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)		
EDURANT (rilpivirine)	etravirine	
efavirenz	INTELENCE (etravirine)	
	nevirapine, nevirapine ER	
	PIFELTRO (doravirine)	
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)		
abacavir	didanosine	
EMTRIVA (emtricitabine)	emtricitabine	
lamivudine	EPIVIR (lamivudine)	
ZIAGEN (abacavir)	RETROVIR (zidovudine)	
zidovudine	stavudine	
	VIREAD (tenofovir disoproxil fumarate)	
PHARMACOENHANCER – CYTOCHROME P450 INHIBITORS		
	TYBOST (cobicistat)	
PROTEASE INHIBITORS (NON-PEPTIDIC)		
PREZISTA (darunavir)	APTIVUS (tipranavir)	
	darunavir	
	PREZCOBIX (darunavir/cobicistat)	
PROTEASE INHIBITORS (PEPTIDIC)		
atazanavir	fosamprenavir	
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS ^{DUR+} (continued)		
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		
ANTIVIRALS, ORAL		
ANTI-CYTOMEGALOVIRUS AGENTS		Valganciclovir solution - Automatic approval issued for 0-12 years of age PREVYMIS - Requires clinical review
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVYMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, TOPICAL		
ZOVIRAX (acyclovir) cream	acyclovir	
	DENAVIR (penciclovir)	
	penciclovir	
	XERESE (acyclovir/hydrocortisone)	
	ZOVIRAX (acyclovir) ointment	
AROMATASE INHIBITORS		
anastrozole	ARIMIDEX (anastrozole)	
exemestane	AROMASIN (exemestane)	
letrozole	FEMARA (letrozole)	
ATOPIC DERMATITIS		
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)	Minimum Age Limit • 3 months: EUCRISA • 2 years: ELIDEL, tacrolimus 0.03% • 12 years: OPZELURA • 16 years: tacrolimus 0.1%
ADBRY Autoinjector (tralokinumab-ldrm)	EBGLYSS Pen (lebrikizumab-lbkz)	
DUPIXENT (dupilumab) ^{DUR+}	NEMLUVIO (nemolizumab-ilto)	
ELIDEL (pimecrolimus)	OPZELURA (ruxolitinib)	
EUCRISA (crisaborole) ^{DUR+}	ZORYVE (roflumilast) 0.15% cream	
pimecrolimus		
tacrolimus		
ADBRY – MANUAL PA		EBGLYSS • Requires clinical review
CIBINQO • Requires clinical review		EUCRISA • 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months
DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ○ Asthma – MANUAL PA ○ Atopic Dermatitis – MANUAL PA ○ COPD – MANUAL PA ○ Eosinophilic Esophagitis – MANUAL PA ○ Nasal Polyposis – MANUAL PA ○ Prurigo Nodularis – MANUAL PA		OPZELURA • 30 days of therapy with ELIDEL, EUCRISA or tacrolimus in the past 6 months

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}		
ANTIANGINALS		ASPRUZYO SPRINKLE - Requires clinical review Ranolazine ER - Documented diagnosis of angina AND 1 claim for a calcium channel blocker, beta-blocker, nitrate, or combination agent in the past 30 days OR 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days COREG CR - Documented diagnosis of hypertension AND - Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days HEMANGEOL - Documented diagnosis of infantile hemangioma CORLANOR – MANUAL PA
	ASPRUZYO SPRINKLE (ranolazine)	
	ranolazine ER	
BETA- AND ALPHA-BLOCKERS		
carvedilol	carvedilol ER	
labetalol	COREG (carvedilol)	
	COREG CR (carvedilol)	
BETA-BLOCKER/DIURETIC COMBINATIONS		
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)	
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)	
metoprolol/hydrochlorothiazide		
propranolol/hydrochlorothiazide		
BETA-BLOCKERS		
acebutolol	BETAPACE (sotalol)	
atenolol	BETAPACE AF (sotalol)	
bisoprolol	betaxolol	
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)	
metoprolol succinate	INDERAL LA (propranolol)	
metoprolol tartrate	INDERAL XL (propranolol)	
nadolol	INNOPRAN XL (propranolol)	
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)	
pindolol	LOPRESSOR (metoprolol tartrate)	
propranolol	SOTYLIZE (sotalol)	
propranolol ER	TENORMIN (atenolol)	
SORINE (sotalol)	TOPROL XL (metoprolol succinate)	
sotalol		
sotalol AF		
timolol		
SINUS NODE AGENTS		
	CORLANOR (ivabradine)	
	ivabradine	
BILE SALTS		
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (elafibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BILE SALTS (continued)		
	URSO FORTE (ursodiol)	
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	EVENITY (romosozumab-aqqg)	
	EVISTA (raloxifene)	
	MIACALCIN (calcitonin salmon)	
	PROLIA (denosumab)	
	teriparatide	
	TYMLOS (abaloparatide)	
	XGEVA (denosumab)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BPH AGENTS		
5-ALPHA-REDUCTASE INHIBITORS		CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL – Female - Documented State-accepted diagnosis Non-Preferred Criteria – Male - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ENTADFI - Requires clinical review
dutasteride	AVODART (dutasteride)	
finasteride	ENTADFI (finasteride/tadalafil)	
	PROSCAR (finasteride)	
ALPHA BLOCKERS		
alfuzosin ER	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		
	CIALIS (tadalafil)	
	tadalafil	
BRONCHODILATORS & COPD AGENTS		
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		Minimum Age Limit 6 years: SPIRIVA RESPIMAT SPIRIVA RESPIMAT - Automatic approval issued for diagnosis of asthma for ≥ 6 years of age BREZTRI AEROSPHERE 3 claims with BREZTRI AEROSPHERE in the past 105 days OR - New starts require clinical review Non-Preferred Criteria 1 claim for a preferred agent in the past 6 months OR 3 claims with the requested agent in the past 105 days
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	
ipratropium/albuterol		
STIOLTO RESPIMAT (tiotropium/olodaterol)		Minimum Age Limit 4 years: SEREVENT, XOPENEX HFA 6 years: XOPENEX Solution 18 years: BROVANA, PERFOROMIST, STRIVERDI RESPIMAT Quantity Limit (per 31 days) 10.7 units – Breztri Aerosphere XOPENEX HFA and Solution 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
ANTICHOLINERGIC-BATA AGONIST-GLUCOCORTICOIDS COMBINATIONS		
	BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}	
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)	
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
INCRUSE ELLIPTA (umeclidinium)	OHTUVAYRE (ensifentrine)	
ipratropium	roflumilast	
SPIRIVA HANDIHALER (tiotropium)	SPIRIVA RESPIMAT (tiotropium) ^{DUR+}	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	YUPERI (revefenacin)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
BRONCHODILATORS & COPD AGENTS (continued)					
INHALATION SOLUTION DUR+				See previous page for additional PA Criteria/DUR+ Rules	
albuterol		arformoterol			
		BROVANA (arformoterol)			
		formoterol, formoterol fumarate			
		levalbuterol			
		PERFOROMIST (formoterol)			
INHALERS, LONG ACTING DUR+					
SEREVENT DISKUS (salmeterol)					
STRIVERDI RESPIMAT (olodaterol)					
INHALERS, SHORT ACTING					
albuterol HFA		levalbuterol HFA			
VENTOLIN HFA (albuterol)		PROAIR DIGIHALER (albuterol)			
		XOPENEX HFA (levalbuterol)			
ORAL					
albuterol IR		albuterol ER			
terbutaline					
CALCIUM CHANNEL BLOCKERS DUR+					
LONG-ACTING				Quantity Limit (per 21 days) 252 capsules: nimodipine 2520 mL: nimodipine Non-Preferred Criteria – Long Acting - Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria – Short Acting - Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Nimodipine - Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND - Duration of therapy limited to 21 days	
amlodipine		CARDIZEM CD (diltiazem)			
CARTIA XT (diltiazem)		CARDIZEM LA (diltiazem)			
diltiazem ER 24 HR		diltiazem ER 12 HR			
diltiazem CD 24 HR		diltiazem LA 24 HR			
diltiazem XR 24 HR		KATERZIA (amlodipine)			
DILT-XR 24 HR (diltiazem)		levamlodipine			
felodipine		MATZIM LA (diltiazem)			
nifedipine ER		nisoldipine			
TAZTIA XT (diltiazem)		NORVASC (amlodipine)			
verapamil ER		PROCARDIA XL (nifedipine)			
LONG-ACTING					
verapamil SR		SULAR (nisoldipine)			
		TIADYLT ER (diltiazem)			
		TIAZAC (diltiazem)			
		verapamil PM			
		VERELAN PM (verapamil)			
SHORT-ACTING					
diltiazem		CARDIZEM (diltiazem)			
nicardipine		isradipine			
nifedipine		nimodipine capsule and solution			
verapamil		NORLIOVA (amlodipine)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CALCIUM CHANNEL BLOCKERS ^{DUR+} (continued)		
	NYMALIZE (nimodipine)	
CALORIC AGENTS		
BOOST	All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.	Non-Preferred Agents – MANUAL PA
BREAKFAST ESSENTIALS		
BRIGHT BEGINNINGS		
DUOCAL		
ENSURE		
NUTREN		
OSMOLITE		
PEDIASURE		
PROMOD		
RESOURCE		
TWOCAL HN		
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)		
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-Preferred Criteria – All Cephalosporin Generations - Have tried 2 different preferred agents in the past 6 months Maximum Age Limit 18 years: cefdinir suspension
amoxicillin/clavulanate	amoxicillin/clavulanate ER	
	AUGMENTIN (amoxicillin/clavulanate)	
CEPHALOSPORINS – FIRST GENERATION		
cefadroxil	cephalexin tablet	
cephalexin capsule, suspension		
CEPHALOSPORINS – SECOND GENERATION		
cefaclor capsule	cefaclor ER	
cefprozil	cefaclor suspension	
cefuroxime		
CEPHALOSPORINS – THIRD GENERATION		
cefdinir	cefixime suspension	
cefixime capsule	SUPRAX (cefixime)	
cefopodoxime		
COLONY STIMULATING FACTORS		
FULPHILA (pegfilgrastim-jmdb)	FYLNETRA (pegfilgrastim-pbbk)	
NEUPOGEN (filgrastim)	GRANIX (tbo-filgrastim)	
	LEUKINE (sargramostim)	
	NEULASTA, NEULASTA ONPRO (pegfilgrastim)	
	NIVESTYM (filgrastim-aafi)	
	NYVEPRIA (pegfilgrastim-apaf)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COLONY STIMULATING FACTORS (continued)		
	RELEUKO (filgrastim-ayow)	
	ROLVEDON (eflapegrastim-xnst)	
	STIMUFEND (pegfilgrastim-fpgk)	
	UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)	
	ZARXIO (filgrastim-sndz)	
	ZIEXTENZO (pegfilgrastim-bmez)	
CYSTIC FIBROSIS AGENTS ^{DUR+}		
PULMOZYME (dornase alfa)	ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor)	Minimum Age Limit • 1 month: KALYDECO granules • 3 months: PULMOZYME • 1 year: ORKAMBI • 2 years: COLY-MYCIN M, TRIKAFTA granules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL Maximum Age Limit • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets Preferred Agents • Documented diagnosis of Cystic Fibrosis OR • Require clinical review ALYFTREK – MANUAL PA KALYDECO – MANUAL PA ORKAMBI – MANUAL PA SYMDEKO – MANUAL PA TOBI PODHALER – Require clinical review TRIKAFTA – MANUAL PA
tobramycin (generic TOBI)	BETHKIS (tobramycin)	
	BRONCHITOL (mannitol)	
	CAYSTON (aztreonam)	
	colistimethate	
	COLY-MYCIN M (colistin)	
	KALYDECO (ivacaftor)	
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
ACTEMRA (tocilizumab) syringe, vial	ABRILADA (adalimumab-afzb)	Preferred Agents – Criteria details found here Non-Preferred Agents - Require clinical review IV Administered Agents - Require clinical review
AVSOLA (infliximab-axxq)	ACTEMRA ACTPEN (tocilizumab)	
ENBREL (etanercept)	IDACIO (adalimumab-aacf)	
HUMIRA (adalimumab)	adalimumab-aaty	
KINERET (anakinra)	adalimumab-adaz	
methotrexate	adalimumab-adbm	
OLUMIANT (baricitinib)	adalimumab-fkjp	
OTEZLA (apremilast)	adalimumab-ryvk	
RINVOQ (upadacitinib)	AMJEVITA (adalimumab-atto)	
RINVOQ LQ (upadacitinib)	ARCALYST (rilonacept)	
SIMPONI (golimumab)	BIMZELX (bimekizumab-bkzx)	
TALTZ (ixekizumab)	CIMZIA (certolizumab)	
TYENNE Syringe, Vial (tocilizumab-aazg)	COSENTYX (secukinumab)	
XELJANZ (tofacitinib) tablet	CYLTEZO (adalimumab-adbm)	
	ENTYVIO (vedolizumab)	
	HADLIMA (adalimumab-bwwd)	
	HULIO (adalimumab-fkjp)	
	HYRIMOZ (adalimumab-adaz)	
	IDACIO (adalimumab-aacf)	
	ILARIS (canakinumab)	
	ILUMYA (tildrakizumab-asmn)	
	INFLECTRA (infliximab-dyyb)	
	infliximab	
	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	
	LITFULO (ritlecinib)	
	OMVOH (mirikizumab-mrkz)	
	ORENCIA (abatacept)	
	OTREXUP (methotrexate)	
	OTULFI (ustekinumab-aauz)	
	PYZCHIVA (ustekinumab-ttwe)	
	RASUVO (methotrexate)	
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	
	SILIQ (brodalumab)	
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{DUR+} (continued)		
	TOFIDENCE (tocilizumab-bavi)	See previous page for additional PA Criteria/DUR+ Rules
	TREMFYA (guselkumab)	
	TREXALL (methotrexate)	
	TYENNE Autoinjector (tocilizumab-aazg)	
	XATMEP (methotrexate)	
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YESINTEK (ustekinumab-kfce)	
	YUFLYMA (adalimumab-aaty)	
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}		
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	Non-Preferred Criteria - Documented diagnosis of cancer or chronic renal failure OR - Antineoplastic therapy in the past 6 months AND - Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR 1 claim for the requested agent in the past 105 days JESDUVROQ - Requires clinical review MIRCERA - Documented diagnosis of chronic renal failure in the past 2 years
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRT (epoetin alfa)	
	VAFSEO (vadadustat)	
FACTOR DEFICIENCY PRODUCTS ^{DUR+}		
FACTOR VIII		HEMLIBRA 3 claims with HEMLIBRA in the past 105 days OR - New starts require clinical review – MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIIO	JIVI	
FEIBA	KCENTRA	
HEMOFIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
FACTOR VIII		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		
XYNTHA, XYNTHA SOLOFUSE		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
FACTOR DEFICIENCY PRODUCTS ^{DUR+} (continued)					
FACTOR IX					
ALPHANINE SD		BEQVEZ			
ALPROLIX		REBINYN			
BENEFIX					
IDELVION					
IXINITY					
PROFILNINE					
RIXUBIS					
OTHER HEMOPHILIA PRODUCTS					
COAGADEX (factor X)		ALHEMO (concizumab-mtci)			
FIBRYGA (fibrinogen)		CORIFACT (factor XIII)			
HEMLIBRA (emicizumab-kxwh) ^{DUR+}		HYMPAVZI (marstacimab-hncq)			
RIASTAP (fibrinogen)		NOVOSEVEN RT (factor VII)			
		SEVENFACT (factor VII)			
		TRETTEN (factor XIII)			
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS					
duloxetine (generic CYMBALTA)		CYMBALTA (duloxetine)			
gabapentin		DIRZALMA SPRINKLE (duloxetine)			
pregabalin		duloxetine 40 mg DR capsules (generic IRENKA)			
SAVELLA (milnacipran)		gabapentin ER			
		GABARONE (gabapentin)			
		GRALISE (gabapentin)			
		HORIZANT (gabapentin enacarbil)			
		LYRICA, LYRICA CR (pregabalin)			
		NEURONTIN (gabapentin)			
		pregabalin ER			
FLUOROQUINOLONES ^{DUR+}					
ciprofloxacin tablet		BAXDELA (delafloxacin)		Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension Criteria for Age < 12 Years - Anthrax infection or exposure, cystic fibrosis, pneumonic plague, or tularemia AND - History of doxycycline in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide LEVAQUIN Solution Criteria for Age < 12 Years - Anthrax infection or exposure AND - CIPRO suspension in the past 3 months OR See next page for additional PA Criteria/DUR+ Rules	
levofloxacin tablet		CIPRO (ciprofloxacin)			
		ciprofloxacin suspension			
		levofloxacin solution			
		moxifloxacin			
		ofloxacin			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FLUOROQUINOLONES ^{DUR+} (continued)		
		See previous page for additional PA Criteria/DUR+ Rules
		7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin 2nd or 3rd generation cephalosporin - Macrolide
GAUCHER’S DISEASE		
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	
GENITAL WARTS & ACTINIC KERATOSIS AGENTS		
CONDYLOX (podofilox)	CARAC (fluorouracil)	Minimum Age Limit
fluorouracil	EFUDEX (fluorouracil)	12 years: ALDARA, ZYCLARA
imiquimod	VEREGEN (sinecatechins)	18 years: CONDYLOX, PICATO, VEREGEN
podofilox	ZYCLARA (imiquimod)	
GI ULCER THERAPIES		
H2 RECEPTOR ANTAGONISTS		Prilosec suspension Automatic approval issued for 0-2 years of age
famotidine	cimetidine	
	nizatidine	
	PEPCID (famotidine)	
OTHERS		
CARAFATE (sucralfate) suspension	CARAFATE (sucralfate) tablet	
misoprostol	CYTOTEC (misoprostol)	
sucralfate	DARTISLA (glycopyrrolate)	
	VOQUEZNA (vonoprazan)	
PROTON PUMP INHIBITORS		
esomeprazole capsule	DEXILANT (dexlansoprazole)	
NEXIUM (esomeprazole) packet	dexlansoprazole	
omeprazole	esomeprazole packet	
pantoprazole	KONVOMEF (omeprazole/sodium bicarbonate)	
	lansoprazole Rx	
	NEXIUM (esomeprazole) capsule	
	omeprazole/sodium bicarbonate	
	PREVACID (lansoprazole)	
	PRILOSEC (omeprazole) packet	
	PROTONIX (pantoprazole)	
	rabeprazole	
	ZEGERID (omeprazole/sodium bicarbonate)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
GLUCOCORTICOIDS (INHALED)					
GLUCOCORTICOIDS				Non-Preferred Criteria • Glucocorticoids ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Note: ○ Institutional-sized products are non-preferred AIRDUO DIGIHALER • Requires clinical review ARMONAIR DIGIHALER • Requires clinical review PROAIR DIGIHALER – Require clinical review Minimum Age Limit • 18 years: AIRSUPRA Quantity Limit (per 31 days) • 2 inhalers: AIRSUPRA -- MANUAL PA	
ASMANEX (mometasone)		ALVESCO (ciclesonide)			
budesonide 0.25 mg and 0.5 mg		ARMONAIR DIGIHALER (fluticasone)			
fluticasone diskus		ARNUITY ELLIPTA (fluticasone)			
fluticasone HFA		ASMANEX HFA (mometasone)			
PULMICORT FLEXHALER (budesonide)		budesonide 1 mg			
QVAR REDIHALER (beclomethasone)		FLOVENT HFA (fluticasone)			
		FLOVENT DISKUS (fluticasone)			
		PULMICORT (budesonide) nebulizer solution			
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS					
ADVAIR DISKUS (fluticasone/salmeterol)		AIRDUO DIGIHALER (fluticasone/salmeterol)			
ADVAIR HFA (fluticasone/salmeterol)		AIRSUPRA (albuterol/budesonide)			
DULERA (mometasone/formoterol)		BREO ELLIPTA (fluticasone/vilanterol)			
fluticasone/salmeterol diskus		BREYNA (budesonide/formoterol)			
fluticasone/salmeterol HFA		budesonide/formoterol			
SYMBICORT (budesonide/formoterol)		fluticasone/vilanterol			
		WIXELA INHUB (fluticasone/salmeterol)			
GROWTH HORMONES ^{DUR+}					
GENOTROPIN (somatropin)		HUMATROPE (somatropin)		All Agents • Age ≥ 18 years ○ Documented diagnosis of craniopharyngioma, panhypopituitarism, Prader-Willi Syndrome, Turner Syndrome or an approvable adult diagnosis OR ○ Documented procedure of cranial irradiation • Age < 18 years ○ Documented diagnosis of idiopathic short stature AND ○ Documented approvable pediatric diagnosis OR ○ Documented approvable pediatric diagnosis Minimum Age Limit • 3 years: NGENLA Maximum Age Limit • 18 years: NGENLA and SKYTROFA See next page for additional PA Criteria/DUR+ Rules	
NORDITROPIN FLEXPOR (somatropin)		NGENLA (somatropin-ghla)			
SKYTROFA (lonaepsomatomatin-tcqd)		OMNITROPE (somatropin)			
		SEROSTIM (somatropin)			
		SOGROYA (somapacitan-beco)			
		VOXZOGO (vosoritide)			
		ZOMACTON (somatropin)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		See previous page for additional PA Criteria/DUR+ Rules Non-Preferred Criteria - Documented approvable diagnosis for age as above AND - Have tried 1 preferred agent in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days SKYTROFA < 18 years AND - No history of diagnosis of Prader-Willi Syndrome AND 28 days of therapy with a preferred short-acting growth hormone in the past 105 days
H. PYLORI COMBINATION TREATMENTS		
PYLERA (bismuth subcitrate potassium/metronidazole/ tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline lansoprazole/amoxicillin/clarithromycin	Quantity Limit 1 treatment course/year: all agents
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	
	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
MAVYRET (glecaprevir/pibrentasvir) ∞	EPCLUSA (sofosbuvir/velpatasvir) ∞	∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER - Require MANUAL PA Note: - EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) ∞	
ribavirin tablet	ledipasvir/sofosbuvir ∞	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) ∞	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ∞	
	ZEPATIER (elbasvir/grazoprevir) ∞	
HEREDITARY ANGIOEDEMA		
BERINERT (C1 esterase inhibitor)	CINRYZE (C1 esterase inhibitor)	
icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	ORLADEYO (berotralstat)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	
	TAKHZYRO (lanadelumab-flvo)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPERURICEMIA & GOUT ^{DUR+}		
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	
HYPOGLYCEMIA TREATMENT		
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	Minimum Age Limit 1 year: BAQSIMI 2 years: GVOKE 6 years: ZEGALOGUE Quantity Limit (per 31 days) 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria – GVOKE 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		
HYPOGLYCEMICS, BIGUANIDES		
metformin	GLUMETZA (metformin)	Non-Preferred Criteria - Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review
metformin ER (generic GLUCOPHAGE XR)	metformin ER (generic FORTAMET)	
	metformin ER (generic GLUMETZA)	
	metformin solution	
	RIOMET (metformin)	
JANUMET (sitagliptin/metformin)	alogliptin	
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	
JANUVIA (sitagliptin)	JENTADUETO XR (linagliptin/metformin)	
JENTADUETO (linagliptin/metformin)	KAZANO (alogliptin/metformin)	
TRADJENTA (linagliptin)	KOMBIGLYZE XR (saxagliptin/metformin)	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	
	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}		
BYETTA (exenatide)	BYDUREON (exenatide)	Minimum Age Limit • 10 years: BYDUREON BCISE, TRULICITY, VICTOZA • 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria Documented diagnosis of Type 2 Diabetes and no history of SAXENDA or WEGOVY in the past 30 days OR No documented diagnosis for Type 2 Diabetes and 84 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria • Documented diagnosis of Type 2 Diabetes AND • No history of SAXENDA or WEGOVY in the past 30 days AND • 84 days of therapy with TRULICITY in the past 6 months AND • 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months • OR • Documented diagnosis of Type 2 Diabetes AND • 84 days of therapy with the request agent in the past 105 days <u>Note:</u> • Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. • Please see the PDL category Anti-obesity Select Agents for a list of covered agents. RYBELSUS 1.5 mg and 3 mg Require clinical review
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria • Documented diagnosis of Diabetes Mellitus AND • Have tried 1 preferred agent in the past 6 months OR • 1 claim with the requested agent in the past 105 days Quantity Limit • Insulin quantity limits can be found here <u>Note:</u> • Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries.
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN,	
insulin aspart protamine mix 70/30 vial	TEMPO PEN (insulin lispro)	
insulin lispro	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro protamine mix 75/25 vial	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
LANTUS (insulin glargine)	HUMULIN N KWIKPEN (insulin N)	
TOUJEO (insulin glargine)	insulin degludec	
TOUJEO MAX (insulin glargine)	insulin glargine	
	insulin glargine-yfgn	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	NOVOLIN 70/30 (insulin NPH/regular)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+} (continued)		
	NOVOLIN N (insulin NPH)	See previous page for additional PA Criteria/DUR+ Rules
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)	
	REZVOGLAR (insulin glargine-aglr)	
	SEMGLEE (insulin glargine-yfqn)	
	TRESIBA (insulin degludec)	
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}		
nateglinide		
repaglinide		
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}		
SGLT-2 INHIBITORS		Non-Preferred Criteria - Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
FARXIGA (dapagliflozin)	dapagliflozin	
JARDIANCE (empagliflozin)	INPEFA (sotagliflozin)	
	INVOKANA (canagliflozin)	
	STEGLATRO (ertugliflozin)	
SGLT-2 INHIBITOR COMBINATIONS		
GLYXAMBI (empagliflozin/linagliptin)	dapagliflozin/metformin ER	
SYNJARDY (empagliflozin/metformin)	INVOKAMET (canagliflozin/metformin)	
SYNJARDY XR (empagliflozin/metformin)	INVOKAMET XR (canagliflozin/metformin)	
TRIJARDY XR (empagliflozin/linagliptin/metformin)	QTERN (dapagliflozin/saxagliptin)	
	SEGLUROMET (ertugliflozin/metformin)	
	STEGLUJAN (ertugliflozin/sitagliptin)	
	XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
	DUETACT (pioglitazone/metformin)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
OFEV (nintedanib)	ESBRIET (pirfenidone)	All Agents Documented diagnosis of Idiopathic Pulmonary Fibrosis
	pirfenidone	
		OFEV - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with Ofev in the past 105 days ESBRIET or pirfenidone - Requires clinical review

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
IMMUNE GLOBULINS					
BIVIGAM		ALYGLO			
FLEBOGAMMA		ASCENIV			
GAMASTAN		CABLIVI			
GAMMAGARD		CUTAQUIG			
GAMMAGARD S-D		CUVITRU			
GAMUNEX-C		GAMMAKED			
HIZENTRA		GAMMAPLEX			
HYQVIA		OCTAGAM			
PANZYGA					
PRIVIGEN					
XEMBIFY					
IMMUNOLOGIC THERAPIES FOR ASTHMA					
DUPIXENT (dupilumab) ^{DUR+}		CINQAIR (reslizumab)		CINQAIR • Requires clinical review See below for additional PA Criteria/DUR+ Rules	
FASENRA (benralizumab)		NUCALA (mepolizumab)			
XOLAIR (omalizumab)		TEZSPIRE (tezepelumab-ekko)			
DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ○ Asthma – MANUAL PA ○ Atopic Dermatitis – MANUAL PA ○ COPD – MANUAL PA ○ Eosinophilic Esophagitis – MANUAL PA ○ Nasal Polyposis – MANUAL PA ○ Prurigo Nodularis – MANUAL PA				FASENRA • Requires clinical review – MANUAL PA	
				NUCALA • Requires clinical review	
				TEZSPIRE • Requires clinical review	
				XOLAIR • 1 claim with XOLAIR in the past 45 days OR • New starts require clinical review – MANUAL PA	
IMMUNOSUPPRESSIVE AGENTS, ORAL					
AZASAN (azathioprine)		ASTAGRAF XL (tacrolimus)		Minimum Age Limit • 13 years: RAPAMUNE • 18 years: ZORTRESS Maximum Age Limit • 12 years: PROGRAF Granules See next page for additional PA Criteria/DUR+ Rules	
azathioprine		ENVARSUS XR (tacrolimus)			
CELLCEPT (mycophenolate)		MYFORTIC (mycophenolate)			
cyclosporine		PROGRAF (tacrolimus)			
everolimus		REZUROCK (belumosudil)			
mycophenolate		ZORTRESS (everolimus)			
mycophenolic acid					
NEORAL (cyclosporine)					
RAPAMUNE (sirolimus)					
SANDIMMUNE (cyclosporine)					
sirolimus					
tacrolimus					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
See previous page for additional PA Criteria/DUR+ Rules		
Preferred Criteria • AZASAN ◦ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE ◦ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • Everolimus ◦ Documented diagnosis of kidney or liver transplant • RAPAMUNE ◦ Documented diagnosis of kidney transplant • Tacrolimus ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis Non-Preferred Criteria • MYHIBBIN Suspension ◦ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with mycophenolate suspension in the past 105 days OR ◦ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ASTAGRAF XR or ENVARUS XR ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ◦ 30 days of therapy with tacrolimus IR in the past 105 days OR ◦ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules ◦ Age ≤ 11 years AND ◦ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC ◦ Documented diagnosis of kidney transplant or psoriasis • ZORTRESS ◦ Documented diagnosis of kidney or liver transplant		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
INTRANASAL RHINITIS AGENTS						
ANTICHOLINERGICS			Non-Preferred Criteria – Corticosteroids • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months			
ipratropium						
ANTIHIISTAMINE/CORTICOSTEROID COMBINATIONS						
		azelastine/fluticasone				
		DYMISTA (azelastine/fluticasone)				
		RYALTRIS (olopatadine/mometasone)				
ANTIHIISTAMINES						
azelastine		olopatadine				
		PATANASE (olopatadine)				
CORTICOSTEROIDS						
fluticasone		BECONASE AQ (beclomethasone)				
		flunisolide				
		mometasone				
		NASONEX (mometasone)				
		OMNARIS (ciclesonide)				
		QNASL (beclomethasone)				
		XHANCE (fluticasone)				
		ZETONNA (ciclesonide)				
IRON CHELATING AGENTS						
deferasirox (all manufacturers except those listed as non-preferred)		deferasirox (manufacturers starting with 45963, 62332)		JADENU – MANUAL PA		
deferiprone 500 mg tablet		EXJADE (deferasirox)				
FERRIPROX (deferiprone)		JADENU, JADENU SPRINKLE (deferasirox)				
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}						
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}			Minimum Age Limit • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTEGRITY, MOVANTIK, MYTESI, RELISTOR, SYMPROIC, TRULANCE, VIBERZI Gender Limit • Female – AMITIZA 8 mcg See next page for additional PA Criteria/DUR+ Rules			
LINZESS (linaclotide)		AMITIZA (lubiprostone)				
lubiprostone		IBSRELA (tenapanor)				
TRULANCE (plecanatide)		MOTEGRITY (prucalopride)				
		MOVANTIK (naloxegol)				
		prucalopride				
		RELISTOR (methylnaltrexone)				
		SYMPROIC (naldemedine)				
IRRITABLE BOWEL SYNDROME DIARRHEA						
dicyclomine		alosetron				
ED-SPAZ (hyoscyamine)		LOTROXEN (alosetron) ^{DUR+}				
hyoscyamine, hyoscyamine ER		VIBERZI (eluxadoline) ^{DUR+}				
HYOSYNE (hyoscyamine)						
LEVSIN, LEVSIN-SL (hyoscyamine)						
NULEV (hyoscyamine)						
OSCIMIN, OSCIMIN SL (hyoscyamine)						
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}						
		GATTEX (teduglutide)				
		MYTESI (crofelemer)				

See next page for additional PA Criteria/DUR+ Rules

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME – CONSTIPATION^{DUR+}		
Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY, TRULANCE • Preferred CIC Agents - o Documented diagnosis of CIC in the past year AND - o No history of GI or bowel obstruction • LINZESS 72 mcg - o Age 6-17 years AND - o Documented diagnosis of CIC or pediatric functional constipation in the past year AND - o No history of GI or bowel obstruction • Non-Preferred CIC Agents - o Documented diagnosis of CIC AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred CIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	Irritable Bowel Syndrome – Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg, TRULANCE • Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction • Non-Preferred IBS-C Agents - o Documented diagnosis of IBS-C in the past year AND - o No history of GI or bowel obstruction AND - o Have tried 2 preferred IBS-C agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days	Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, RELISTOR, SYMPROIC • Preferred OIC Agents - o Documented diagnosis of OIC and chronic pain in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents - o All preferred criteria met AND - o Have tried 1 preferred OIC agents in the past 6 months OR - o 1 claim with the requested agent in the past 105 days • Relistor Injection - o Above OIC criteria OR - o Documented diagnosis of OIC and active cancer in the past year AND - o No history of GI or bowel obstruction AND - o 1 claim for an opioid in the past 30 days
IRRITABLE BOWEL SYNDROME – DIARRHEA		
• VIBERZI [New starts require clinical review] Documented diagnosis of IBS – D in the past year and 1 claim for Viberzi in the past 105 days • LOTROXEX - o 1 claim for LOTROXEX in the past 105 days OR - o New starts require clinical review – MANUAL PA • XIFAXAN – (see Antibiotics, GI)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS^{DUR+}		
HIV/AIDS Non-infectious Diarrhea • MYTESI - o Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND - o 1 claim for an antiretroviral in the past 30 days	Short Bowel Syndrome (SBS) • GATTEX - o 1 claim for GATTEX in the past 105 days OR - o New starts require clinical review	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LEUKOTRIENE MODIFIERS ^{DUR+}		
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit • 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	
LIPOTROPICS, OTHER (NON-STATINS)		
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria – Fibric Acid Derivatives ◦ Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months
	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ezetimibe)	JUXTAPID – MANUAL PA
ANGIOPOIETIN-LIKE 3 INHIBITORS		KYNAMRO • Requires clinical review
	EVKEEZA (evinacumab-dgmb)	
BILE ACID SEQUESTRANTS		LEQVIO • Requires clinical review NEXLETOL and NEXLIZET • Require clinical review PRALUENT – MANUAL PA
cholestyramine	colesevelam	
cholestyramine light	COLESTID (colestipol)	
LIPOTROPICS, OTHER (NON-STATINS)		
colestipol tablet	colestipol packet	REPATHA – MANUAL PA WELCHOL • Documented diagnosis of Type 2 Diabetes AND • 30 days of therapy with an antidiabetic agent in the past 6 months OR 90 days of therapy with WELCHOL in the past 105 days
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
LIPOTROPICS, OTHER (NON-STATINS) (continued)					
NIACIN				See previous page for additional PA Criteria/DUR+ Rules	
niacin ER					
OMEGA-3 FATTY ACIDS					
omega-3 acid ethyl esters		icosapent ethyl			
		LOVAZA (omega-3 acid ethyl esters)			
PCSK-9 INHIBITORS					
REPATHA (evolocumab)		LEQVIO (inclisiran)			
		PRALUENT (alirocumab)			
LIPOTROPICS, STATINS DUR+					
STATINS					
atorvastatin		ALTOPREV (lovastatin)			
lovastatin		ATORVALIQ (atorvastatin)			
pravastatin		CRESTOR (rosuvastatin)			
rosuvastatin		EZALLOR SPRINKLE (rosuvastatin)			
simvastatin		FLOLIPID (simvastatin)			
		fluvastatin			
		fluvastatin ER			
		LESCOL XL (fluvastatin)			
		LIPITOR (atorvastatin)			
		LIVALO (pitavastatin)			
		pitavastatin			
		ZOCOR (simvastatin)			
		ZYPITAMAG (pitavastatin)			
STATIN COMBINATIONS					
ezetimibe/simvastatin		amlodipine/atorvastatin			
		CADUET (amlodipine/atorvastatin)			
		VYTORIN (ezetimibe/simvastatin)			
MISCELLANEOUS BRAND/GENERIC					
ALLERGEN EXTRACT IMMUNOTHERAPY				CUMULATIVE quantity limit (per 31 days)	
		GRASTEK		• 31 tablets: alprazolam ER	
		ORALAIR		Quantity Limit (per 31 days)	
		RAGWITEK		• 2 kits: epinephrine	
EPINEPHRINE				EVRYSDI – MANUAL PA	
epinephrine (Mylan)		AUVI-Q (epinephrine)			
		epinephrine (all other manufacturers)			
		EPIPEN (epinephrine)			
		EPIPEN JR (epinephrine)			
		NEFFY (epinephrine)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA		
MISCELLANEOUS BRAND/GENERIC (continued)						
MISCELLANEOUS			See previous page for additional PA Criteria/DUR+ Rules			
alprazolam		alprazolam ER				
hydroxyzine HCL		CAMZYOS (mavacamten)				
hydroxyzine pamoate		CRENESSITY (crinecerfont)				
megestrol		EVRYSDI (risdiplam)				
REVLIMID (lenalidomide)		KORLYM (mifepristone)				
		lenalidomide				
		TRYNGOLZA (olezarsen)				
		VERQUVO (vericiguat)				
		VISTARIL (hydroxyzine pamoate)				
		XANAX, XANAX XR (alprazolam)				
SUBLINGUAL NITROGLYCERIN						
nitroglycerin						
NITROLINGUAL (nitroglycerin)						
NITROSTAT (nitroglycerin)						
MOVEMENT DISORDER AGENTS DUR+						
AUSTEDO (deutetrabenazine)		INGREZZA INITIATION PACK (valbenazine)		AUSTEDO and AUSTEDO XR • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with either agent in the past 105 days OR • New starts require clinical review – MANUAL PA		
AUSTEOD XR (deutetrabenazine)		XENAZINE (tetrabenazine)				
INGREZZA (valbenazine)						
INGREZZA SPRINKLE (valbenazine)						
tetrabenazine						
				INGREZZA • Documented diagnosis of Huntington's chorea OR • Documented diagnosis of tardive dyskinesia AND • 90 days of therapy with this agent in the past 105 days OR • New starts require clinical review – MANUAL PA		
MULTIPLE SCLEROSIS AGENTS DUR+						
BETASERON (interferon beta-1b)		AMPYRA (dalfampridine)		Preferred Agents • Documented diagnosis of multiple sclerosis Non-Preferred Criteria • Documented diagnosis of multiple sclerosis AND • Have tried 2 different preferred agents in the past 6 months OR • 3 claims with the requested agent in the last 105 days KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA • Require clinical review		
COPAXONE (glatiramer) 20 mg		AUBAGIO (teriflunomide)				
dalfampridine ER		AVONEX (interferon beta-1a)				
dimethyl fumarate		BAFIERTAM (monomethyl fumarate)				
fingolimod		BRIUMVI (ublituximab-xiiy)				
REBIF (interferon beta-1b)		COPAXONE (glatiramer) 40 mg		See next page for additional PA Criteria/DUR+ Rules		
REBIF REBIDOSE (interferon beta-1b)		GILENYA (fingolimod)				
teriflunomide		glatiramer				
TYSABRI (natalizumab)		GLATOPA (glatiramer)				
		KESIMPTA PEN (ofatumumab)				
		MAVENCLAD (cladribine)				

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MULTIPLE SCLEROSIS AGENTS ^{DUR+} (continued)		
	MAYZENT (siponimod)	See previous page for additional PA Criteria/DUR+ Rules MAVENCLAD – MANUAL PA MAYZENT – MANUAL PA OCREVUS and OCREVUS ZUNOVO – MANUAL PA
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	PLEGRIDY (peginterferon beta-1a)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	TECFIDERA (dimethyl fumarate)	
	VUMERITY (diroximel fumarate)	
	ZEPOSIA (ozanimod)	
MUSCULAR DYSTROPHY AGENTS		
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	AGAMREE – MANUAL PA
	AMONDYS-45 (casimersen)	ELEVIDYS – MANUAL PA EMFLAZA – MANUAL PA EXONDYS – MANUAL PA VILTEPSO – MANUAL PA VYONDYS – MANUAL PA
	deflazacort	
	DUVYZAT (givinostat)	
	ELEVIDYS (delandistrogene moxeparvovec-rokl)	
	EXONDYS-51 (eteplirsen)	
	VILTEPSO (viltolarsen)	
	VYONDYS-53 (golodirsen)	
NSAIDS		
COX II SELECTIVE		Quantity Limit (per 31 days) 20 tablets: ketorolac tablets ELYXYB - Requires clinical review Non-Preferred Criteria – COX II Selective - No history of a contraindicated GI disorder or coagulation disorder AND - Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND - Have tried 1 preferred COX-II selective agent OR 90 days of therapy with the requested agent in the past 105 days See next page for additional PA Criteria/DUR+ Rules
meloxicam	CELEBREX (celecoxib)	
	celecoxib	
	ELYXYB (celecoxib)	
NON-SELECTIVE		
diclofenac sodium	DAYPRO (oxaprozin)	
diclofenac sodium ER	diclofenac potassium	
EC-naproxen DR 500 mg tablet	DOLOBID (diflunisal)	
etodolac tablet	etodolac capsule, etodolac ER	
flurbiprofen	FELDENE (piroxicam)	
ibuprofen	fenoprofen	
indomethacin capsule	indomethacin ER, indomethacin suppository	
ketoprofen	ketoprofen	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
NSAIDS (continued)					
ketorolac		kiprofen		See previous page for additional PA Criteria/DUR+ Rules	
nabumetone		LOFENA (diclofenac potassium)			
naproxen 250 mg, 500 mg		meclofenamate			
piroxicam		mefenamic acid			
sulindac		NALFON (fenoprofen)			
		NAPRELAN (naproxen)			
		NAPROSYN 375 mg (naproxen)			
		naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg			
		oxaprozin			
		RELAFEN DS (nabumetone)			
		TOLECTIN 600 mg (tolmetin)			
		tolmetin			
NSAID/GI PROTECTANT COMBINATIONS					
		ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)		Non-Preferred Criteria – Non-Selective & Combinations - No history of a contraindicated GI disorder or coagulation disorder AND - Have tried 2 different preferred non-selective agents in the past 6 months	
		diclofenac/misoprostol			
		ibuprofen/famotidine			
		naproxen/esomeprazole			
		VIMOVO (naproxen/esomeprazole)			
OPHTHALMIC AGENTS					
ANTIBIOTICS				Minimum Age Limit 16 years: RESTASIS 17 years: XIIDRA 18 years: CEQUA, MIEBO, VEVYE Quantity Limit (per 31 days) 2 mL: VEVYE 3 mL: MIEBO 5.5 mL: RESTASIS Multidose 60 units: CEQUA, RESTASIS Droperette, XIIDRA Non-Preferred Criteria - Anti-Inflammatory Agents - Have tried 2 different preferred agents in the past 6 months - Dry Eye Agents / CEQUA 4 claims for RESTASIS Droperette and XIIDRA in the past 6 months EYSUVISRequires clinical review	
bacitracin/polymyxin		AZASITE (azithromycin)			
ciprofloxacin		bacitracin			
erythromycin		BESIVANCE (besifloxacin)			
gentamicin		CILOXAN (ciprofloxacin)			
moxifloxacin		gatifloxacin			
ofloxacin		NATACYN (natamycin0			
polymyxin B/trimethoprim		neomycin/bacitracin/polymyxin			
tobramycin		OCUFLOX (ofloxacin)			
		sulfacetamide			
		TOBREX (tobramycin)			
		VIGAMOX (moxifloxacin)			
ANTIBIOTIC-STEROID COMBINATIONS					
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)		MAXITROL (neomycin/polymyxin/dexamethasone)			
neomycin/bacitracin/polymyxin/hydrocortisone		neomycin/polymyxin/gramicidin			
neomycin/polymyxin/dexamethasone		TOBRADEX ST (tobramycin/dexamethasone)			
PRED-G (gentamicin/prednisolone)					
sulfacetamide/prednisolone					
TOBRADEX (tobramvcin/dexamethasone)					
See next page for additional PA Criteria/DUR+ Rules					

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC AGENTS <i>(continued)</i>		
tobramycin/dexamethasone		See previous page for additional PA Criteria/DUR+ Rules
ZYLET (tobramycin/loteprednol)		
ANTI-INFLAMMATORY AGENTS		MIEBO
dexamethasone	ACULAR, ACULAR LS (ketorolac)	• Requires clinical review
diclofenac sodium	ACUVAIL (ketorolac)	
difluprednate	bromfenac	RESTASIS Multidose
FLAREX (fluorometholone)	BROMSITE (bromfenac)	• Require clinical review
fluorometholone	DUREZOL (difluprednate)	
flurbiprofen	FML (fluorometholone)	TYRVAYA
FML FORTE (fluorometholone)	ILEVRO (nepafenac)	• Requires clinical review
ketorolac	INVELTYS (loteprednol)	
MAXIDEX (dexamethasone)	LOTEMAX, LOTEMAX SM (loteprednol)	VEVYE
PRED MILD (prednisolone)	loteprednol	Requires clinical review
prednisolone acetate	NEVANAC (nepafenac)	
prednisolone sodium phosphate	PRED FORTE (prednisolone)	
	PROLENSA (bromfenac)	
DRY EYE AGENTS		
RESTASIS Dropperette (cyclosporine)	CEQUA (cyclosporine)	
XIIDRA (lifitegrast)	cyclosporine	
	EYSUVIS (loteprednol)	
	MIEBO (perfluorohexyloactane)	
	RESTASIS Multidose (cyclosporine)	
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
BETA BLOCKERS		Minimum Age Limit
BETIMOL (timolol)	betaxolol	• 18 years: IYUZEH
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol dropperette, daily drop, gel	Non-Preferred Criteria
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	• Have tried 2 different preferred agents in the past 6 months OR
timolol drops 0.25%, 0.5%		• 90 days of therapy with the requested agent in the past 105 days
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC, GLAUCOMA AGENTS (continued)		
PROSTAGLANDIN ANALOGS		See previous page for additional PA Criteria/DUR+ Rules
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprost)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%	
brimonidine 0.2%		
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS		
ALREX (loteprednol)	ALOCRIL (nedocromil)	Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen OTC	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACFT (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIAE (cetirizine)	
OPIATE DEPENDENCE TREATMENTS		
DEPENDENCE		Buprenorphine/naloxone provider summary found here SUBLOCADE – MANUAL PA VIVITROL – MANUAL PA
buprenorphine/naloxone SL tablet DUR+	BRIXADI (buprenorphine)	
naltrexone	buprenorphine DUR+	
SUBOXONE (buprenorphine/naloxone) DUR+	buprenorphine/naloxone film DUR+	
	lofexidine	
	LUCEMYRA (lofexidine)	
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone)	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPIATE DEPENDENCE TREATMENTS (continued)		
OPVEE (nalmeferene)		See previous page for additional PA Criteria/DUR+ Rules
REXTOVY (naloxone)		
ZIMHI (naloxone)		
OTIC ANTIBIOTICS		
CIPRO HC (ciprofloxacin/hydrocortisone)	ciprofloxacin	Maximum Age Limit 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria - Age ≥ 6 months AND - Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND - Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)	ciprofloxacin/fluocinolone	
fluocinolone	ciprofloxacin/dexamethasone	
neomycin/polymyxin/hydrocortisone	DERMOTIC (fluocinolone)	
	FLAC OTIC OIL (fluocinolone)	
	hydrocortisone/acetic acid	
	OTOVEL (ciprofloxacin/fluocinolone)	
PANCREATIC ENZYMES		
CREON (lipase/protease/amylase)	PERTZYE (lipase/protease/amylase)	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
ZENPEP (lipase/protease/amylase)	VIOKACE (lipase/protease/amylase)	
PARATHYROID AGENTS		
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	
PHOSPHATE BINDERS		
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	RENVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	
PLATELET AGGREGATION INHIBITORS		
aspirin/dipyridamole	EFFIENT (prasugrel)	Non-Preferred Criteria - Documented diagnosis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ZONTIVITY – MANUAL PA
BRILINTA (ticagrelor)	PLAVIX (clopidogrel)	
cilostazol		
clopidogrel		
dipyridamole		
pentoxifylline		
prasugrel		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
PLATELET STIMULATING AGENTS					
NPLATE (romiplostim)		ALVAIZ (eltrombopag)			
PROMACTA (eltrombopag) tablet		DOPTelet (avatrombopag)			
		MULPLETA (lusutrombopag)			
		PROMACTA (eltrombopag) packet			
		TAVALISSE (fostamatinib)			
POTASSIUM REMOVING AGENTS					
LOKELMA (sodium zirconium cyclosilicate)		KIONEX (sodium polystyrene sulfonate)			
SPS (sodium polystyrene sulfonate) suspension		sodium polystyrene sulfonate			
		SPS (sodium polystyrene sulfonate) enema			
		VELTASSA (patiromer calcium sorbitex)			
PRENATAL VITAMINS					
CLASSIC PRENATAL		All prenatal vitamins are non-preferred except for those specifically indicated as preferred.		List of Preferred NDC's for Prenatal Vitamins can be found here	
COMPLETE NATAL DHA					
COMPLETENATE					
M-NATAL PLUS					
NIVA-PLUS					
PRENATAL PLUS VITAMIN-MINERAL					
PRENATAL VITAMINS (continued)					
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID		All prenatal vitamins are non-preferred except for those specifically indicated as preferred.		List of Preferred NDC's for Prenatal Vitamins can be found here	
SE-NATAL-19					
STUART ONE					
THRIVITE RX					
TRICARE					
TRINATAL RX 1					
WESNATAL DHA COMPLETE					
WESTAB PLUS					
PSEUDOBULBAR AFFECT AGENTS					
		NUEDEXTA (dextromethorphan/quinidine)		Non-Preferred Criteria - Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days	
PULMONARY ANTIHYPERTENSIVE AGENTS					
ACTIVIN SIGNALING INHIBITORS				Minimum Age Limit 18 years: ADEMPAS, OPSYNVI, TADLIQ	
		WINREVAIR (sotatercept-csrk)			
COMBINATION AGENTS				Maximum Age Limit 12 years: REVATIO suspension	
		OPSYNVI (macitentan/tadalafil)			
ENDOTHELIN RECEPTOR ANTAGONISTS				Preferred Criteria PAH Agents See next page for additional PA Criteria/DUR+ Rules	
ambrisentan		OPSUMIT (macitentan)			
bosentan		TRACLEER (bosentan)			
LETAIRIS (ambrisentan)		TRYVIO (aprocitentan)			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMONARY ANTIHYPERTENSIVE AGENTS (continued)		
PDE5 INHIBITORS		See previous page for additional PA Criteria/DUR+ Rules - Documented diagnosis of pulmonary hypertension Sildenafil tablets ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days Sildenafil suspension < 12 years of age AND - Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR 90 days stable therapy with sildenafil suspension in the past 105 days Non-Preferred Criteria - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days LIQREV, OPSUMIT, OPSYNI, ORENITRAM ER, TYVASO, and VENTAVIS - Require clinical review
sildenafil (generic REVATIO) tablet, suspension	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	LIQREV (sildenafil)	
	REVATIO (sildenafil)	
	TADLIQ (tadalafil)	
PROSTACYCLINS		
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	
	VENTAVIS (iloprost)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		
	UPTRAVI (selexipag)	
SOLUBLE GUANYLATE CYCLASE STIMULATORS		
	ADEMPAS (riociguat)	
ADEMPAS - Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) AND - Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with ADEMPAS in the past 105 days		
TADLIQ - Documented diagnosis of pulmonary hypertension AND - Have tried preferred sildenafil suspension in the past 6 months OR 90 days of therapy with TADLIQ in the past 105 days		
UPTRAVI - Documented diagnosis of pulmonary hypertension AND - Have tried 1 preferred endothelin receptor antagonist in the past 6 months AND - Have tried 1 preferred PDE5 inhibitor in the past 6 months OR 90 days of therapy with UPTRAVI in the past 105 days		

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ROSACEA TREATMENTS					
metronidazole		AVAR (sulfacetamide sodium/sulfur)		<u>Note:</u> • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.	
		AVAR LS (sulfacetamide sodium/sulfur)			
		AVAR-E (sulfacetamide sodium/sulfur)			
		BP 10-1 (sulfacetamide sodium/sulfur)			
		brimonidine			
		EPSOLAY (benzoyl peroxide)			
		FINACEA (azelaic acid)			
		METROCREAM (metronidazole)			
		METROGEL (metronidazole)			
		MIRVASO (brimonidine)			
		NORITATE (metronidazole)			
		OVACE (sulfacetamide sodium)			
		OVACE PLUS (sulfacetamide sodium)			
		RHOFADÉ (oxymetazoline)			
		ROSADAN (metronidazole)			
		ROSULA (sulfacetamide sodium/sulfur)			
		sodium sulfacetamide			
		sodium sulfacetamide/sulfur			
		SOOLANTRA (ivermectin)			
		SUMADAN (sulfacetamide sodium/sulfur)			
		SUMADAN XLT (sulfacetamide sodium/sulfur/avob)			
		SUMAXIN (sulfacetamide sodium/sulfur)			
		SUMAXIN CP (sulfacetamide sodium/sulfur)			
		SUMAXIN TS (sulfacetamide sodium/sulfur)			
SEDATIVE HYPNOTIC AGENTS					
BENZODIAZEPINES ^{DUR+}				MS DOM Opioid Initiative – Criteria details found here • Concomitant use of Opioids and Benzodiazepines Maximum Age Limit • 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit • Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg • Male: all strengths of zolpidem Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months See next page for additional PA Criteria/DUR+ Rules	
estazolam		flurazepam			
temazepam 15 mg, 30 mg capsule		HALCION (triazolam)			
		quazepam			
		RESTORIL (temazepam)			
		temazepam 7.5 mg, 22.5 mg capsule			
		triazolam			

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SEDATIVE HYPNOTIC AGENTS <i>(continued)</i>		
OTHERS ^{DUR+}		See previous page for additional PA Criteria/DUR+ Rules
eszopiclone	AMBIEN (zolpidem)	HETLIOZ capsules - Age 18 years or older AND - Documented diagnosis of circadian rhythm sleep disorder OR - Age 16 years and older AND - Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid - Age 3-15 years AND - Documented diagnosis of Smith-Magenis syndrome Note: - Single-source benzodiazepines and barbiturates are NOT covered. - PA's will NOT be issued for these drugs.
ramelteon	AMBIEN CR (zolpidem)	
zaleplon	BELSOMRA (suvorexant)	
zolpidem tablet	DAYVIGO (lemborexant)	
	doxepin	
	EDULAR (zolpidem)	
	HETLIOZ LQ (tasimelteon)	
	LUNESTA (eszopiclone)	
	QUVIVIQ (daridorexant)	
	ROZEREM (ramelteon)	
	tasimelteon	
	zolpidem capsule	
	zolpidem sublingual tablet	
	zolpidem ER	
		See below for additional PA Criteria/DUR+ Rules
CUMULATIVE Quantity Limit – Benzodiazepines 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – Triazolam 10 units/31 days: Quantity limit per rolling days for all strengths. 60 units/365 days: Quantity limit per rolling days for all strengths. CUMULATIVE Quantity Limit – Non-Benzodiazepines 31 units/31 days: Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – HETLIOZ LQ 1 bottle (48 mL or 158 mL): Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. CUMULATIVE Quantity Limit – ZOLPIMIST 1 canister/31 days: male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year. 1 canister/62 days: female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SELECT CONTRACEPTIVE PRODUCTS		
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES ^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	
	NATAZIA (estradiol valerate/dienogest)	
	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)	
	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
TYDEMY (drospirenone/ethinyl estradiol/levomefolate)		
YASMIN (ethinyl estradiol/drospirenone)		
YAZ (ethinyl estradiol/drospirenone)		
TRANSDERMAL CONTRACEPTIVES		
XULANE (norgestromin/ethinyl estradiol)	norgestromin/ethinyl estradiol	
	TWIRLA (levonorgestrel/ethinyl estradiol)	
	ZAFEMY (norgestromin/ethinyl estradiol)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SICKLE CELL AGENTS		
DROXIA (hydroxyurea) hydroxyurea	ADAKVEO (crizanlizumab-tmca) CASGEVY (exagamglogene autotemcel) ENDARI (glutamine) HYDREA (hydroxyurea) l-glutamine LYFGENIA (lovotibeglogene autotemcel) SIKLOS (hydroxyurea)	ENDARI – MANUAL PA
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
baclofen 5 mg, 10 mg, 20 mg tablet chlorzoxazone cyclobenzaprine 5 mg, 10 mg tablet methocarbamol tizanidine tablet	AMRIX (cyclobenzaprine) baclofen 15 mg tablet baclofen suspension carisoprodol carisoprodol/aspirin cyclobenzaprine 7.5 mg tablet cyclobenzaprine ER DANTRIUM (dantrolene) dantrolene FEXMID (cyclobenzaprine) FLEQSUVY (baclofen) LORZONE (chlorzoxazone) LYVISPAH (baclofen) metaxalone NORGESIC (orphenadrine/aspirin/cafeine) NORGESIC FORTE (orphenadrine/aspirin/cafeine) orphenadrine orphenadrine/aspirin/cafeine ORPHENGESIC FORTE (orphenadrine/aspirin/cafeine) SOMA (carisoprodol) TANLOR (methocarbamol) tizanidine capsule ZANAFLEX (tizanidine)	Quantity Limit 84 tablets/180 days: carisoprodol Non-Preferred Criteria - Documented diagnosis of an approvable indication AND - Have tried 2 different preferred agents in the past 6 months Baclofen granules, solution, and suspension - Require clinical review. Carisoprodol - Documented diagnosis of acute musculoskeletal condition AND - No history with meprobamate in the past 105 days AND - History of 1 claim for cyclobenzaprine in the past 21 Carisoprodol with codeine - Requires clinical review. Metaxalone 640 mg and TANLOR - Requires clinical review

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
SMOKING DETERRENTS					
NICOTINE TYPE			Minimum Age Limit 18 years: CHANTIX Quantity Limit 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack 2 treatment courses/year: CHANTIX Starter Pack		
nicotine gum ^{OTC}		NICOTROL INHALER CARTRIDGE			
nicotine lozenge ^{OTC}		NICOTROL NASAL SPRAY			
nicotine patch ^{OTC}					
NON-NICOTINE TYPE					
bupropion SR					
CHANTIX (varenicline)					
varenicline					
STEROIDS (TOPICAL)					
LOW POTENCY			Non-Preferred Criteria - Low Potency - Have tried 2 different preferred low potency agents in the past 6 months - Medium Potency - Have tried 2 different preferred medium potency agents in the past 6 months - High Potency - Have tried 2 different preferred high potency agents in the past 6 months - Very High Potency - Have tried 2 different preferred very high potency agents in the past 6 months Clobetasol 0.025% - Requires clinical review		
alclometasone		fluocinolone			
DERMA-SMOOTH-FS (fluocinolone)		hydrocortisone lotion			
desonide		HYDROXYM (hydrocortisone)			
hydrocortisone cream, ointment, solution		PROCTOCORT (hydrocortisone)			
MEDIUM POTENCY					
fluticasone		BESER (fluticasone)			
mometasone		CAPEX (fluocinolone)			
PANDEL (hydrocortisone probutate)		clocortolone			
prednicarbate cream		CLODERM (clocortolone)			
		flurandrenolide			
		fluticasone lotion			
		LOCOID (hydrocortisone butyrate)			
		prednicarbate ointment			
		SYNALAR (fluocinolone)			
HIGH POTENCY					
betamethasone dipropionate cream, lotion		amcinonide			
betamethasone dipropionate augmented		betamethasone dipropionate ointment			
betamethasone valerate		desoximetasone			
fluocinolone		diflorasone			
fluocinonide		Halcinonide			
fluocinonide-E		HALOG (halcinonide)			
triamcinolone cream, ointment, lotion		KENALOG (triamcinolone)			
		TOPICORT (desoximetasone)			
		triamcinolone spray			
		VANOS (fluocinonide)			

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STERIODS (TOPICAL) (continued)		
VERY HIGH POTENCY		See previous page for additional PA Criteria/DUR+ Rules
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	BRYHALI (halobetasol)	
halobetasol	clobetasol emulsion	
	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS DUR+		
SHORT-ACTING		Minimum Age Limit • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXII ER, RITALIN LA, VYVANSE, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil • 18 years: armodafinil, SUNOSI, WAKIX Maximum Age Limit • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER Quantity Limit – Stimulants (per 31 days) • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE See next page for additional PA Criteria/DUR+ Rules
dexamethylphenidate	ADDERALL (dextroamphetamine/amphetamine)	
dextroamphetamine	amphetamine	
dextroamphetamine/amphetamine	EVEKEO (amphetamine)	
Methylphenidate tablet	EVEKEO ODT (amphetamine)	
PROCENTRA (dextroamphetamine)	FOCALIN (dexamethylphenidate)	
	methamphetamine	
	METHYLN (methylphenidate)	
	Methylphenidate chewable tablet	
	RITALIN (methylphenidate)	
	ZENZEDI (dextroamphetamine)	
LONG-ACTING		
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)	
CONCERTA (methylphenidate)	APTENSIO XR (methylphenidate)	

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} <i>(continued)</i>		
dexamethylphenidate ER	AZSTARYS (serdexmethylphenidate/dexamethylphenidate)	See previous page for additional PA Criteria/DUR+ Rules Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR Quantity Limit – Narcolepsy (per 31 days) • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX Quantity Limit – Non-Stimulants (per 31 days) • 31 tablets: atomoxetine, guanfacine ER, QELBREE 100 mg • 62 tablets: QELBREE 150 mg and 200 mg • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension VYVANSE • Documented diagnosis of binge eating disorder or ADD/ADHD OR • 90 days of therapy with Vyvanse in the past 90 days See next page for additional PA Criteria/DUR+ Rules
dextroamphetamine ER	COTEMPLA XR ODT (methylphenidate)	
dextroamphetamine/amphetamine ER (generic ADDERALL XR)	DAYTRANA (methylphenidate)	
DYANAVEL XR (amphetamine) suspension	DEXEDRINE (dextroamphetamine)	
lisdexamfetamine	dextroamphetamine/amphetamine ER (generic MYDAYIS ER)	
methylphenidate CD	DYANAVEL XR (amphetamine) tablets	
methylphenidate ER tablet	FOCALIN XR (dexmethylphenidate)	
methylphenidate LA	JORNAY PM (methylphenidate)	
QUILLICHEW ER (methylphenidate)	methylphenidate patch	
QUILLIVANT XR (methylphenidate)	methylphenidate ER capsule	
VYVANSE (lisdexamfetamine) capsules	MYDAYIS (dextroamphetamine/amphetamine)	
	RELEXXII (methylphenidate)	
	RITALIN LA (methylphenidate)	
	VYVANSE (lisdexamfetamine) chewable tablets	
	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		
armodafinil	NUVIGIL (armodafinil)	
modafinil	PROVIGIL (modafinil)	
SUNOSI (solriamfetol)	sodium oxybate	
XYREM (sodium oxybate)	WAKIX (pitolisant)	
	XYWAV (calcium/magnesium/potassium/sodium oxybate)	
NON-STIMULANTS		
atomoxetine	INTUNIV (guanfacine)	
clonidine ER	NEXICLON XR (clonidine)	
guanfacine ER	ONYDA XR (clonidine)	
QELBREE (viloxazine)	STRATTERA (atomoxetine)	

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Non-Preferred Short Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Short Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 preferred agent indicated for narcolepsy in the past 6 months OR - Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Armodafinil - Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine - Age ≥ 21 years AND - Documented diagnosis of ADD/ADHD Clonidine ER - Documented diagnosis of ADD/ADHD Guanfacine ER - Documented diagnosis of ADD/ADHD JORNAY PM - Documented diagnosis of ADD/ADHD AND 84 days of therapy with 2 different preferred LA methylphenidate agents in the past 12 months AND 84 days of therapy with 1 preferred non-methylphenidate LA stimulant agent in the past 12 months OR - Documented diagnosis of ADD/ADHD AND 84 days of therapy with JORNAY PM in the past 105 days	Non-Preferred Long Acting Criteria ADD/ADHD - Documented diagnosis of ADD/ADHD AND - Have tried 2 different preferred Long-Acting agents in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA - Documented diagnosis of narcolepsy AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND 1 different preferred agent indicated for narcolepsy in the past 6 months OR 1 claim for a 30-day supply with the requested agent in the past 105 days ONYDA XR - Requires clinical review QELBREE - Documented diagnosis of ADD/ADHD AND 30 days of therapy with a preferred ADHD agent in the past 105 days OR 30 days of therapy with QELBREE in the past 105 days SUNOSI - Documented diagnosis of narcolepsy or obstructive sleep apnea AND 30 days of therapy with preferred modafinil or armodafinil in the past 6 months VYVANSE - Documented diagnosis of binge eating disorder or ADD/ADHD WAKIX - Requires clinical review XYREM Documented diagnosis of narcolepsy or excessive daytime sleepiness OR 30 days of therapy with this agent in the past 105 days XYWAV - Requires clinical review	
See next page for additional PA Criteria/DUR+ Rules		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS ^{DUR+} (continued)		
See previous page for additional PA Criteria/DUR+ Rules		
Modafinil		
Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome		
TETRACYCLINES ^{DUR+}		
doxycycline hyclate	demeclocycline	Non-Preferred Agents - Have tried 2 different preferred agents in the past 6 months Demeclocycline - Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA - Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
ORAL		Non-Preferred Criteria - Documented diagnosis of Ulcerative Colitis AND - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days VELSIPITY - Requires clinical review
APRISO (mesalamine)	AZULFIDINE (sulfasalazine)	
balsalazide	COLAZAL (balsalazide)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
UCERIS (budesonide)	mesalamine DR, mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
	UCERIS (budesonide)	



MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 07/01/2025
Version 2025_5
Updated 06/30/2025

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
UREA CYCLE DISORDER AGENTS		
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	