

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 1/1/2026
VERSION 2026_1
Updated 11/4/2025

General Preferred Drug List Information

- Gainwell Technologies DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

ACNE AGENTS

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA
ANTI-INFECTIVES				Maximum Age Limit • 21 years: all acne agents except isotretinoin products Topical Clindamycin 1% lotion • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa Note: Isotretinoin products available for all ages Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis Preferred clindamycin 1% lotion for ages < 21 years does not require PA
clindamycin gel (generic CLEOCIN-T)		azelaic acid		
clindamycin lotion, medicated swab, solution		CLEOCIN T (clindamycin)		
erythromycin gel, solution		CLINDACIN (clindamycin)		
		clindamycin foam		
		clindamycin gel (generic CLINDAGEL)		
		dapsone		
		ERY (erythromycin)		
		ERYGEL (erythromycin)		
		EVOCLIN (clindamycin)		
		MORGIDOX (doxycycline)		
		sulfacetamide sodium suspension		
		WINLEVI (clascoterone) cream		
ISOTRETINOIN PRODUCTS				
AMNESTEEM (isotretinoin)		ABSORBICA (isotretinoin)		
CLARAVIS (isotretinoin)		isotretinoin		
ZENATANE (isotretinoin)				
KERATOLYTICS (BENZOYL PEROXIDES)				
ACNE MEDICATION (benzoyl peroxide)		BPO towelette (benzoyl peroxide)		
benzoyl peroxide				
LINTERA (benzoyl peroxide)				
RETINOIDS				
adapalene gel, gel with pump		adapalene cream		
tretinoin cream		AKLIEF (trifarotene)		
		ATRALIN (tretinoin)		
		DIFFERIN (adapalene)		
		FABIOR (tazarotene)		
		tretinoin gel		
		tretinoin microsphere		
OTHERS/COMBINATION PRODUCTS				
adapalene/benzoyl peroxide gel		CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser		
clindamycin/benzoyl peroxide 1%-5% gel		clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel		
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension		clindamycin phosphate/tretinoin 1.2%-0.025% gel		
		clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)		
		EPIDUO FORTE (adapalene/benzoyl peroxide) gel		
		erythromycin/benzoyl peroxide gel		
		NEUAC (benzoyl peroxide/clindamycin) cream, gel		
		sodium sulfacetamide w/sulfur 8%-4% cleanser		

	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	
ALPHA-1 PROTEINASE INHIBITORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		
ALZHEIMER'S AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CHOLINESTERASE INHIBITORS		Preferred Criteria - Documented approvable diagnosis Non-Preferred Criteria - Documented approvable diagnosis AND - Have tried 2 different preferred agents in the past 6 months NAMZARIC - Requires clinical review ZUNVEYL - Requires clinical review
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	
galantamine	ARICEPT (donepezil)	
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	
	ZUNVEYL (benzgalantamine gluconate)	
NMDA RECEPTOR ANTAGONISTS		
memantine	memantine ER	
	NAMENDA (memantine)	
	NAMENDA XR (memantine ER)	
COMBINATION AGENTS		
	NAMZARIC (memantine/donepezil)	
	memantine/donepezil ER	
ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acetaminophen/caffeine/dihydrocodeine	ACTIQ (fentanyl)	MS DOM Opioid Initiative Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines Minimum Age Limit 18 years: codeine-containing products and tramadol-containing products Quantity Limit (per 31 rolling days) 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol 186 tablets: butalbital/acetaminophen, butalbital/aspirin 5 mL: butorphanol nasal 180 mL: oxycodone liquid 280 mL: QDOLO
acetaminophen/codeine	aspirin/butalbital/caffeine/codeine	
codeine	butalbital/acetaminophen/caffeine/codeine	
ENDOCET (oxycodone/acetaminophen)	butorphanol	
hydrocodone/acetaminophen	DILAUDID (hydromorphone)	
hydromorphone	fentanyl citrate	
morphine sulfate	FENTORA (fentanyl)	
oxycodone	FIORICET W/CODEINE (butalbital/acetaminophen/codeine)	
oxycodone/acetaminophen (325 mg acetaminophen formulations)	hydrocodone/ibuprofen	
tramadol 50 mg tablet	meperidine	

tramadol/acetaminophen	NALOCET (oxycodone/acetaminophen)	Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months MS DOM Opioid Initiative Criteria details found here - Morphine Equivalent Daily Dose - Concomitant use of Opioids and Benzodiazepines Minimum Age Limit 18 years: BUTRANS and tramadol-containing products
	levorphanol	
	oxymorphone	
	pentazocine/naloxone	
	PERCOCET (oxycodone/acetaminophen)	
	PROLATE (oxycodone/acetaminophen)	
	ROXICODONE (oxycodone)	
	ROXYBOND (oxycodone)	
	SEGLENTIS (tramadol/celecoxib)	
	tramadol 25 mg, 75 mg, 100 mg tablet	
	tramadol solution	

ANALGESICS, OPIOID-LONG ACTING ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BUTRANS (buprenorphine)	BELBUCA (buprenorphine)	Quantity Limit (per 31 rolling days) 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOHYDRO ER 62 films: BELBUCA 10 patches: fentanyl 4 patches: BUTRANS
fentanyl patch	buprenorphine patch	
morphine sulfate ER tablet	CONZIP (tramadol)	
	hydrocodone bitartrate ER	
	hydromorphone ER	
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	
	METHADOSE (methadone)	
	morphine sulfate ER capsule	
	MS CONTIN (morphine)	Non-Preferred Criteria Have tried 2 preferred agents in the past 6 months
	oxycodone ER	
	OXYCONTIN (oxycodone)	
	oxymorphone ER	
	tramadol ER	

ANALGESICS/ANESTHETICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	Quantity Limit (per 31 days) 1 bottle (112 mL): diclofenac 2% solution pump 1 bottle (150 mL): diclofenac 1.5% solution
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	Non-Preferred Criteria Have tried 2 preferred agents in the past 6 months
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	Lidocaine 5% Patch - Documented diagnosis of Herpetic Neuralgia OR - Documented diagnosis of Diabetic Neuropathy
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	ZTLIDO - Documented diagnosis of postherpetic neuralgia OR - History of 3 claims with preferred lidocaine 5% patch in the past 6 months
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	

	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAINE II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	
ANDROGENIC AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
testosterone	ANDROGEL (testosterone)	All Agents - Limited to male gender Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months TLANDO - Requires clinical review
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TLANDO (testosterone undecanoate)	
	VOGELXO (testosterone)	
	UNDECATREX (testosterone undecanoate)	
ANGIOTENSIN MODULATORS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		EPANED - Automatic approval issued for 0-6 years of age valsartan/sacubitril - Age ≥1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR - Age ≥ 18 years and documented diagnosis of Heart Failure Non-Preferred Criteria ACEIs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: - Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations: - Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARBs: - Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: - Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: - Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: - Documented diagnosis of Hypertension AND - Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR
benazepril	ACCUPRIL (quinapril)	
captopril	ALTACE (ramipril)	
enalapril	EPANED (enalapril)	
fosinopril	LOTENSIN (benazepril)	
lisinopril	moexipril	
quinapril	perindopril	
ramipril	QBRELIS (lisinopril)	
trandolapril	ZESTRIL (lisinopril)	
ACE INHIBITOR (ACEI) COMBINATIONS		
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	
enalapril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)	
fosinopril/hydrochlorothiazide		
lisinopril/hydrochlorothiazide		
quinapril/hydrochlorothiazide		
trandolapril/verapamil ER		
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
irbesartan	ATACAND (candesartan)	
losartan	AVAPRO (irbesartan)	
olmesartan	BENICAR (olmesartan)	
telmisartan	candesartan	
valsartan tablet	COZAAR (losartan)	
	EDARBI (azilsartan)	

	eprosartan	○ 90 days of therapy with the requested agent in the past 105 days • Direct Renin Inhibitor Combinations: ○ Documented diagnosis of Hypertension AND ○ Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ○ Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days
	MICARDIS (telmisartan)	
	valsartan solution	
ARB COMBINATIONS		
irbesartan/hydrochlorothiazide	ATACAND HCT (candesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
olmesartan/amlodipine	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine/hydrochlorothiazide	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril)	
valsartan/sacubitril	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/amlodipine/hydrochlorothiazide	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURNA (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURNA HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin capsule, oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	VOWST (fecal microbiota spore, live-brpk)	
ANTIBIOTICS (MISCELLANEOUS)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LINCOSAMIDE ANTIBIOTICS		Quantity Limit

clindamycin	CLEOCIN (clindamycin)	• 6 tablets/month: SIVEXTRO SIVEXTRO MANUAL PA ZYVOX MANUAL PA
	CELOCIN PEDIATRIC (clindamycin)	
MACROLIDES		
azithromycin	E.E.S. (erythromycin ethylsuccinate) suspension	
clarithromycin	ERYPED (erythromycin ethylsuccinate) suspension	
clarithromycin ER	ERYTHROCIN (erythromycin stearate)	
ERY-TAB (erythromycin)	ZITHROMAX (azithromycin)	
erythromycin		
erythromycin ethylsuccinate		
NITROFURANTOIN DERIVATIVES		
nitrofurantoin capsule	FURADANTIN (nitrofurantoin) suspension	
nitrofurantoin monohydrate macrocrystals	MACROBID (nitrofurantoin monohydrate macrocrystals)	
	nitrofurantoin suspension	
OXAZOLIDINONES		
linezolid tablet	SIVEXTRO (tedizolid)	
	ZYVOX (linezolid)	
ANTIBIOTICS (TOPICAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
bacitracin ^{OTC}	CENTANY (mupirocin)	
bacitracin/polymyxin ^{OTC}	CENTANY AT (mupirocin)	
gentamicin sulfate	mupirocin cream	
mupirocin ointment	XEPI (ozenoxacin)	
neomycin/bacitracin/polymyxin ^{OTC}		
ANTIBIOTICS (VAGINAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLEOCIN (clindamycin)	clindamycin phosphate	
NUVESSA (metronidazole)	CLINDESSE (clindamycin)	
	SOLOSEC (secnidazole)	
	XACIATO (clindamycin)	
ANTICOAGULANTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOW MOLECULAR WEIGHT HEPARIN (LMWH)		Non-Preferred Criteria • LMWH: ○ Have tried 1 preferred agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Oral: ○ Have tried 2 different preferred oral agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days
enoxaparin	ARIXTRA (fondaparinux)	
	fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	
ORAL		
dabigatran	PRADAXA (dabigatran)	
ELIQUIS (apixaban)	rivaroxaban	
JANTOVEN (warfarin)	SAVAYSA (edoxaban)	
warfarin	XARELTO (rivaroxaban) dose pack	
XARELTO (rivaroxaban) tablet		
ANTICONSULSANTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADJUVANTS		Minimum Age Limit

carbamazepine	APTiom (eslicarbazepine acetate)	• 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN • 2 years: VALTOCO • 12 years: NAYZILAM
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	BRIVIACT (brivaracetam)	
DEPAKOTE SPRINKLE (divalproex)	carbamazepine ER 12-hour tablet	
divalproex	CARBATROL (carbamazepine)	Maximum Age Limit • 2 years: VIGAFYDE
divalproex ER	DEPAKOTE (divalproex)	
divalproex sprinkle	DIACOMIT (stiripentol)	
EPIDIOLEX (cannabidiol)	ELEPSIA XR (levetiracetam)	
lacosamide	EPRONTIA (topiramate)	Quantity Limit (per 31 days) • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 5 blister packs: VALTOCO
lamotrigine	EQUETRO (carbamazepine)	
lamotrigine blue, green, orange dose pack	Eslicarbazepine	
levetiracetam	felbamate	
levetiracetam ER	FELBATOL (felbamate)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days
oxcarbazepine tablet	FINTEPLA (fenfluramine)	
tiagabine	FYCOMPA (perampanel)	
topiramate	KEPPRA (levetiracetam)	
topiramate sprinkle 15, 25 mg (generic Topamax)	KEPPRA XR (levetiracetam)	Banzel, Onfi, and Sympazan • Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR • Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days
TRILEPTAL (oxcarbazepine) suspension	LAMICTAL (lamotrigine)	
valproic acid	LAMICTAL XR (lamotrigine)	
zonisamide	lamotrigine ER	
	lamotrigine ODT	DIACOMIT • Documented diagnosis of Dravet Syndrome AND • 1 claim for clobazam in the past 30 days
	lamotrigine ODT blue, green, orange dose pack	
	MOTPOLY XR (lacosamide)	
	oxcarbazepine suspension	
	oxcarbazepine ER	EPIDIOLEX • Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR • 1 claim for EPIDIOLEX in the past 30 days
	OXTELLAR XR (oxcarbazepine)	
	QUDEXY XR (topiramate)	
	ROWEEPRA (levetiracetam)	
	rufinamide	FINTEPLA • Requires clinical review
	SABRIL (vigabatrin)	
	SPRITAM (levetiracetam)	
	SUBVENITE (lamotrigine)	
	SUBVENITE (lamotrigine) blue, green, orange dose pack	SABRIL Powder for Oral Solution • Documented diagnosis of Infantile Spasms OR • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days
	TEGRETOL (carbamazepine)	
	TEGRETOL XR (carbamazepine)	
	TOPAMAX TABLET (topiramate)	
	TOPAMAX SPRINKLE (topiramate)	TOPIRAMATE ER • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days OR • 30 days of therapy with topiramate IR in the past 6 months
	topiramate ER capsule (generic Trokendi XR)	
	topiramate ER sprinkle capsule (generic Qudexy XR)	
	topiramate sprinkle 50 mg	
	TRILEPTAL (oxcarbazepine) tablet	VIGAFYDE • Age $\leq$ 2 years AND • Documented diagnosis of infantile spasms
	TROKENDI XR (topiramate)	
	vigabatrin	
	VIGADRON (vigabatrin)	
	VIGAFYDE (vigabatrin)	XCOPRI • Age $\geq$ 18 years
	VIGPODER (vigabatrin)	

	VIMPAT (lacosamide)	
	XCOPRI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
DILANTIN (phenytoin)		
DILANTIN-125 (phenytoin)		
PHENYTEK (phenytoin)		
phenytoin		
phenytoin ER		
SELECTED BENZODIAZEPINES		
clobazam	DIASTAT (diazepam) rectal gel	
diazepam rectal gel	LIBERVANT (diazepam)	
NAYZILAM (midazolam)	ONFI (clobazam)	
VALTOCO (diazepam)	SYMPAZAN (clobazam)	
SUCCINIMIDES		
ethosuximide	CELONTIN (methsuximide)	
	methsuximide	
	ZARONTIN (ethosuximide)	
ANTIDEPRESSANTS, OTHER ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
bupropion	AUVELITY (bupropion/dextromethorphan)	Minimum Age Limit • 18 years: all agents Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days AUVELITY and RALDESY • Requires clinical review DRIZALMA Sprinkles • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age DULOXETINE • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age ZURZUVAE MANUAL PA
bupropion SR	desvenlafaxine ER	
bupropion XL	DESYREL (trazodone)	
mirtazapine	DRIZALMA SPRINKLE (duloxetine DR)	
trazodone	EFFEXOR XR (venlafaxine)	
TRINTELLIX (vortioxetine)	EMSAM (selegiline)	
venlafaxine	EXXUA (gepirone hcl) ^{NR}	
venlafaxine HCl ER	FETZIMA (levomilnacipran)	
vilazodone	FORFIVO XL (bupropion)	
	MARPLAN (isocarboxazid)	
	NARDIL (phenelzine)	
	nefazodone	
	phenelzine	
	PRISTIQ (desvenlafaxine)	
	REMERON (mirtazapine)	
	tranylcypromine	
	Trazodone solution	
	venlafaxine besylate ER	
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	
	ZURZUVAE (zuranolone)	
ANTIDEPRESSANTS, SSRIs ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
citalopram solution, tablet	CELEXA (citalopram)	Minimum Age Limit • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: fluvoxamine • 18 years: CELEXA, LUVOX CR, PAXIL, PROZAC 90 mg
escitalopram solution, tablet	citalopram capsule	
fluoxetine capsule, solution	escitalopram capsule	
fluvoxamine	fluoxetine tablet	
paroxetine tablet	fluoxetine DR capsule	
paroxetine CR	fluvoxamine ER capsule	

paroxetine ER	LEXAPRO (escitalopram)	Maximum Age Limit • 60 years CELEXA Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
sertraline tablet, solution	paroxetine suspension, capsule	
	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	
ANTIEMETICS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5HT3 RECEPTOR BLOCKERS		Quantity Limit (per 31 days) • 6 tablets: AKYNZEO • 100 mL: ZOFRAN solution Non-Preferred Agents • Have tried 1 preferred agent in the past 6 months AKYNZEO MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.
ondansetron solution, tablet	ANZIMET (dolasetron)	
ondansetron ODT 4 mg, 8 mg	granisetron	
	ondansetron ODT 16 mg tablet	
	SANCUSO (granisetron)	
ANTIEMETIC COMBINATIONS		
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)	
	BONJESTA (doxylamine/pyridoxine)	
	doxylamine/pyridoxine	
CANNABINOIDS		
	dronabinol	
	MARINOL (dronabinol)	
NMDA RECEPTOR ANTAGONISTS		
aprepitant	EMEND (aprepitant)	
ANTIFUNGALS (ORAL) ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
clotrimazole	BREXAFEMME (ibrexafungerp)	Griseofulvin suspension • Automatic approval issued for 0-11 years of age Griseofulvin tablets • Automatic approval issued for 12-17 years of age Minimum Age Limit • 18 years: CRESEMBA Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection • Non-Preferred agent indicated for treatment (^) AND • Documented diagnosis of HIV CRESEMBA MANUAL PA SPORANOX • Requires clinical review
fluconazole	CRESEMBA (isavuconazonium sulfate)	
nystatin	DIFLUCAN (fluconazole)	
terbinafine	flucytosine^	
	griseofulvin	
	griseofulvin ultramicrosize	
	itraconazole^	
	ketoconazole	
	NOXAFIL (posaconazole)	
	ORAVIG (miconazole)	
	posaconazole^	
	SPORANOX (itraconazole)	
	TOLSURA (itraconazole)	
	VFEND (voriconazole)	
	VIVJOA (oteseconazole)	
	voriconazole^	
ANTIFUNGALS (TOPICAL) ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS		Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	

clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)	MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution Require clinical review
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)	
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)	
nystatin cream, ointment, powder	ketoconazole foam	
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)	
tavaborole	luliconazole	
	miconazole/zinc oxide/petrolatum ointment	
	MICOTRIN AC (clotrimazole)	
	MICOTRIN AP (miconazole nitrate powder)	
	MYCOZYL AC (clotrimazole)	
	MYCOZYL AP (miconazole)	
	naftifine	
	NAFTIN (naftifine)	
	oxiconazole	
	OXISTAT (oxiconazole)	
	VOTRIZA-AL (clotrimazole)	
	VUSION (miconazole/zinc oxide/petrolatum)	
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion	
nystatin/triamcinolone		

ANTIFUNGALS (VAGINAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
3-DAY VAGINAL CREAM (clotrimazole)	GYNAZOLE 1 (butoconazole)	
clotrimazole cream ^{OTC}	miconazole 3 kit ^{OTC}	
clotrimazole-3 cream	terconazole suppository	
miconazole 1 ^{OTC}		
miconazole 3 combo pack ^{OTC} , cream ^{OTC} , suppository		
miconazole 7 ^{OTC}		
terconazole cream		

ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MINIMALLY SEDATING ANTIHISTAMINES		Non-Preferred Criteria - Documented diagnosis of Allergy or Urticaria AND - Have tried 2 different preferred agents in the past 12 months
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}	
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)	
	desloratadine	
	levocetirizine	
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS		
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)	
loratadine/pseudoephedrine	fexofenadine/pseudoephedrine	

ANTIMIGRAINE AGENTS, ACUTE TREATMENT		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CGRP ORAL AND NASAL		Minimum Age Limit • 6 years: MAXALT • 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray • 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, RELPAX, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets Quantity Limit (per 31 days) • ORAL ○ 4 tablets: REYVOW 50 mg ○ 6 tablets: almotriptan, RELPAX, ZOMIG ○ 8 tablets: NURTEC ODT, REYVOW 100 mg ○ 9 tablets: naratriptan, FROVA, IMITREX, sumatriptan/naproxen, SYMBRAVO ○ 12 tablets: MAXALT ○ 16 tablets: UBRELVY • NASAL ○ 1 box: all agents CUMULATIVE Quantity Limit (per 31 days) • INJECTABLES ○ 4 injections: all agents Non-Preferred Criteria • ORAL ○ Have tried 2 preferred oral agents in the past 90 days • NASAL ○ Requires clinical review • INJECTABLES ○ Requires clinical review Almotriptan and sumatriptan/naproxen • Automatic approval for 12-17 years of age NURTEC ODT and UBRELVY MANUAL PA • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor REYVOW • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 90 days AND • Have tried preferred NURTEC ODT in the past 90 days SYMBRAVO • Requires clinical review ZAVZPRET MANUAL PA • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • Have tried both NURTEC ODT and UBRELVY in the past 6 months AND • No concurrent therapy with another CGRP AGENT
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)	
UBRELVY (ubrogepant)		
INJECTABLES		
sumatriptan pen injector, vial	IMITREX (sumatriptan)	
	sumatriptan cartridge	
	ZEMBRACE SYMTOUCH (sumatriptan)	
NASAL		
sumatriptan spray	IMITREX (sumatriptan)	
zolmitriptan spray	TOSYMRA (sumatriptan)	
	ZOMIG (zolmitriptan)	
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}		
naratriptan	almotriptan	
rizatriptan	eletriptan	
sumatriptan	FROVA (frovatriptan)	
zolmitriptan	frovatriptan	
zolmitriptan ODT	IMITREX (sumatriptan)	
	MAXALT (rizatriptan)	
	MAXALT MLT (rizatriptan)	
	RELPAX (eletriptan)	
	REYVOW (lasmiditan)	
	sumatriptan/naproxen	
	SYMBRAVO (rizatriptan benzoate/meloxicam) ^{NR}	
	ZOMIG (zolmitriptan)	

ANTIMIGRAINE AGENTS, PROPHYLAXIS	
----------------------------------	--

ANTIMIGRAINE AGENTS, PROPHYLAXIS

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLES			Preferred Injectables - History of 3 claims with the requested agent in the past 105 days OR - New starts require clinical review Non-preferred Injectables - Require clinical review AIMOVIG, AJOVY, and EMGALITY MANUAL PA VYEPTI MANUAL PA
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL		
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)		
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}			
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}			
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}			
ORAL			
	QULIPTA (atogepant)		
	NURTEC ODT (rimegepant)		
*ANTINEOPLASTICS SELECTED SYSTEMIC ENZYME INHIBITORS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BOSULIF (bosutinib) tablet	AFINITOR (everolimus)	FARYDAK MANUAL PA	
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)	IBRANCE - Documented diagnosis of WD-DDLS for retroperitoneal sarcoma OR - All other indications require clinical review	
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)		
COTELLIC (cobimetinib)	ALECENSA (alectinib)	LENVIMA Documented diagnosis of thyroid cancer, hepatocellular carcinoma, or renal cell carcinoma AND - History of 1 claim for everolimus in the past 30 days AND - History of 1 anti-angiogenic agent in the past 2 years OR - All other indications require clinical review	
everolimus	ALUNBRIG (brigatinib)		
GILOTTRIF (afatinib)	AUGTYRO (repotrectinib)	LYNPARZA Tablets - Documented diagnosis of ovarian cancer, fallopian tube or peritoneal cancer AND - History of platinum-based chemotherapy in the past 2 years OR All other indications require clinical review MANUAL PA	
ICLUSIG (ponatinib)	AYVAKIT (avapritinib)		
imatinib	BALVERSA (erdafitinib)		
IMBRUVICA (ibrutinib)	BOSULIF (bosutinib) capsule		
INLYTA (axitinib)	BRAFTOVI (encorafenib)		
IRESSA (gefitinib)	BRUKINSA (zanubrutinib)		
JAKAFI (ruxolitinib)	CABOMETYX (cabozantinib)		
MEKINIST (trametinib)	CALQUENCE (acalabrutinib)		
NEXAVAR (sorafenib)	COPIKTRA (duvelisib)		
ROZLYTREK (entrectinib)	DANZITEN (nilotinib)		
SPRYCEL (dasatinib)	dasatinib		
STIVARGA (regorafenib)	DAURISMO (glasdegib)		
SUTENT (sunitinib)	ERIVEDGE (vismodegib)		
TAFINLAR (dabrafenib)	ERLEADA (apalutamide)		
TARCEVA (erlotinib)	erlotinib		
TASIGNA (nilotinib)	FOTIVDA (tivozanib)		
TURALIO (pexidartinib)	FRUZAQIA (fruquintinib)		
TYKERB (lapatinib)	GAVRETO (pralsetinib)		
VOTRIENT (pazopanib)	gefitinib		
XALKORI (crizotinib)	GLEEVEC (imatinib)		
XTANDI (enzalutamide)	HERNEXEOS (zongertinib) ^{NR}		
ZELBORAF (vemurafenib)	IBRANCE (palbociclib)		
ZYDELIG (idelalisib)	IBTROZI (taletrectinib) ^{NR}		
ZYKADIA (ceritinib)	IDHIFA (enasidenib)		
	IMKELDI (imatinib)		
	INLURIYO (imlunestrant tosylate) ^{NR}		
	INQOVI (decitabine/cedazuridine)		
	INREBIC (fedratinib)		
	ITOVEBI (inavolisib)		
	IWILFIN (eflornithine)		

	JAYPIRCA (pirtobrutinib)
	KISQALI (ribociclib)
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)
	KOSELUGO (selumetinib sulfate)
	KRAZATI (adagrasib)
	lapatinib
	LAZCLUZE (lazertinib)
	LENVIMA (lenvatinib)
	LOBRENA (lorlatinib)
	LUMAKRAS (sotorasib)
	LYNPARZA (olaparib)
	LYTGOBI (futibatinib)
	MEKTOVI (binimetinib)
	MODEYSO (dordaviprone) ^{NR}
	NERLYNX (neratinib)
	NUBEQA (darolutamide)
	nilotinib
	ODOMZO (sonidegib)
	OGSIVEO (nirogacestat)
	OJEMDA (tovorafenib)
	OJJAARA (mometotinib)
	ONUREG (azacitidine)
	ORGOVYX (relugolix)
	pazopanib
	PEMAZYRE (pemigatinib)
	PIQRAY (alpelisib)
	QINLOCK (ripretinib)
	RETEVMO (selpercatinib)
	REVUFORJ (revumenib)
	REZLIDHIA (olutasidenib)
	RUBRACA (rucaparib)
	RYDAPT (midostaurin)
	SCEMBLIX (asciminib)
	sorafenib
	sunitinib
	TABRECTA (capmatinib)
	TAGRISSO (osimertinib)
	TALZENNA (talazoparib)
	TAZVERIK (tazemetostat)
	TECENTRIQ HYBREZA (atezolizumab/hyaluronidase-tqjs)
	TEPMETKO (tepotinib)
	TIBSOVO (ivosidenib)
	TORPENZ (everolimus)
	TRUQAP (capivasertib)
	TUKYSA (tucatinib)
	VANFLYTA (quizartinib)
	VERZENIO (abemaciclib)
	VITRAKVI (larotrectinib)
	VIZIMPRO (dacomitinib)
	VONJO (pacritinib)
	VORANIGO (vorasidenib)
	WELIREG (belzutifan)

	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	
ANTIOBESITY SELECT AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SAXENDA (liraglutide)	liraglutide	All agents MANUAL PA required
WEGOVY (semaglutide)	orlistat	
	XENICAL (orlistat)	
ANTIPARASITICS (TOPICAL) DUR+		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PEDICULICIDES		Minimum Age Limit • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX Non-Preferred Criteria • Pediculicides ○ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides • Have tried permethrin 5% in the past 90 days
permethrin 1% cream OTC	lindane	
spinosad	NATROBA (spinosad)	
VANALICE (piperonyl butoxide/pyrethrins)	malathion	
	OVIDE (malathion)	
	SKLICE (ivermectin)	
SCABICIDES		
ivermectin	CROTAN (crotamiton)	
permethrin 5% cream	ELIMITE (permethrin)	
	EURAX (crotamiton)	
	STROMEKTOL (ivermectin)	
ANTIPARKINSON'S AGENTS (INJECTABLE)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VYALEV (foscarbidopa/foslevodopa)	VYALEV • Requires clinical review
ANTIPARKINSON'S AGENTS (ORAL) DUR+		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS		Non-Preferred Criteria • Documented diagnosis of Parkinson's disease AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with a selegiline agent in the past 105 days GOCOVRI • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with amantadine IR in the past 105 days AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days INBRIJA • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days NOURIANZ • Documented diagnosis of Parkinson's Disease AND • Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND • 30 days of therapy with a preferred adjunctive therapy in the past 45 days XADAGO • Documented diagnosis of Parkinsos' s Disease AND
benztropine		
trihexyphenidyl		
COMT INHIBITORS		
entacapone	OGENTYS (opicapone)	
	tolcapone	
DOPAMINE AGONISTS		
pramipexole	NEUPRO (rotigotine)	
ropinirole	pramipexole ER	
	ropinirole ER	
MAO-B INHIBITORS		
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
OTHERS		
amantadine	carbidopa/levodopa/entacapone	
bromocriptine tablet	bromocriptine capsule	
carbidopa/levodopa ER	carbidopa	
carbidopa/levodopa tablet	carbidopa/levodopa ODT	
	CREXONT (carbidopa/levodopa)	

	DHIVY (carbidopa/levodopa)	- History of 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND - History of 30 days of therapy with a selegiline agent the in past 45 days
	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	

ANTIPSORIATICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	

ANTIPSYCHOTICS ^{DUR+}

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA
INJECTABLE, ATYPICALS ^{DUR+}				Concurrent Therapy Limit for Age < 18 years 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA Minimum Age Limit 3 years: HALDOL 5 years: RISPERDAL, thioridazine 6 years: ABILIFY, trifluoperazine 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene 13 years: REXULTI, ZYPREXA 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR, and all injectable agents Quantity Limit 3 syringes/year: ARISTADA INITIO Non-Preferred Criteria Oral Atypical Agents - Have tried 2 preferred agents in the past 12 months OR 30 days of therapy with the requested agent in the past 180 days ARISTADO INTIO, ARISTADO ER, INVEGA SUSTENNA, INVEGA TRINZA and PERSERIS - Documented diagnosis of schizophrenia or schizoaffective disorder ABILIFY MAINTENA, ABILIFY ASIMTUFII, RISPERDAL CONSTA, or UZEDY - Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder INVEGA HAFYERA
ABILIFY ASIMTUFII (aripiprazole)	ERZOFRI (paliperidone palmitate)			
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)			
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine			
INVEGA HAFYERA (paliperidone)	risperidone ER			
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)			
INVEGA TRINZA (paliperidone)	ziprasidone			
PERSERIS (risperidone)	ZYPREXA (olanzapine)			
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)			
UZEDY (risperidone)				
ORAL ^{DUR+}				
aripiprazole tablet	ABILIFY (aripiprazole)			
asenapine	ABILIFY MYCITE (aripiprazole)			
clozapine tablet	ADASUVE (loxapine)			
fluphenazine	aripiprazole ODT, solution			
haloperidol	CAPLYTA (lumateperone)			
haloperidol lactate	chlorpromazine			
lurasidone	clozapine ODT			
olanzapine	CLOZARIL (clozapine)			
perphenazine	COBENFY (xanomeline/trospium)			
perphenazine/amitriptyline	FANAPT (iloperidone)			
quetiapine	GEODON (ziprasidone)			
quetiapine ER	IGALMI (dexmedetomidine)			
risperidone	INVEGA (paliperidone)			
thioridazine	LATUDA (lurasidone)			

trifluoperazine	LYBALVI (olanzapine/samidorphan)	- Documented diagnosis of schizophrenia or schizoaffective disorder AND 4 claims for INVEGA SUSTENNA in the past year OR 1 claim for INVEGA TRINZA in the past year OR 1 claim for INVEGA HAFYERA in the past year ERZOFR, generic risperidone ER, RYKINDO ER, and ZYPREXA RELPREVV - Require clinical review NUPLAZID - Documented diagnosis of Parkinson s Disease VRAYLAR 30 days of therapy with the requested agent in the past 90 days OR - Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder AND 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 90 days OR - Documented diagnosis major depressive disorder AND 60 days of therapy each of two non-atypical antipsychotic antidepressants in the past 180 days AND 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 90 days ARIPIRAZOLE ODT, CLOZAPINE ODT and OPIPZA - Require clinical review
ziprasidone	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	VRAYLAR (cariprazine)	
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	
TRANSDERMAL, ATYPICALS		
	SECUADO (asenapine)	

ANTIRETROVIRALS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CAPSID INHIBITORS		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days STRIBILD MANUAL PA SUNLENCA - Requires clinical review TROGARZO - Requires clinical review TYBOST MANUAL PA
YEZTUGO (lenacapavir)	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab-uiyk)	
COMBINATION PRODUCTS NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY (emtricitabine/tenofovir alafenamide)	TRUVADA (emtricitabine/tenofovir)	
emtricitabine/tenofovir		
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	

ENTRY INHIBITORS CCR5 CO-RECEPTOR ANTAGONISTS	
	maraviroc
	SELZENTRY (maraviroc)
ENTRY INHIBITORS FUSION INHIBITORS	
	FUZEON (enfuvirtide)
INTEGRASE STRAND TRANSFER INHIBITORS	
APRETUDE (cabotegravir)	cabotegravir ER
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)	
EDURANT (rilpivirine)	etravirine
efavirenz	INTELENCE (etravirine)
	nevirapine, nevirapine ER
	PIFELTRO (doravirine)
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)	
abacavir	didanosine
EMTRIVA (emtricitabine)	emtricitabine
lamivudine	EPIVIR (lamivudine)
ZIAGEN (abacavir)	RETROVIR (zidovudine)
zidovudine	stavudine
	VIREAD (tenofovir disoproxil fumarate)
PHARMACOENHANCER CYTOCHROME P450 INHIBITORS	
	TYBOST (cobicistat)
PROTEASE INHIBITORS (NON-PEPTIDIC)	
darunavir	APTIVUS (tipranavir)
PREZISTA (darunavir) 75mg tablet, 150mg tablet, 100mg/mL suspension	PREZCOBIX (darunavir/cobicistat)
	PREZISTA (darunavir) 600mg tablet, 800mg tablet
PROTEASE INHIBITORS (PEPTIDIC)	
atazanavir	fosamprenavir
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)
ritonavir	NORIVIR (ritonavir)
	REYATAZ (atazanavir)
	VIRACEPT (nelfinavir)
SINGLE PRODUCT REGIMENS	
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir
GENVOYA (elvitegravir/cobicistat/emtricitabine/ tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER

SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		
ANTIVIRALS, ORAL		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI-CYTOMEGALOVIRUS AGENTS		PREVMIS • Requires clinical review Valganciclovir solution • Automatic approval issued for 0-12 years of age
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	
COVID-19		
PAXLOVID (nirmatrelvir/ritonavir)		
ANTIVIRALS, TOPICAL		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acyclovir cream, ointment	DENAVIR (penciclovir)	
	penciclovir	
	ZELSUVMI (berdazimer)	
AROMATASE INHIBITORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
anastrozole	ARIMIDEX (anastrozole)	
exemestane	AROMASIN (exemestane)	
letrozole	FEMARA (letrozole)	
ATOPIC DERMATITIS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)	Minimum Age Limit • 3 months: EUCRISA • 2 years: OPZELURA, pimecrolimus, tacrolimus 0.03% • 16 years: tacrolimus 0.1% ADBRY MANUAL PA CIBINQO • Requires clinical review
ADBRY Autoinjector (tralokinumab-ldrm)	NEMLUVIO (nemolizumab-ilto)	
DUPIXENT (dupilumab) ^{DUR+}	OPZELURA (ruxolitinib)	
EBGLYSS Pen (lebrikizumab-lbkz)	ZORYVE (roflumilast) 0.15% cream	
EUCRISA (crisaborole) ^{DUR+}		
pimecrolimus		
tacrolimus		

		DUPIXENT • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) ○ Asthma MANUAL PA ○ Atopic Dermatitis MANUAL PA ○ Bullous Pemphigoid MANUAL PA ○ COPD MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Eosinophilic Esophagitis MANUAL PA ○ Nasal Polyposis MANUAL PA ○ Prurigo Nodularis MANUAL PA EBGLYSS MANUAL PA EUCRISA • 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months OPZELURA • 30 days of therapy with pimecrolimus, EUCRISA or tacrolimus in the past 6 months
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIANGINALS		Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days ASPRUZO SPRINKLE • Requires clinical review COREG CR • Documented diagnosis of hypertension AND • Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days CORLANOR MANUAL PA HEMANGEOL • Documented diagnosis of infantile hemangioma Lopressor solution • Requires clinical review
ranolazine ER	ASPRUZO SPRINKLE (ranolazine)	
BETA- AND ALPHA-BLOCKERS		
carvedilol	carvedilol ER	
labetalol	COREG (carvedilol)	
	COREG CR (carvedilol)	
BETA-BLOCKER/DIURETIC COMBINATIONS		
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)	
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)	
metoprolol/hydrochlorothiazide		
propranolol/hydrochlorothiazide		
BETA-BLOCKERS		
acebutolol	BETAPACE (sotalol)	
atenolol	BETAPACE AF (sotalol)	
bisoprolol	betaxolol	
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)	
metoprolol succinate	INDERAL LA (propranolol)	
metoprolol tartrate	INDERAL XL (propranolol)	
nadolol	INNOPRAN XL (propranolol)	
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)	
pindolol	LOPRESSOR (metoprolol tartrate)	
propranolol	SOTYLIZE (sotalol)	
propranolol ER	TENORMIN (atenolol)	
SORINE (sotalol)	TOPROL XL (metoprolol succinate)	
sotalol		
sotalol AF		
timolol		
SINUS NODE AGENTS		

	CORLANOR (ivabradine)	
	ivabradine	
BILE SALTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (ela fibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	
	URSO FORTE (ursodiol)	
BLADDER RELAXANT PREPARATIONS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	tropium	
	tropium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BISPHOSPHONATES		Non-Preferred Criteria - Documented diagnosis of osteoporosis or osteopenia AND - Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D	
	(alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
BILDYOS (denosumab-nxxp)	BOMYNTRA (denosumab-bnht)	
BILPREVDA (denosumab-nxxp)	BONSITY (teriparatide)	
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	EVENITY (romosozumab-aqqg)	
	EVISTA (raloxifene)	
	JUBBONTI (denosumab-bbdz)	
	MIACALCIN (calcitonin salmon)	
	OSENVELT (denosumab-bmwo)	
	PROLIA (denosumab)	
	teriparatide	
	STOBOCLO (denoxumab-bmwo)	
	TYMLOS (abaloparatide)	

	WYOST (denosumab-bbdz)	
	XGEVA (denosumab)	
BPH AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-ALPHA-REDUCTASE INHIBITORS		CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL Female - Documented State-accepted diagnosis Non-Preferred Criteria Male - Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ENTADFI - Requires clinical review
dutasteride	AVODART (dutasteride)	
finasteride	ENTADFI (finasteride/tadalafil)	
	PROSCAR (finasteride)	
ALPHA BLOCKERS		
alfuzosin ER	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		
	CIALIS (tadalafil)	
	tadalafil	
BRONCHODILATORS & COPD AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		Minimum Age Limit 4 years: SEREVENT, XOPENEX HFA 6 years: SPIRIVA RESPIMAT, XOPENEX Solution 18 years: BROVANA, PERFORMIST, STRIVERDI RESPIMAT Non-Preferred Criteria 1 claim for a preferred agent in the past 6 months OR 3 claims with the requested agent in the past 105 days Quantity Limit (per 31 days) 10.7 units BREZTRI AEROSPHERE XOPENEX HFA and Solution 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days BREZTRI AEROSPHERE and TRELEGY ELLIPTA MANUAL PA
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	
ipratropium/albuterol		
STIOLTO RESPIMAT (tiotropium/olodaterol)		
ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS		
BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) ^{DUR+}		
TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)		
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
ipratropium	INCRUSE ELLIPTA (umeclidinium)	
SPIRIVA HANDIHALER (tiotropium)	OHTUVAYRE (ensifentrine)	
SPIRIVA RESPIMAT (tiotropium)	roflumilast	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	YUPELRI (revefenacin)	
INHALATION SOLUTION ^{DUR+}		
albuterol	arformoterol	
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	
	levalbuterol	
	PERFORMIST (formoterol)	

INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	levalbuterol HFA	
VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	
terbutaline		
CALCIUM CHANNEL BLOCKERS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LONG-ACTING		Quantity Limit (per 21 days) • 252 capsules: nimodipine • 2520 mL: nimodipine Non-Preferred Criteria Long Acting • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria Short Acting • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Nimodipine • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days
amlodipine	diltiazem ER 12 HR	
CARTIA XT (diltiazem)	diltiazem LA 24 HR	
diltiazem ER 24 HR	KATERZIA (amlodipine)	
diltiazem CD 24 HR	levamlodipine	
diltiazem XR 24 HR	MATZIM LA (diltiazem)	
DILT-XR 24 HR (diltiazem)	nisoldipine	
felodipine	NORVASC (amlodipine)	
nifedipine ER	PROCARDIA XL (nifedipine)	
TAZTIA XT (diltiazem)	SULAR (nisoldipine)	
TIADYLT ER (diltiazem)	TIAZAC (diltiazem)	
verapamil ER	verapamil PM	
verapamil SR	VERELAN PM (verapamil)	
SHORT-ACTING		
diltiazem	isradipine	
nicardipine	nimodipine capsule and solution	
nifedipine	NORLIQVA (amlodipine)	
verapamil	NYMALIZE (nimodipine)	
CALORIC AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BOOST	All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.	Non-Preferred Agents MANUAL PA
BREAKFAST ESSENTIALS		
BRIGHT BEGINNINGS		
DUOCAL		
ENSURE		
NUTREN		
OSMOLITE		
PEDIASURE		
PROMOD		
RESOURCE		
TWOCAL HN		
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-Preferred Criteria All Cephalosporin Generations • Have tried 2 different preferred agents in the past 6 months Maximum Age Limit • 18 years: cefdinir suspension
amoxicillin/clavulanate	amoxicillin/clavulanate ER	
	AUGMENTIN (amoxicillin/clavulanate)	

CEPHALOSPORINS FIRST GENERATION	
cefadroxil capsule, suspension	cefadroxil tablet
cephalexin capsule, suspension	cephalexin tablet
CEPHALOSPORINS SECOND GENERATION	
cefaclor capsule	cefaclor ER
cefprozil	cefaclor suspension
cefuroxime	
CEPHALOSPORINS THIRD GENERATION	
cefdinir	cefixime suspension
cefixime capsule	SUPRAX (cefixime)
cefpodoxime	

COLONY STIMULATING FACTORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FULPHILA (pegfilgrastim-jmdb)	FYLNETRA (pegfilgrastim-pbbk)	
NEUPOGEN (filgrastim)	GRANIX (tbo-filgrastim)	
RELEUKO (filgrastim-ayow)	LEUKINE (sargramostim)	
	NEULASTA, NEULASTA ONPRO (pegfilgrastim)	
	NIVESTYM (filgrastim-aafi)	
	NYPOZI (filgrastim-txid) ^{NR}	
	NYVEPRIA (pegfilgrastim-apgf)	
	RYZNEUTA (efbemalenograstim alfa-vuxw)	
	ROLVEDON (eflapeggrastim-xnst)	
	STIMUFEND (pegfilgrastim-fpgk)	
	UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)	
	ZARXIO (filgrastim-sndz)	
	ZIEXTENZO (pegfilgrastim-bmez)	

CYSTIC FIBROSIS AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMOZYME (dornase alfa)	ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor)	Minimum Age Limit • 1 month: KALYDECO granules • 3 months: PULMOZYME • 1 year: ORKAMBI • 2 years: COLY-MYCIN M, TRIKAFTA granules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL Maximum Age Limit • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets Preferred Agents • Documented diagnosis of Cystic Fibrosis OR • Require clinical review ALYFTREK MANUAL PA KALYDECO MANUAL PA
tobramycin (generic TOBI)	BETHKIS (tobramycin)	
	BRONCHITOL (mannitol)	
	CAYSTON (aztreonam)	
	colistimethate	
	COLY-MYCIN M (colistin)	
	KALYDECO (ivacaftor)	
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	

		ORKAMBI MANUAL PA SYMDEKO MANUAL PA TOBI PODHALER Require clinical review TRIKAFTA MANUAL PA
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
adalimumab-aaty autoinject	ABRILADA (adalimumab-afzb)	Non-Preferred Agents
AVSOLA (infliximab-axxq)	ACTEMRA (tocilizumab)	
CYLTEZO (adalimumab-adbm)	adalimumab-aaty syringe	• Require clinical review
ENBREL (etanercept)	adalimumab-adaz	
HADLIMA (adalimumab-bwwd)	adalimumab-adbm	IV Administered Agents
HUMIRA (adalimumab)	adalimumab-fkjp	
IMULDOSA (ustekinumab-srlf)	adalimumab-ryvk	• Require clinical review
KINERET (anakinra)	AMJEVITA (adalimumab-atto)	
methotrexate	ANZUPGO (delgocitinib)	adalimumab-aaty autoinject, HADLIMA (adalimumab-bwwd), and YUFLYMA (adalimumab-aaty) – Age specific indications:
OLUMIANT (baricitinib)	ARCALYST (rilonacept)	
ORENCIA CLICKJECT (abatacept)	BIMZELX (bimekizumab-bkzx)	• Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA)
ORENCIA VIAL (abatacept)	CIMZIA (certolizumab)	
OTEZLA (apremilast)	COSENTYX (secukinumab)	• Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
PYZCHIVA (ustekinumab-ttwe)	ENTYVIO (vedolizumab)	
RINVOQ (upadacitinib)	HULIO (adalimumab-fkjp)	• Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of hidradenitis suppurativa (HS) OR • Diagnosis of ankylosing spondylitis (AS) OR • Diagnosis of uveitis (UV)
RINVOQ LQ (upadacitinib)	HYRIMOZ (adalimumab-adaz)	
SELARSDI (ustekinumab-aekn)	IDACIO (adalimumab-aacf)	AVSOLA (infliximab-axxq) – Age specific indications:
SIMPONI (golimumab)	ILARIS (canakinumab)	
TALTZ (ixekizumab)	ILUMYA (tildrakizumab-asmn)	• Age 6 years and older AND • Diagnosis of Crohn's disease OR • Diagnosis of ulcerative colitis
TYENNE (tocilizumab-aazg)	INFLECTRA (infliximab-dyyb)	
XELJANZ (tofacitinib) tablet	infliximab	• Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
YUFLYMA (adalimumab-aaty)	JYLAMVO (methotrexate)	
	KEVZARA (sarilumab)	CYLTEZO (adalimumab-adbm) – Age specific indications:
	LEQSELVI (deuruxolitinib)	
	LITFULO (ritilecitinib)	• Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	OMVOH (mirikizumab-mrkz)	
	ORENCIA SYRINGE (abatacept)	• Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
	OTEZLA XR (apremilast) ^{NR}	
	OTREXUP (methotrexate)	• Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	OTULFI (ustekinumab-aauz)	
	RASUVO (methotrexate)	TRIKAFIX (infliximab-axxq) – Age specific indications:
	REMICADE (infliximab)	
	RENFLEXIS (infliximab-abda)	• Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	SIMLANDI (adalimumab-ryvk)	
	SIMPONI ARIA (golimumab)	• Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
	SKYRIZI (risankizumab-rzaa)	
	SOTYKTU (deucravacitinib)	• Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	SPEVIGO (spesolimab-sbzo)	
	STELARA (ustekinumab)	• Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	• Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
	TREXALL (methotrexate)	

	XATMEP (methotrexate)	• Age 12 years and older AND • Diagnosis of hidradenitis suppurativa (HS)
	XELJANZ (tofacitinib) solution	
	XELJANZ XR (tofacitinib)	
	YESINTEK (ustekinumab-kfce)	• Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of ankylosing spondylitis (AS)
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	ENBREL (etanercept) – Age specific indications: • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of juvenile psoriatic arthritis (PsA) • Age 4 years and older AND • Diagnosis of plaque psoriasis (PsO) • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS) HUMIRA (adalimumab) – Age specific indications: • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV) • Age 5 years and older AND • Diagnosis of ulcerative colitis (UC) • Age 6 years and older AND • Diagnosis of Crohn's disease (CD) • Age 12 years and older AND • Diagnosis of hidradenitis suppurativa (HS) • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS) IMULDOSA (ustekinumab-srlf), PYZCHIVA (ustekinumab-ttwe), and SELARSDI (ustekinumab-aekn) – Age specific indications: • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) • Age 18 years and older AND • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of Crohn's disease (CD) KINERET (anakinra) – Age specific indications: • Age 18 years and older AND

		• Diagnosis of rheumatoid arthritis (RA) • Other indications require clinical review OLUMIANT (baricitinib) – Age specific indications: • Age 18 years and older AND • Diagnosis of alopecia areata (AA) • Other indications require clinical review ORENCIA (abatacept) – Age specific indications: • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of psoriatic arthritis (PsA) • Other indication requires clinical review • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) • Non-preferred Orencia syringe requires clinical review OTEZLA (apremilast) – Age specific indications: • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) • Age 18 years and older AND • Diagnosis of Bechet's disease • Non-preferred Otezla XR requires clinical review RINVOQ (upadacitinib): • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) AND • History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi OR • History of 1 claim with Rinvoq in the past AND • NO history of concomitant therapy in the past 30 days with any of the following: ◦ A different JAK Inhibitor ◦ A different biologic ◦ Immunosuppressant azathioprine or cyclosporine • Age 18 years and older AND • Diagnosis of ankylosing spondylitis OR • Diagnosis of Crohn's disease OR • Diagnosis of giant cell arteritis OR • Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA) OR • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of ulcerative colitis AND • History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi OR • History of 1 claim with Rinvoq in the past AND • NO history of concomitant therapy in the past 30 days with any of the following: ◦ A different JAK Inhibitor ◦ A different biologic
--	--	--

		- Immunosuppressant azathioprine or cyclosporine SIMPONI (golimumab) – Age specific indications: - Age 18 years and older AND - Diagnosis of rheumatoid arthritis (RA) OR - Diagnosis of psoriatic arthritis (PsA) OR - Diagnosis of ankylosing spondylitis (AS) OR - Diagnosis of ulcerative colitis - Ages less than 18 years require clinical review - Non-preferred Simponi Aria requires clinical review TALTZ (izekizumab) – Age specific indications: Taltz 20 mg, 40 mg and 80 mg - Age 6 AND - Diagnosis of plaque psoriasis (PsO) Taltz 80 mg - Age 18 years and older AND - Diagnosis of psoriatic arthritis (PsA) OR - Diagnosis of ankylosing spondylitis (AS) OR - Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA) TYENNE (tocilizumab-aazg) – Age specific indications: - Age 2 years and older AND - Diagnosis of juvenile arthritis (JIA) - Age 18 years and older AND - Diagnosis of rheumatoid arthritis (RA) OR - Diagnosis of giant cell arteritis XELJANZ IR (tofacitinib) – Any of the following: - Age 2 year and older AND - Diagnosis of juvenile arthritis (JIA) OR - Diagnosis of psoriatic arthritis (PsA) - Age 18 years and older AND - Diagnosis of rheumatoid arthritis (RA) OR - Diagnosis of ulcerative colitis (UC) OR - Diagnosis of ankylosing spondylitis (AS) - Non-preferred Xeljanz oral solution and Xeljanz XR require clinical review Preferred methotrexate does not require prior authorization
ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	Non-Preferred Criteria - Documented diagnosis of cancer or chronic renal failure OR - Antineoplastic therapy in the past 6 months AND - Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR 1 claim for the requested agent in the past 105 days JESDUVROQ - Requires clinical review
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRIT (epoetin alfa)	
	VAFSEO (vadadustat)	

		MIRCERA Documented diagnosis of chronic renal failure in the past 2 years
FACTOR DEFICIENCY PRODUCTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FACTOR VIII		HEMLIBRA 3 claims with HEMLIBRA in the past 105 days OR - New starts require clinical review MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIIO	JIVI	
FEIBA	KCENTRA	
HEMOFIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		
XYNTHA, XYNTHA SOLOFUSE		
FACTOR IX		
ALPHANINE SD	BEQVEZ	
ALPROLIX		
BENEFIX		
IDELVION		
IXINITY		
PROFILNINE		
REBINYN		
RIXUBIS		
OTHER HEMOPHILIA PRODUCTS		
COAGADEX (factor X)	ALHEMO (concizumab-mtci)	
FIBRYGA (fibrinogen)	CORIFACT (factor XIII)	
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncq)	
RIASTAP (fibrinogen)	NOVOSEVEN RT (factor VII)	
	QFITLIA (fitusiran)	
	SEVENFACT (factor VII)	
	TRETTEN (factor XIII)	
FIBROMYALGIA/NEUROPATHIC PAIN AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
duloxetine (generic CYMBALTA)	CYMBALTA (duloxetine)	
gabapentin	DIRZALMA SPRINKLE (duloxetine)	
pregabalin	duloxetine 40 mg DR capsules (generic IRENKA)	
SAVELLA (milnacipran)	gabapentin ER	
	GABARONE (gabapentin)	
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	NEURONTIN (gabapentin)	
	pregabalin ER	
FLUOROQUINOLONES ^{DUR+}		

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ciprofloxacin tablet	BAXDELA (delafloxacin)	Non-Preferred Criteria 1 claim for a preferred agent in the past 30 days CIPRO Suspension for Age < 12 Years - Documented diagnosis of Cystic Fibrosis or Anthrax infection or exposure OR - Documented diagnosis or Pneumonic plague or tularemia AND - History of doxycycline in the past 3 months OR 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: - Penicillin, 2nd or 3rd generation cephalosporin or macrolide LEVAQUIN Suspension for Age < 12 Years - Documented diagnosis of Anthrax infection or exposure OR - History of 7 days of therapy with a preferred from 2 of the following classes in the past 3 months - Penicillin, 2nd or 3rd generation cephalosporins, or macrolide AND - History of ciprofloxacin suspension in the past 3 months
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	

GAUCHER'S DISEASE

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	

GENITAL WARTS & ACTINIC KERATOSIS AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CONDYLOX (podofilox)	VEREGEN (sinecatechins)	Minimum Age Limit 12 years: ALDARA 18 years: CONDYLOX, PICATO, VEREGEN
fluorouracil		
imiquimod		
podofilox		

GI ULCER THERAPIES

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA
H2 RECEPTOR ANTAGONISTS				PRILOSEC 2.5 mg suspension - Automatic approval issued for 0-2 years of age PRILOSEC 10 mg suspension - Requires clinical review
famotidine		cimetidine		
		nizatidine		
OTHERS				
CARAFATE (sucralfate) suspension		CARAFATE (sucralfate) tablet		
misoprostol		CYTOTEC (misoprostol)		
sucralfate		DARTISLA (glycopyrrolate)		
		VOQUEZNA (vonoprazan)		
PROTON PUMP INHIBITORS				
esomeprazole capsule		DEXILANT (dexlansoprazole)		
NEXIUM (esomeprazole) packet		dexlansoprazole		
omeprazole		esomeprazole packet		
pantoprazole		KONVOMEPR (omeprazole/sodium bicarbonate)		
		lansoprazole Rx		
		NEXIUM (esomeprazole) capsule		
		omeprazole/sodium bicarbonate		
		PREVACID (lansoprazole)		

	PRILOSEC (omeprazole) packet	
	PROTONIX (pantoprazole)	
	rabeprazole	
	ZEGERID (omeprazole/sodium bicarbonate)	
GLUCOCORTICOIDS (INHALED)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOIDS		Non-Preferred Criteria • Glucocorticoids ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Note: ○ Institutional-sized products are non-preferred AIRDUO DIGIHALER • Requires clinical review ARMONAIR DIGIHALER • Requires clinical review PROAIR DIGIHALER Require clinical review Minimum Age Limit • 18 years: AIRSUPRA Quantity Limit (per 31 days) • 2 inhalers: AIRSUPRA -- MANUAL PA
ASMANEX (mometasone)	ALVESCO (ciclesonide)	
budesonide 0.25 mg and 0.5 mg	ARMONAIR DIGIHALER (fluticasone)	
fluticasone	ARNUITY ELLIPTA (fluticasone)	
fluticasone diskus	ASMANEX HFA (mometasone)	
fluticasone HFA	budesonide 1 mg	
PULMICORT FLEXHALER (budesonide)	FLOVENT HFA (fluticasone)	
QVAR REDIHALER (beclomethasone)	FLOVENT DISKUS (fluticasone)	
	PULMICORT (budesonide) nebulizer solution	
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		
ADVAIR DISKUS (fluticasone/salmeterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)	
ADVAIR HFA (fluticasone/salmeterol)	AIRSUPRA (albuterol/budesonide)	
DULERA (mometasone/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)	
fluticasone/salmeterol diskus	BREYNA (budesonide/formoterol)	
SYMBICORT (budesonide/formoterol)	budesonide/formoterol	
	fluticasone/salmeterol HFA	
	fluticasone/vilanterol	
	WIXELA INHUB (fluticasone/salmeterol)	
GROWTH HORMONES ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Preferred Criteria • Age ≥ 18 years • Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation • Age < 18 years • Diagnosis of approvable pediatric diagnosis or history of cranial irradiation Minimum Age Limit • 3 years: NGENLA Maximum Age Limit • 18 years: NGENLA Non-Preferred Criteria Age > 18 years
NORDITROPIN FLEXPRO (somatropin)	NGENLA (somatropin-ghla)	
SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SOGROYA (somapacitan-beco)	
	VOXZOGO (vosoritide)	
	ZOMACTON (somatropin)	

		- Documented approvable diagnosis for age as above diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND - History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days Age < 18 years - Diagnosis of congenital malformation syndrome, HIV associated cachexia, hypopituitarism, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, mosaicism 45, Prader-Willi Syndrome, renal function impairment growth disorders, short stature due to endocrine disorder, small for gestational age or Turner Syndrome AND - History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days SKYTROFA Age $\geq$ 18 years - Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND - No history of diagnosis of Prader Willi Syndrome AND - History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR 84 days of therapy with Skytrofa in the past 105 days Age < 18 years - No history of diagnosis of Prader Willi Syndrome AND AND - History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR 84 days of therapy with Skytrofa in the past 105 days
--	--	--

H. PYLORI COMBINATION TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PYLERA (bismuth subcitrate potassium/metronidazole/tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline	Quantity Limit 1 treatment course/year: all agents
	lansoprazole/amoxicillin/clarithromycin	
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	

HEPATITIS B TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	

	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MAVYRET (glecaprevir/pibrentasvir) [∞]	EPCLUSA (sofosbuvir/velpatasvir) [∞]	∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER • Require MANUAL PA Note: • EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) [∞]	
ribavirin tablet	ledipasvir/sofosbuvir [∞]	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) [∞]	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) [∞]	
	ZEPATIER (elbasvir/grazoprevir) [∞]	
HEREDITARY ANGIOEDEMA TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BERINERT (C1 esterase inhibitor)	ANDEMBRY (garadacimab-gxii)	
icatibant	CINRYZE (C1 esterase inhibitor)	
HAEGARDA (C1 esterase inhibitor)	DAWNZERA (donidalorsen)	
	EKTERLY (sebetralstat)	
	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	ORLADEYO (berotralstat)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	
	TAKHZYRO (lanadelumab-flyo)	
HYPERURICEMIA & GOUT ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	
HYPOGLYCEMIA TREATMENT		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	Minimum Age Limit • 1 year: BAQSIMI • 2 years: GVOKE • 6 years: ZEGALOGUE Quantity Limit (per 31 days) • 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria GVOKE • 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		
HYPOGLYCEMICS, BIGUANIDES		

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
metformin		GLUMETZA (metformin)					
metformin ER (generic GLUCOPHAGE XR)		metformin ER (generic FORTAMET)					
		metformin ER (generic GLUMETZA)					
		metformin solution					
		RIOMET (metformin)					
HYPOGLYCEMICS, DPP4s AND COMBINATIONS ^{DUR+}							
PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA			
JANUMET (sitagliptin/metformin)		alogliptin		Non-Preferred Criteria - Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Note: Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review Minimum Age Limit 18 years: BRYNOVIN solution			
JANUMET XR (sitagliptin/metformin)		alogliptin/metformin					
JANUVIA (sitagliptin)		BRYNOVIN solution (sitagliptin)					
JENTADUETO (linagliptin/metformin)		JENTADUETO XR (linagliptin/metformin)					
TRADJENTA (linagliptin)		KAZANO (alogliptin/metformin)					
		KOMBIGLYZE XR (saxagliptin/metformin)					
		NESINA (alogliptin)					
		ONGLYZA (saxagliptin)					
		OSENl (alogliptin/pioglitazone)					
		saxagliptin					
		saxagliptin/metformin ER					
		sitagliptin					
		sitagliptin/metformin					
		ZITUVIMET (sitagliptin/metformin)					
		ZITUVIMET XR (sitagliptin/metformin)					
		ZITUVIO (sitagliptin)					
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}							
PREFERRED AGENTS		NON-PREFERRED AGENTS				PA CRITERIA	
BYETTA (exenatide)		BYDUREON (exenatide)				Minimum Age Limit 10 years: BYDUREON BCISE, TRULICITY, VICTOZA 18 years: BYETTA, MOUNJARO, OZEMPIC, RYBELSUS Preferred Criteria - Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days OR - No documented diagnosis for Type 2 Diabetes AND 84 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria - Documented diagnosis of Type 2 Diabetes AND - No history of SAXENDA or WEGOVY in the past 30 days AND 84 days of therapy with TRULICITY in the past 6 months AND 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months OR - Documented diagnosis of Type 2 Diabetes AND 84 days of therapy with the request agent in the past 105 days Note: - Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. - Please see the PDL category Anti-obesity Select Agents for a list of covered agents.	
TRULICITY (dulaglutide)		exenatide					
VICTOZA (liraglutide)		liraglutide					
		MOUNJARO (tirzepatide)					
		OZEMPIC (semaglutide)					
		RYBELSUS (semaglutide)					
		SOLIQUA (insulin glargine/lixisenatide)					
		SYMLINPEN (pramlintide)					
		XULTOPHY (insulin degludec/liraglutide)					

		RYBELSUS 1.5 mg and 3 mg Requires clinical review
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria - Documented diagnosis of Diabetes Mellitus AND - Have tried 1 preferred agent in the past 6 months OR 1 claim with the requested agent in the past 105 days Quantity Limit - Insulin quantity limits can be found here Note: - Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries. BASAGLAR - Requires clinical review
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO PEN (insulin lispro)	
insulin aspart protamine mix 70/30 vial	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
insulin lispro protamine mix 75/25 vial	HUMULIN N KWIKPEN (insulin N)	
LANTUS (insulin glargine)	insulin degludec	
TOUJEO (insulin glargine)	insulin glargine	
TOUJEO MAX (insulin glargine)	insulin glargine-yfgn	
	KIRSTY (insulin aspart-xjhz)	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	MERILOG (insulin aspart-szji)	
	NOVOLIN 70/30 (insulin NPH/regular)	
	NOVOLIN N (insulin NPH)	
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)	
	REZVOGLAR (insulin glargine-aglr)	
	SEMGLEE (insulin glargine-yfgn)	
	TRESIBA (insulin degludec)	
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
nateglinide		
repaglinide		
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SGLT-2 INHIBITORS		Non-Preferred Criteria - Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
FARXIGA (dapagliflozin)	dapagliflozin	
JARDIANCE (empagliflozin)	INPEFA (sotagliflozin)	
	INVOKANA (canagliflozin)	
	STEGLATRO (ertugliflozin)	
SGLT-2 INHIBITOR COMBINATIONS		

GLYXAMBI (empagliflozin/linagliptin)	dapagliflozin/metformin ER	
SYNJARDY (empagliflozin/metformin)	INVOKAMET (canagliflozin/metformin)	
SYNJARDY XR (empagliflozin/metformin)	INVOKAMET XR (canagliflozin/metformin)	
TRIJARDY XR (empagliflozin/linagliptin/metformin)	QTERN (dapagliflozin/saxagliptin)	
	SEGLUROMET (ertugliflozin/metformin)	
	STEGLUJAN (ertugliflozin/sitagliptin)	
	XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
pioglitazone/glimepiride	DUETACT (pioglitazone/glimepiride)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OFEV (nintedanib)	ESBRIET (pirfenidone)	All Agents - Documented diagnosis of Idiopathic Pulmonary Fibrosis OFEV - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with Ofev in the past 105 days pirfenidone - Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with pirfenidone or Esbriet in the past 105 days ESBRIET and JASCAYD (nerandomilast) - Requires clinical review
pirfenidone	JASCAYD (nerandomilast) ^{NR}	
IMMUNE GLOBULINS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BIVIGAM	ALYGLO	
FLEBOGAMMA	ASCENIV	
GAMASTAN	CABLIVI	
GAMMAGARD	CUTAQUIG	
GAMMAGARD S-D	CUVITRU	
GAMUNEX-C	GAMMAKED	
HIZENTRA	GAMMAPLEX	
HYQVIA	OCTAGAM	
PANZYGA		
PRIVIGEN		
XEMBIFY		
IMMUNOLOGIC THERAPIES FOR ASTHMA		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DUPIXENT (dupilumab) ^{DUR+}	CINQAIR (reslizumab)	CINQAIR
FASENRA (benralizumab)	NUCALA (mepolizumab)	

XOLAIR (omalizumab)	TEZSPIRE (tezepelumab-ekko)	- Requires clinical review DUPIXENT 1 claim with DUPIXENT in the past 60 days OR - New starts require clinical review (see manual PA links below) Asthma MANUAL PA Atopic Dermatitis MANUAL PA Bullous Pemphigoid MANUAL PA COPD MANUAL PA Chronic Spontaneous Urticaria MANUAL PA Eosinophilic Esophagitis MANUAL PA Nasal Polyposis MANUAL PA Prurigo Nodularis MANUAL PA FASENRA - Requires clinical review MANUAL PA NUCALA - Requires clinical review TEZSPIRE - Requires clinical review XOLAIR 1 claim with XOLAIR in the past 45 days OR - New starts require clinical review Asthma MANUAL PA Chronic Spontaneous Urticaria MANUAL PA Nasal Polyposis MANUAL PA
---------------------	-----------------------------	--

IMMUNOSUPPRESSIVE AGENTS, ORAL

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AZASAN (azathioprine)	ASTAGRAF XL (tacrolimus)	Minimum Age Limit 13 years: RAPAMUNE 18 years: ZORTRESS Maximum Age Limit 12 years: PROGRAF Granules Preferred Criteria AZASAN - Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis CELLCEPT - Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis GENGRAF, NEORAL, SANDIMMUNE - Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis Everolimus - Documented diagnosis of kidney or liver transplant RAPAMUNE - Documented diagnosis of kidney transplant Tacrolimus - Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis
azathioprine	ENVARUS XR (tacrolimus)	
CELLCEPT (mycophenolate)	MYFORTIC (mycophenolate)	
cyclosporine	PROGRAF (tacrolimus)	
everolimus	REZUROCK (belumosudil)	
mycophenolate	ZORTRESS (everolimus)	
mycophenolic acid		
NEORAL (cyclosporine)		
RAPAMUNE (sirolimus)		
SANDIMMUNE (cyclosporine)		
sirolimus		
tacrolimus		

		Non-Preferred Criteria • MYHIBBIN Suspension ○ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ○ 30 days of therapy with mycophenolate suspension in the past 105 days OR ○ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ASTAGRAF XR or ENVARUS XR ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ○ 30 days of therapy with tacrolimus IR in the past 105 days OR ○ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules ○ Age ≤ 11 years AND ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC ○ Documented diagnosis of kidney transplant or psoriasis • ZORTRESS ○ Documented diagnosis of kidney or liver transplant
--	--	---

INTRANASAL RHINITIS AGENTS

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS			Non-Preferred Criteria Corticosteroids • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months
ipratropium			
ANTIHISTAMINE/CORTICOSTEROID COMBINATIONS			
		azelastine/fluticasone	
		DYMISTA (azelastine/fluticasone)	
		RYALTRIS (olopatadine/mometasone)	
ANTIHISTAMINES			
azelastine		olopatadine	
		PATANASE (olopatadine)	
CORTICOSTEROIDS			
fluticasone		BECONASE AQ (beclomethasone)	
NASONEX 24 HOUR ALLERGY SPRAY ^{OTC}		flunisolide	
		mometasone	
		NASONEX (mometasone)	
		OMNARIS (ciclesonide)	
		QNASL (beclomethasone)	
		XHANCE (fluticasone)	
		ZETONNA (ciclesonide)	

IRON CHELATING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
deferasirox (all manufacturers except those listed as non-preferred)	deferasirox (manufacturers starting with 45963, 62332)	JADENU MANUAL PA
deferiprone 500 mg tablet	deferiprone 1,000 mg tablet	
FERRIPROX (deferiprone)	EXJADE (deferasirox)	
	JADENU, JADENU SPRINKLE (deferasirox)	

IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		Minimum Age Limit • 1 year: GATTEX
LINZESS (linaclotide)	AMITIZA (lubiprostone)	

lubiprostone	IBSRELA (tenapanor)	• 6 years: LINZESS 72 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 145 mcg & 290 mcg, MOTEGRITY, MOVANTIK, MYTESI, SYMPROIC, VIBERZI Gender Limit • Female AMITIZA 8 mcg
	MOTEGRITY (prucalopride)	
	MOVANTIK (naloxegol)	
	prucalopride	
	SYMPROIC (naldemedine)	
IRRITABLE BOWEL SYNDROME DIARRHEA		
dicyclomine	alosetron	
ED-SPAZ (hyoscyamine)	LOTRONEX (alosetron) ^{DUR+}	
hyoscyamine, hyoscyamine ER	VIBERZI (eluxadoline) ^{DUR+}	
HYOSYNE (hyoscyamine)		
LEVSIN, LEVSIN-SL (hyoscyamine)		
NULEV (hyoscyamine)		
OSCIMIN, OSCIMIN SL (hyoscyamine)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
	GATTEX (teduglutide)	
	MYTESI (crofelemer)	
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		
Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS 72 mcg, LINZESS 145 mcg, MOTEGRITY • Preferred CIC Agents ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction • LINZESS 72 mcg ○ Age 6-17 years AND ○ Documented diagnosis of CIC or pediatric functional constipation in the past year AND ○ No history of GI or bowel obstruction • Non-Preferred CIC Agents ○ Documented diagnosis of CIC AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred CIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days	Irritable Bowel Syndrome Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg • Preferred IBS-C Agents ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction • Non-Preferred IBS-C Agents ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred IBS-C agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days	Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, SYMPROIC • Preferred OIC Agents ○ Documented diagnosis of OIC and chronic pain in the past year AND ○ No history of GI or bowel obstruction AND ○ 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents ○ All preferred criteria met AND ○ Have tried 1 preferred OIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days
IRRITABLE BOWEL SYNDROME DIARRHEA		
• VIBERZI [New starts require clinical review] Documented diagnosis of IBS D in the past year and 1 claim for Viberzi in the past 105 days ○ • LOTRONEX ○ 1 claim for LOTRONEX in the past 105 days OR ○ New starts require clinical review MANUAL PA		

SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
HIV/AIDS Non-infectious Diarrhea • MYTESI ○ Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND ○ 1 claim for an antiretroviral in the past 30 days	Short Bowel Syndrome (SBS) • GATTEX ○ 1 claim for GATTEX in the past 105 days OR ○ New starts require clinical review	
LEUKOTRIENE MODIFIERS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
montelukast	ACCOLATE (zafirlukast)	Minimum Age Limit • 12 years: ZYFLO & ZYFLO CR Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	
LIPOTROPICS, OTHER (NON-STATINS)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACL INHIBITORS AND COMBINATIONS		Non-Preferred Criteria Fibric Acid Derivatives ○ Have tried 2 different preferred Fibric Acid Derivative agents in the past 6 months
	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ezetimibe)	JUXTAPID MANUAL PA
ANGIOPOIETIN-LIKE 3 INHIBITORS		KYNAMRO • Requires clinical review
	EVKEEZA (evinacumab-dgnb)	
BILE ACID SEQUESTRANTS		LEQVIO • Requires clinical review
cholestyramine	colesevelam	NEXLETOL and NEXLIZET • Require clinical review
cholestyramine light	COLESTID (colestipol)	
colestipol tablet	colestipol packet	PRALUENT MANUAL PA
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	REPATHA MANUAL PA
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		WELCHOL • Documented diagnosis of Type 2 Diabetes AND • 30 days of therapy with an antidiabetic agent in the past 6 months OR 90 days of therapy with WELCHOL in the past 105 days
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER		
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	

	PRALUENT (alirocumab)	
LIPOTROPICS, STATINS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STATINS		Minimum Age Limit • 10 years: ATORVALIQ Suspension Non-Preferred Criteria • Have tried 2 different preferred statin or statin combination agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days Simvastatin Daily doses ≥ 80 mg require clinical review
atorvastatin	ALTOPREV (lovastatin)	
lovastatin	ATORVALIQ (atorvastatin)	
pravastatin	CRESTOR (rosuvastatin)	
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)	
simvastatin	FLOLIPID (simvastatin)	
	fluvastatin	
	fluvastatin ER	
	LESCOL XL (fluvastatin)	
	LIPITOR (atorvastatin)	
	LIVALO (pitavastatin)	
	pitavastatin	
	ZOCOR (simvastatin)	
	ZYPITAMAG (pitavastatin)	
STATIN COMBINATIONS		
ezetimibe/simvastatin	amlodipine/atorvastatin	
	CADUET (amlodipine/atorvastatin)	
	VYTORIN (ezetimibe/simvastatin)	
MISCELLANEOUS BRAND/GENERIC		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALLERGEN EXTRACT IMMUNOTHERAPY		CUMULATIVE Quantity Limit (per 31 days) • 31 tablets: alprazolam ER Quantity Limit (per 31 days) • 2 kits: epinephrine EVRYSDI MANUAL PA *The Miscellaneous subclass contains drugs that do not belong to any PDL drug classes. A non-preferred drug in this subclass may not require a documented history of preferred agents within the Miscellaneous subclass except for a brand name product with a generic equivalent.
	GRASTEK	
	ORALAIR	
	RAGWITEK	
EPINEPHRINE		
epinephrine (Mylan)	AUVI-Q (epinephrine)	
	epinephrine (all other manufacturers)	
	EPIPEN (epinephrine)	
	EPIPEN JR (epinephrine)	
	NEFFY (epinephrine)	
MISCELLANEOUS*		
alprazolam	alprazolam ER	
hydroxyzine HCL	BRINSUPRI (brensocatib)	
hydroxyzine pamoate	CAMZYOS (mavacamten)	
megestrol	CRENESSITY (crinecerfont)	
REVLIMID (lenalidomide)	EVRYSDI (risdiplam)	
	HARLIKU (nitisinone)	
	KORLYM (mifepristone)	
	lenalidomide	
	RHAPSIDO (remibrutinib) ^{NR}	
	TRYNGOLZA (olezarsen)	
	VERQUVO (vericiguat)	
	VISTARIL (hydroxyzine pamoate)	
	XANAX, XANAX XR (alprazolam)	
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroallycerin)		

MOVEMENT DISORDER AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	AUSTEDO and AUSTEDO XR - Documented diagnosis of Huntington’s chorea OR - Documented diagnosis of tardive dyskinesia AND 90 days of therapy with either agent in the past 105 days OR - New starts require clinical review MANUAL PA INGREZZA - Documented diagnosis of Huntington’s chorea OR - Documented diagnosis of tardive dyskinesia AND 90 days of therapy with this agent in the past 105 days OR - New starts require clinical review MANUAL PA
AUSTEDO XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		
MULTIPLE SCLEROSIS AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	Preferred Agents - Documented diagnosis of multiple sclerosis Non-Preferred Criteria - Documented diagnosis of multiple sclerosis AND - Have tried 2 different preferred agents in the past 6 months OR 3 claims with the requested agent in the last 105 days
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	
dimethyl fumarate	BAFIERTAM (monomethyl fumarate)	
fingolimod	BRIUMVI (ublituximab-xiyy)	
REBIF (interferon beta-1b)	COPAXONE (glatiramer) 40 mg	KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA Require clinical review MAVENCLAD MANUAL PA MAYZENT MANUAL PA OCREVUS and OCREVUS ZUNOVO MANUAL PA
REBIF REBIDOSE (interferon beta-1b)	GILENYA (fingolimod)	
teriflunomide	glatiramer	
TYSABRI (natalizumab)	GLATOPA (glatiramer)	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
	MAYZENT (siponimod)	
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	PLEGRIDY (peginterferon beta-1a)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	TECFIDERA (dimethyl fumarate)	
	TYRUKO (natalizumab-sztn) ^{NR}	
	VUMERITY (diroximel fumarate)	
	ZEPOSIA (ozanimod)	
MUSCULAR DYSTROPHY AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	AGAMREE MANUAL PA ELEVIDYS MANUAL PA EMFLAZA MANUAL PA EXONDYS MANUAL PA VILTEPSO MANUAL PA VYONDYS MANUAL PA
	AMONDYS-45 (casimersen)	
	deflazacort	
	DUVYZAT (givinostat)	
	ELEVIDYS (delandistrogene moxeparvovec-rokl)	
	EXONDYS-51 (eteplirsen)	
	JAYTHARI (deflazacort)	
	VILTEPSO (viltolarsen)	
	VYONDYS-53 (golodirsen)	

NSAIDS

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA
COX II SELECTIVE				Quantity Limit (per 31 days) • 20 tablets: ketorolac tablets ELYXYB • Requires clinical review
meloxicam tablet		CELEBREX (celecoxib)		
		celecoxib		
		ELYXYB (celecoxib)		
		meloxicam capsule		
NON-SELECTIVE				Non-Preferred Criteria COX II Selective • No history of a contraindicated GI disorder or coagulation disorder AND • Documented diagnosis of Osteoarthritis, Rheumatoid Arthritis, Familial Adenomatous Polyposis, or Ankylosing Spondylitis AND • Have tried 1 preferred COX-II selective agent OR • 90 days of therapy with the requested agent in the past 105 days Non-Preferred Criteria Non-Selective & Combinations • No history of a contraindicated GI disorder or coagulation disorder AND • Have tried 2 different preferred non-selective agents in the past 6 months
diclofenac sodium		DAYPRO (oxaprozin)		
diclofenac sodium ER		diclofenac potassium		
EC-naproxen DR 500 mg tablet		DOLOBID (diflunisal)		
etodolac tablet		etodolac capsule, etodolac ER		
flurbiprofen		FELDENE (piroxicam)		
ibuprofen		fenoprofen		
indomethacin capsule		indomethacin suppository		
indomethacin ER		ketoprofen		
ketorolac		KIPROFEN (ketoprofen)		
nabumetone		LOFENA (diclofenac potassium)		
naproxen 250 mg, 500 mg		meclofenamate		
piroxicam		mefenamic acid		
sulindac		NALFON (fenoprofen)		
		NAPRELAN (naproxen)		
		NAPROSYN 375 mg (naproxen)		
		naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg		
		oxaprozin		
		RELAFEN DS (nabumetone)		
		TOLECTIN 600 mg (tolmetin)		
		tolmetin		
NSAID/GI PROTECTANT COMBINATIONS				
		ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)		
		diclofenac/misoprostol		
		ibuprofen/famotidine		
		naproxen/esomeprazole		
		VIMOVO (naproxen/esomeprazole)		

OPHTHALMIC AGENTS

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ANTIBIOTICS				Minimum Age Limit 16 years: RESTASIS 17 years: XIIDRA 18 years: CEQUA, MIEBO, TRYPTYR, VEVYE Quantity Limit (per 31 days) 2 mL: VEVYE 3 mL: MIEBO 5.5 mL: RESTASIS Multidose 60 units: CEQUA, RESTASIS Droperette, TRYPTYR, XIIDRA Non-Preferred Criteria - Anti-Inflammatory Agents	
bacitracin/polymyxin		AZASITE (azithromycin)			
ciprofloxacin		bacitracin			
erythromycin		BESIVANCE (besifloxacin)			
gentamicin		CILOXAN (ciprofloxacin)			
moxifloxacin		gatifloxacin			
ofloxacin		NATACYN (natamycin0			
polymyxin B/trimethoprim		neomycin/bacitracin/polymyxin			
tobramycin		OCUFLOX (ofloxacin)			
		sulfacetamide			
		TOBREX (tobramycin)			
		VIGAMOX (moxifloxacin)			
ANTIBIOTIC-STEROID COMBINATIONS					

BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)	MAXITROL (neomycin/polymyxin/dexamethasone)	○ Have tried 2 different preferred agents in the past 6 months
neomycin/bacitracin/polymyxin/hydrocortisone	neomycin/polymyxin/gramicidin	• Dry Eye Agents ○ History of 1 claim for both RESTASIS Droperette and XIIDRA in the past 6 months
neomycin/polymyxin/dexamethasone	TOBRADEX ST (tobramycin/dexamethasone)	EYSUVIS • Require clinical review
PRED-G (gentamicin/prednisolone)		MIEBO • Requires clinical review
sulfacetamide/prednisolone		RESTASIS Multidose • Require clinical review
TOBRADEX (tobramycin/dexamethasone)		
tobramycin/dexamethasone		
ZYLET (tobramycin/loteprednol)		
ANTI-INFLAMMATORY AGENTS^{DUR+}		
dexamethasone	ACULAR, ACULAR LS (ketorolac)	TRYPTYR • Requires clinical review
diclofenac sodium	ACUVAIL (ketorolac)	
difluprednate	bromfenac	TYRVAYA • Requires clinical review
FLAREX (fluorometholone)	BROMSITE (bromfenac)	
fluorometholone	DUREZOL (difluprednate)	
flurbiprofen	FML (fluorometholone)	VEVYE • Requires clinical review
FML FORTE (fluorometholone)	ILEVRO (nepafenac)	
ketorolac	INVELTYS (loteprednol)	
MAXIDEX (dexamethasone)	LOTEMAX, LOTEMAX SM (loteprednol)	
PRED MILD (prednisolone)	loteprednol	
prednisolone acetate	NEVANAC (nepafenac)	
prednisolone sodium phosphate	PRED FORTE (prednisolone)	
	PROLENSA (bromfenac)	
DRY EYE AGENTS		
EYSUVIS (loteprednol)	CEQUA (cyclosporine)	
RESTASIS Droperette (cyclosporine)	cyclosporine	
XIIDRA (lifitegrast)	MIEBO (perfluorohexyloctane)	
	RESTASIS Multidose (cyclosporine)	
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS		Minimum Age Limit • 18 years: IYUZEH
BETIMOL (timolol)	betaxolol	
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	Non-Preferred Criteria
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	• Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	

SIMBRINZA (brinzolamide/brimonidine)		dorzolamide/timolol PF
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	
PROSTAGLANDIN ANALOGS		
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprostene bunod)	
	XALATAN (latanoprost)	
	XELPROS (latanoprost)	
	ZIOPTAN (tafluprost)	
RHO KINASE INHIBITORS/COMBINATIONS		
RHOPRESSA (netarsudil)		
ROCKLATAN (netarsudil/latanoprost)		
SYMPATHOMIMETICS		
ALPHAGAN P (brimonidine)		brimonidine 0.1%, 0.15%
brimonidine 0.2%		
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALREX (loteprednol)	ALOCRIL (nedocromil)	Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months VERKAZIA - Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen ^{OTC}	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACRAFT (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIAE (cetirizine)	
OPIATE DEPENDENCE TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DEPENDENCE		Buprenorphine/naloxone provider summary found here SUBLOCADE MANUAL PA VIVITROL MANUAL PA
buprenorphine/naloxone SL tablet ^{DUR+}	BRIXADI (buprenorphine)	
naltrexone	buprenorphine ^{DUR+}	
SUBOXONE (buprenorphine/naloxone) ^{DUR+}	buprenorphine/naloxone film ^{DUR+}	
	lofexidine	
	LUCEMYRA (lofexidine)	
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone)	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		
OPVEE (nalmeffene)		

REXTOVY (naloxone)		
ZIMHI (naloxone)		
OTIC ANTIBIOTICS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CIPRO HC (ciprofloxacin/hydrocortisone)	ciprofloxacin	Maximum Age Limit • 9 years: CIPRO HC Ciprofloxacin/Dexamethasone Suspension Criteria • Age ≥ 6 months AND • Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND • Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)	ciprofloxacin/fluocinolone	
fluocinolone	ciprofloxacin/dexamethasone	
neomycin/polymyxin/hydrocortisone	DERMOTIC (fluocinolone)	
	FLAC OTIC OIL (fluocinolone)	
	hydrocortisone/acetic acid	
	OTOVEL (ciprofloxacin/fluocinolone)	
PANCREATIC ENZYMES		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CREON (lipase/protease/amylase)	VIOKACE (lipase/protease/amylase)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months
PERTZYE (lipase/protease/amylase)		
ZENPEP (lipase/protease/amylase)		
PARATHYROID AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	
PHOSPHATE BINDERS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	REVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	
PLATELET AGGREGATION INHIBITORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
aspirin/dipyridamole	BRILINTA (ticagrelor)	Non-Preferred Criteria • Documented diagnosis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days ZONTIVITY MANUAL PA
cilostazol	EFFIENT (prasugrel)	
clopidogrel	PLAVIX (clopidogrel)	
dipyridamole		
pentoxifylline		
prasugrel		
ticagrelor		
PLATELET STIMULATING AGENTS		

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
NPLATE (romiplostim)		ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet		DOPTELET (avatrombopag)	
		DOPTELET SPRINKLE (avatrombopag maleate) ^{NR}	
		MULPLETA (lusutrombopag)	
		PROMACTA (eltrombopag) packet	
		TAVALISSE (fostamatinib)	
POTASSIUM REMOVING AGENTS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)		
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate		
	SPS (sodium polystyrene sulfonate) enema		
	VELTASSA (patiomer calcium sorbitex)		
PRENATAL VITAMINS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CLASSIC PRENATAL	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here	
COMPLETE NATAL DHA			
COMPLETENATE			
FOLIVANE-OB			
M-NATAL PLUS			
NIVA-PLUS			
PRENATAL PLUS VITAMIN-MINERAL			
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID			
SELECT-OB + DHA			
SE-NATAL-19			
STUART ONE			
TARON-C DHA			
THRIVITE RX			
TRICARE			
TRINATAL RX 1			
VIT 3			
VITAFOL FE PLUS			
VITAFOL-OB			
VITAFOL-ONE			
VITAFOL ULTRA			
WESCAP-C DHA			
WESNATAL DHA COMPLETE			
WESTAB PLUS			
PSEUDOBULBAR AFFECT AGENTS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	NUEDEXTA (dextromethorphan/quinidine)	Non-Preferred Criteria - Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days	
PULMONARY ANTIHYPERTENSIVE AGENTS			

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
ACTIVIN SIGNALING INHIBITORS				Minimum Age Limit • 18 years: ADEMPAS, OPSYNVI, TADLIQ	
		WINREVAIR (sotatercept-csrk)			
COMBINATION AGENTS				Maximum Age Limit • 12 years: REVATIO suspension	
		OPSYNVI (macitentan/tadalafil)			
ENDOTHELIN RECEPTOR ANTAGONISTS				Preferred Criteria • PAH Agents ○ Documented diagnosis of pulmonary hypertension	
ambrisentan		OPSUMIT (macitentan)			
bosentan		TRACLEER (bosentan)			
LETAIRIS (ambrisentan)		TRYVIO (aprocitentan)		• Sildenafil tablets ○ ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ○ ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR ○ 90 days of therapy with the requested agent in the past 105 days • Sildenafil suspension • < 12 years of age AND • Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR • 90 days stable therapy with sildenafil suspension in the past 105 days	
PDE5 INHIBITORS					
sildenafil (generic REVATIO) tablet, suspension		ADCIRCA (tadalafil)			
tadalafil		ALYQ (tadalafil)			
		REVATIO (sildenafil)			
		TADLIQ (tadalafil)		Non-Preferred Criteria • Documented diagnosis of pulmonary hypertension AND • Have tried 1 preferred PAH agent in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS • Require clinical review	
PROSTACYCLINS					
		ORENITRAM ER (treprostinil)			
		ORENITRAM TITRATION PAK (treprostinil)			
		TYVASO (treprostinil)			
		VENTAVIS (iloprost)		SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS	
		YUTREPIA (treprostinil)			
SOLUABLE GUANYLATE CYCLASE STIMULATORS					
		ADEMPAS (riociguat)			

ADEMPAS

- Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) **AND**
- Have tried 1 preferred PAH agent in the past 6 months **OR**
- 90 days of therapy with ADEMPAS in the past 105 days

TADLIQ

- Documented diagnosis of pulmonary hypertension **AND**
- Have tried preferred sildenafil suspension in the past 6 months **OR**
- 90 days of therapy with TADLIQ in the past 105 days

UPTRAVI

- Documented diagnosis of pulmonary hypertension **AND**
- Have tried 1 preferred endothelin receptor antagonist in the past 6 months **AND**
- Have tried 1 preferred PDE5 inhibitor in the past 6 months **OR**
- 90 days of therapy with UPTRAVI in the past 105 days

ROSACEA TREATMENTS

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
metronidazole		AVAR (sulfacetamide sodium/sulfur)	Note: • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.
		AVAR LS (sulfacetamide sodium/sulfur)	
		AVAR-E (sulfacetamide sodium/sulfur)	
		BP 10-1 (sulfacetamide sodium/sulfur)	
		brimonidine	

	EPSOLAY (benzoyl peroxide)		
	FINACEA (azelaic acid)		
	METROCREAM (metronidazole)		
	METROGEL (metronidazole)		
	MIRVASO (brimonidine)		
	OVACE (sulfacetamide sodium)		
	OVACE PLUS (sulfacetamide sodium)		
	RHOFADE (oxymetazoline)		
	ROSADAN (metronidazole)		
	ROSULA (sulfacetamide sodium/sulfur)		
	sodium sulfacetamide		
	sodium sulfacetamide/sulfur		
	SOOLANTRA (ivermectin)		
	SUMADAN (sulfacetamide sodium/sulfur)		
	SUMADAN XLT (sulfacetamide sodium/sulfur/avob)		
	SUMAXIN (sulfacetamide sodium/sulfur)		
	SUMAXIN CP (sulfacetamide sodium/sulfur)		
	SUMAXIN TS (sulfacetamide sodium/sulfur)		
SEDATIVE HYPNOTIC AGENTS			
PREFERRED AGENTS	NON-PREFERRED AGENTS		PA CRITERIA
BENZODIAZEPINES ^{DUR+}		MS DOM Opioid Initiative Criteria details found here - Concomitant use of Opioids and Benzodiazepines Maximum Age Limit 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg Gender and Dose Limit Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg Male: all strengths of zolpidem Non-Preferred Criteria - Have tried 2 different preferred agents in the past 6 months HETLIOZ capsules - Age 18 years or older AND - Documented diagnosis of circadian rhythm sleep disorder - OR - Age 16 years and older AND - Documented diagnosis of Smith-Magenis syndrome HETLIOZ liquid - Age 3-15 years AND - Documented diagnosis of Smith-Magenis syndrome Note: - Single-source benzodiazepines and barbiturates are NOT covered.	
estazolam	flurazepam		
temazepam 15 mg, 30 mg capsule	HALCION (triazolam)		
	quazepam		
	RESTORIL (temazepam)		
	temazepam 7.5 mg, 22.5 mg capsule		
	triazolam		
OTHERS ^{DUR+}			
eszopiclone	AMBIEN (zolpidem)		
ramelteon	AMBIEN CR (zolpidem)		
zaleplon	BELSOMRA (suvorexant)		
zolpidem tablet	DAYVIGO (lemborexant)		
	doxepin		
	EDULAR (zolpidem)		
	HETLIOZ LQ (tasimelteon)		
	LUNESTA (eszopiclone)		
	QUVIVIQ (daridorexant)		
	ROZEREM (ramelteon)		
	tasimelteon		
	zolpidem capsule		
	zolpidem sublingual tablet		
	zolpidem ER		

o PA s will NOT be issued for these drugs.

See below for additional PA Criteria/DUR+ Rules

CUMULATIVE Quantity Limit Benzodiazepines

- **31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit Triazolam

- **10 units/31 days:** Quantity limit per rolling days for all strengths.
- **60 units/365 days:** Quantity limit per rolling days for all strengths.

CUMULATIVE Quantity Limit Non-Benzodiazepines

- **31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit HETLIOZ LQ

- **1 bottle (48 mL or 158 mL):** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit ZOLPIMIST

- **1 canister/31 days:** male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.
- **1 canister/62 days:** female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

SELECT CONTRACEPTIVE PRODUCTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria 1 claim with the requested agent in the past 105 days
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	ANNOVERA (segesterone/ethinyl estradiol)	
NUVARING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES ^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	

	NATAZIA (estradiol valerate/dienogest)	
	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)	
	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)	
	YASMIN (ethinyl estradiol/drospirenone)	
	YAZ (ethinyl estradiol/drospirenone)	
TRANSDERMAL CONTRACEPTIVES		
TWIRLA (levonorgestrel/ethinyl estradiol)	norelgestromin/ethinyl estradiol	
XULANE (norelgestromin/ethinyl estradiol)		
ZAFEMY (norelgestromin/ethinyl estradiol)		
SICKLE CELL AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CASGEVY (exagamglogene autotemcel)	ADAKVEO (crizanlizumab-tmca)	ENDARI MANUAL PA
DROXIA (hydroxyurea)	ENDARI (glutamine)	CASGEVY MANUAL PA
hydroxyurea	HYDREA (hydroxyurea)	
LYFGENIA (lovotibeglogene autotemcel)	l-glutamine	LYFGENIA MANUAL PA
	SIKLOS (hydroxyurea)	
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
baclofen 5 mg, 10 mg, 20 mg tablet	AMRIX (cyclobenzaprine)	Quantity Limit • 84 tablets/180 days: carisoprodol
chlorzoxazone	baclofen 15 mg tablet	
cyclobenzaprine 5 mg, 10 mg tablet	baclofen suspension	Non-Preferred Criteria • Documented diagnosis of an approvable indication AND • Have tried 2 different preferred agents in the past 6 months
methocarbamol	carisoprodol	
tizanidine tablet	carisoprodol/aspirin	
	cyclobenzaprine 7.5 mg tablet	Baclofen granules, solution, and suspension • Require clinical review.
	cyclobenzaprine ER	
	DANTRIUM (dantrolene)	
	dantrolene	
	FEXMID (cyclobenzaprine)	Carisoprodol • Documented diagnosis of acute musculoskeletal condition AND • No history with meprobamate in the past 105 days AND • History of 1 claim for cyclobenzaprine in the past 21 days
	FLEQSUVY (baclofen)	
	LORZONE (chlorzoxazone)	
	LYVISPAH (baclofen)	
	metaxalone	
	NORGESIC (orphenadrine/aspirin/caffeine)	Carisoprodol with codeine • Requires clinical review.

	NORGESIC FORTE (orphenadrine/aspirin/caffeine)	Metaxalone 640 mg and TANLOR • Requires clinical review Tizanidine capsule • Requires clinical review
	orphenadrine	
	orphenadrine/aspirin/caffeine	
	ORPHENGESIC FORTE (orphenadrine/aspirin/caffeine)	
	SOMA (carisoprodol)	
	TANLOR (methocarbamol)	
	tizanidine capsule	
	ZANAFLEX (tizanidine)	

SMOKING DETERRENTS

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA	
NICOTINE TYPE				Minimum Age Limit • 18 years: CHANTIX	
nicotine gum ^{OTC}		NICOTROL INHALER CARTRIDGE			
nicotine lozenge ^{OTC}		NICOTROL NASAL SPRAY			
nicotine patch ^{OTC}					
NON-NICOTINE TYPE				Quantity Limit • 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack • 2 treatment courses/year: CHANTIX Starter Pack	
bupropion SR					
CHANTIX (varenicline)					
varenicline					

STEROIDS (TOPICAL)

PREFERRED AGENTS		NON-PREFERRED AGENTS		PA CRITERIA
LOW POTENCY				Non-Preferred Criteria • Low Potency ○ Have tried 2 different preferred low potency agents in the past 6 months • Medium Potency ○ Have tried 2 different preferred medium potency agents in the past 6 months • High Potency ○ Have tried 2 different preferred high potency agents in the past 6 months • Very High Potency ○ Have tried 2 different preferred very high potency agents in the past 6 months Clobetasol 0.025% • Requires clinical review.
alclometasone		fluocinolone		
DERMA-SMOOTH-FS (fluocinolone)		hydrocortisone lotion		
desonide		HYDROXYM (hydrocortisone)		
hydrocortisone cream, ointment, solution		PROCTOCORT (hydrocortisone)		
MEDIUM POTENCY				
fluticasone		BESER (fluticasone)		
mometasone		CAPEX (fluocinolone)		
PANDEL (hydrocortisone probutate)		clocortolone		
prednicarbate cream		CLODERM (clocortolone)		
		flurandrenolide		
		fluticasone lotion		
		LOCOID (hydrocortisone butyrate)		
		prednicarbate ointment		
		SYNALAR (fluocinolone)		
HIGH POTENCY				
betamethasone dipropionate cream, lotion		amcinonide		
betamethasone dipropionate augmented		betamethasone dipropionate ointment		
betamethasone valerate		desoximetasone		
fluocinolone		diflorasone		
fluocinonide		Halcinonide		
fluocinonide-E		HALOG (halcinonide)		
triamcinolone cream, ointment, lotion		KENALOG (triamcinolone)		
		TOPICORT (desoximetasone)		

	triamcinolone spray	
VERY HIGH POTENCY		
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	clobetasol emulsion	
halobetasol	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SHORT-ACTING		Minimum Age Limit • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXXII ER, RITALIN LA, VYVANSE, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil • 18 years: armodafinil, SUNOSI, WAKIX Maximum Age Limit • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER
LONG-ACTING		Quantity Limit Stimulants (per 31 days) • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, RITALIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR Quantity Limit Narcolepsy (per 31 days) • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX Quantity Limit Non-Stimulants (per 31 days) • 31 tablets: atomoxetine, guanfacine ER, QELBREE 100 mg • 62 tablets: QELBREE 150 mg and 200 mg
dexmethylphenidate	ADDERALL (dextroamphetamine/amphetamine)	
dextroamphetamine	amphetamine	
dextroamphetamine/amphetamine	EVEKEO (amphetamine)	
methylphenidate tablet, solution	dextroamphetamine solution	
PROCENTRA (dextroamphetamine)	EVEKEO ODT (amphetamine)	
	FOCALIN (dexmethylphenidate)	
	methamphetamine	
	METHYLIN (methylphenidate)	
	methylphenidate chewable tablet	
	RITALIN (methylphenidate)	
	ZENZEDI (dextroamphetamine)	
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)	
CONCERTA (methylphenidate)	APTENSIO XR (methylphenidate)	
dexmethylphenidate ER	AZSTARYS (serdexmethylphenidate/dexmethylphenidate)	
dextroamphetamine ER	COTEMPLA XR ODT (methylphenidate)	
dextroamphetamine/amphetamine ER (generic ADDERALL XR)	DAYTRANA (methylphenidate)	
DYANAVEL XR (amphetamine) suspension	DEXEDRINE (dextroamphetamine)	
lisdexamfetamine	dextroamphetamine/amphetamine ER (generic MYDAYIS ER)	
methylphenidate CD	DYANAVEL XR (amphetamine) tablets	
methylphenidate ER tablet	FOCALIN XR (dexmethylphenidate)	
methylphenidate LA	JORNAY PM (methylphenidate)	

QUILLICHEW ER (methylphenidate)	methylphenidate patch	• 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension
QUILLIVANT XR (methylphenidate)	methylphenidate ER capsule	
VYVANSE (lisdexamfetamine) capsules	MYDAYIS (dextroamphetamine/amphetamine)	
	RELEXXII (methylphenidate)	
	RITALIN LA (methylphenidate)	
	VYVANSE (lisdexamfetamine) chewable tablets	
	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		
armodafinil	NUVIGIL (armodafinil)	
modafinil	PROVIGIL (modafinil)	
SUNOSI (solriamfetol)	sodium oxybate	
XYREM (sodium oxybate)	WAKIX (pitolisant)	
	XYWAV (calcium/magnesium/potassium/sodium oxybate)	
NON-STIMULANTS		
atomoxetine	INTUNIV (guanfacine)	
clonidine ER (generic Kapvay only)	ONYDA XR (clonidine)	
guanfacine ER	STRATTERA (atomoxetine)	
QELBREE (viloxazine)		
Non-Preferred Short Acting Criteria ADD/ADHD • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Short Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 preferred agent indicated for narcolepsy in the past 6 months OR • Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days Non-Preferred Long Acting Criteria ADD/ADHD • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Long-Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 different preferred agent indicated for narcolepsy in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days		
Armodafinil • Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression Atomoxetine • Age ≥ 21 years AND • Documented diagnosis of ADD/ADHD Clonidine ER • Documented diagnosis of ADD/ADHD QELBREE • Documented diagnosis of ADD/ADHD AND • 30 days of therapy with a preferred ADHD agent in the past 105 days OR • 30 days of therapy with QELBREE in the past 105 days SUNOSI • Documented diagnosis of narcolepsy or obstructive sleep apnea AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months		

Guanfacine ER

- Documented diagnosis of ADD/ADHD

JORNAY PM

- Diagnosis of ADD/ADHD **AND**
 - History of 84 days of therapy (each) with 2 different preferred LA methylphenidate products in the past 12 months **AND**
 - History of 84 days of therapy with 1 preferred non-methylphenidate LA stimulant in the past 12 months **OR**
 - History of 84 days of therapy with JORNAY PM in the past 105 days

Modafinil

- Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome

ONYDA XR

- Requires clinical review

VYVANSE

- Documented diagnosis of binge eating disorder or ADD/ADHD
- 90 days of therapy with Vyvanse in the past 90 days

VYVANSE chewable

- Requires clinical review

WAKIX

- Requires clinical review

XYREM

- Diagnosis of narcolepsy or excessive daytime sleepiness **OR**
- 30 days of therapy with this agent in the past 105 days

XYWAV

- Requires clinical review

TETRACYCLINES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
doxycycline hyclate	demeclocycline	Non-Preferred Agents • Have tried 2 different preferred agents in the past 6 months Demeclocycline • Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval ORACEA • Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	

ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ORAL		Non-Preferred Criteria • Documented diagnosis of Ulcerative Colitis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days VELSIPITY
balsalazide	AZULFIDINE (sulfasalazine)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	

	mesalamine DR, mesalamine ER	Requires clinical review
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
UREA CYCLE DISORDER AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	glycerol phenylbutyrate ^{NR}	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	