

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 4/1/2026
VERSION 2026_4
Updated 2/26/2026

General Preferred Drug List Information

- Gainwell Technologies DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

ACNE AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI-INFECTIVES		<p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 21 years: all acne agents except isotretinoin products <p>Topical Clindamycin 1% lotion</p> <ul style="list-style-type: none"> • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa <p>Note: Isotretinoin products available for all ages Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis Preferred clindamycin 1% lotion for ages < 21 years does not require PA</p>
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
erythromycin gel, solution	CLINDACIN (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	EVOCLIN (clindamycin)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
tretinoin cream	AKLIEF (trifarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	tretinoin gel	
	tretinoin microsphere	
OTHERS/COMBINATION PRODUCTS		
adapalene/benzoyl peroxide gel	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
clindamycin/benzoyl peroxide 1%-5% gel	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
clindamycin phosphate/benzoyl peroxide 1.2%-5% gel	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	clindamycin/benzoyl peroxide 1.2%-3.75% gel w/pump (generic ONEXTON)	

	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	

ALPHA-1 PROTEINASE INHIBITORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		

ALZHEIMER'S AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CHOLINESTERASE INHIBITORS		Preferred Criteria
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	<ul style="list-style-type: none"> Documented approvable diagnosis
galantamine	ARICEPT (donepezil)	Non-Preferred Criteria
galantamine ER	donepezil 23 mg tablet	<ul style="list-style-type: none"> Documented approvable diagnosis AND
rivastigmine	EXELON (rivastigmine)	<ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
	ZUNVEYL (benzgalantamine gluconate)	NAMZARIC
		<ul style="list-style-type: none"> Requires clinical review
NMDA RECEPTOR ANTAGONISTS		ZUNVEYL
memantine	memantine ER	<ul style="list-style-type: none"> Requires clinical review
	NAMENDA (memantine)	
	NAMENDA XR (memantine ER)	
COMBINATION AGENTS		
	NAMZARIC (memantine/donepezil)	
	memantine/donepezil ER	

ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acetaminophen/caffeine/dihydrocodeine	ACTIQ (fentanyl)	<p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Morphine Equivalent Daily Dose Concomitant use of Opioids and Benzodiazepines <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 18 years: codeine-containing products and tramadol-containing products <p>Quantity Limit (per 31 rolling days)</p> <ul style="list-style-type: none"> 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol 186 tablets: butalbital/acetaminophen, butalbital/aspirin 5 mL: butorphanol nasal 180 mL: oxycodone liquid 280 mL: QDOLO <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months <p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Morphine Equivalent Daily Dose Concomitant use of Opioids and Benzodiazepines <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 18 years: BUTRANS and tramadol-containing products
acetaminophen/codeine	aspirin/butalbital/caffeine/codeine	
codeine	butalbital/acetaminophen/caffeine/codeine	
ENDOCET (oxycodone/acetaminophen)	butorphanol	
hydrocodone/acetaminophen	DILAUDID (hydromorphone)	
hydromorphone	fentanyl citrate	
morphine sulfate	FENTORA (fentanyl)	
oxycodone	FIORICET W/CODEINE (butalbital/acetaminophen/codeine)	
oxycodone/acetaminophen (325 mg acetaminophen formulations)	hydrocodone/ibuprofen	
tramadol 50 mg tablet	meperidine	
tramadol/acetaminophen	NALOCET (oxycodone/acetaminophen)	
	levorphanol	
	oxymorphone	
	pentazocine/naloxone	
	PERCOCET (oxycodone/acetaminophen)	
	PROLATE (oxycodone/acetaminophen)	
	ROXICODONE (oxycodone)	
	ROXYBOND (oxycodone)	
	SEGLENTIS (tramadol/celecoxib)	
	tapentadol	
	tramadol 25 mg, 75 mg, 100 mg tablet	
	tramadol solution	
	XYVONA (levorphanol) ^{NIR}	

ANALGESICS, OPIOID-LONG ACTING ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BUTRANS (buprenorphine)	BELBUCA (buprenorphine)	<p>Quantity Limit (per 31 rolling days)</p> <ul style="list-style-type: none"> 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOHYDRO ER 62 films: BELBUCA 10 patches: fentanyl 4 patches: BUTRANS <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 preferred agents in the past 6 months
fentanyl patch	buprenorphine patch	
morphine sulfate ER tablet	CONZIP (tramadol)	
	hydrocodone bitartrate ER	
	hydromorphone ER	
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	
	METHADOSE (methadone)	
	morphine sulfate ER capsule	

	MS CONTIN (morphine)
	oxycodone ER
	OXYCONTIN (oxycodone)
	oxymorphone ER
	tramadol ER

ANALGESICS/ANESTHETICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	<p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 1 bottle (112 mL): diclofenac 2% solution pump • 1 bottle (150 mL): diclofenac 1.5% solution <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 preferred agents in the past 6 months <p>Lidocaine 5% Patch</p> <ul style="list-style-type: none"> • Documented diagnosis of Herpetic Neuralgia OR • Documented diagnosis of Diabetic Neuropathy <p>ZTLIDO</p> <ul style="list-style-type: none"> • Documented diagnosis of postherpetic neuralgia OR • History of 3 claims with preferred lidocaine 5% patch in the past 6 months
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	
	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAINE II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	

ANDROGENIC AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
testosterone	ANDROGEL (testosterone)	<p>All Agents</p> <ul style="list-style-type: none"> • Limited to male gender <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months <p>TLANDO</p> <ul style="list-style-type: none"> • Requires clinical review
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TLANDO (testosterone undecanoate)	
	VOGELXO (testosterone)	

	UNDECATREX (testosterone undecanoate)	
ANGIOTENSIN MODULATORS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		<p>EPANED</p> <ul style="list-style-type: none"> • Automatic approval issued for 0-6 years of age <p>valsartan/sacubitril</p> <ul style="list-style-type: none"> • Age ≥1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR • Age ≥ 18 years and documented diagnosis of Heart Failure <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • ACEIs: <ul style="list-style-type: none"> ○ Have tried 2 different preferred single entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • ACEI/CCB Combinations: <ul style="list-style-type: none"> ○ Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • ACEI/Diuretic Combinations: <ul style="list-style-type: none"> ○ Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • ARBs: <ul style="list-style-type: none"> ○ Have tried 2 different preferred single entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • ARB/CCB and ARB/CCB/Diuretic Combinations: <ul style="list-style-type: none"> ○ Have tried 1 preferred ARB/CCB agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • ARB/Diuretic Combinations: <ul style="list-style-type: none"> ○ Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Direct Renin Inhibitors: <ul style="list-style-type: none"> ○ Documented diagnosis of Hypertension AND ○ Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Direct Renin Inhibitor Combinations: <ul style="list-style-type: none"> ○ Documented diagnosis of Hypertension AND ○ Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days ○ Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days
benazepril	ACCUPRIL (quinapril)	
captopril	ALTACE (ramipril)	
enalapril	EPANED (enalapril)	
fosinopril	LOTENSIN (benazepril)	
lisinopril	moexipril	
quinapril	perindopril	
ramipril	QBRELIS (lisinopril)	
trandolapril	ZESTRIL (lisinopril)	
ACE INHIBITOR (ACEI) COMBINATIONS		
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	
enalapril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)	
fosinopril/hydrochlorothiazide		
lisinopril/hydrochlorothiazide		
quinapril/hydrochlorothiazide		
trandolapril/verapamil ER		
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
irbesartan	ATACAND (candesartan)	
losartan	AVAPRO (irbesartan)	
olmesartan	BENICAR (olmesartan)	
telmisartan	candesartan	
valsartan tablet	COZAAR (losartan)	
	EDARBI (azilsartan)	
	eprosartan	
	MICARDIS (telmisartan)	
	valsartan solution	
ARB COMBINATIONS		
irbesartan/hydrochlorothiazide	ATACAND HCT (candesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	

olmesartan/amlodipine	AZOR (olmesartan/hydrochlorothiazide)
olmesartan/amlodipine/hydrochlorothiazide	BENICAR HCT (olmesartan/hydrochlorothiazide)
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)
valsartan/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril)
valsartan/sacubitril ^{DUR+}	EXFORGE (valsartan/amlodipine)
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)
	telmisartan/amlodipine
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)
	valsartan/amlodipine/hydrochlorothiazide
DIRECT RENIN INHIBITORS	
	aliskiren
	TEKTURNA (aliskiren)
DIRECT RENIN INHIBITOR COMBINATIONS	
	TEKTURNA HCT (aliskiren/hydrochlorothiazide)

ANTIBIOTICS (GI) & RELATED AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin capsule, oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	
	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	VOWST (fecal microbiota spore, live-brpk)	

ANTIBIOTICS (MISCELLANEOUS)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

LINCOSAMIDE ANTIBIOTICS		Quantity Limit • 6 tablets/month: SIVEXTRO SIVEXTRO MANUAL PA
clindamycin	CLEOCIN (clindamycin)	
	CELOCIN PEDIATRIC (clindamycin)	
MACROLIDES		
azithromycin	E. E. S. (erythromycin ethylsuccinate) suspension	
clarithromycin	ERYPED (erythromycin ethylsuccinate) suspension	
clarithromycin ER	ERYTHROCIN (erythromycin stearate)	
E. E. S. (erythromycin ethylsuccinate) 400mg tablet	ZITHROMAX (azithromycin)	
ERY-TAB (erythromycin)		
erythromycin		
erythromycin ethylsuccinate		
NITROFURANTOIN DERIVATIVES		
nitrofurantoin capsule	FURADANTIN (nitrofurantoin) suspension	
nitrofurantoin monohydrate macrocrystals	MACROBID (nitrofurantoin monohydrate macrocrystals) nitrofurantoin suspension	
OXAZOLIDINONES		
linezolid tablet	linezolid suspension	
	SIVEXTRO (tedizolid)	
ANTIBIOTICS (TOPICAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
bacitracin ^{OTC}	CENTANY (mupirocin)	
bacitracin/polymyxin ^{OTC}	CENTANY AT (mupirocin)	
gentamicin sulfate	mupirocin cream	
mupirocin ointment	XEPI (ozenoxacin)	
neomycin/bacitracin/polymyxin ^{OTC}		
ANTIBIOTICS (VAGINAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLEOCIN (clindamycin)	clindamycin phosphate	
NUVESSA (metronidazole)	CLINDESSE (clindamycin)	
	SOLOSEC (secnidazole)	
	XACIATO (clindamycin)	
ANTICOAGULANTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOW MOLECULAR WEIGHT HEPARIN (LMWH)		Non-Preferred Criteria • LMWH: <ul style="list-style-type: none"> ○ Have tried 1 preferred agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Oral:
enoxaparin	ARIXTRA (fondaparinux)	
	fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	

ORAL	
dabigatran	PRADAXA (dabigatran)
ELIQUIS (apixaban)	rivaroxaban
ELIQUIS SPRINKLE (apixaban)	SAVAYSA (edoxaban)
JANTOVEN (warfarin)	XARELTO (rivaroxaban) dose pack
warfarin	
XARELTO (rivaroxaban) tablet, suspension	

- Have tried 2 different preferred oral agents in the past 6 months **OR**
- 90 days of therapy with the requested agent in the past 105 days

XARELTO Dose Pack
• Requires clinical review

ANTICONVULSANTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADJUVANTS		
carbamazepine	APTIOM (eslicarbazepine acetate)	Minimum Age Limit • 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN, SUBVENITE, VALTOCO • 12 years: NAYZILAM
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	brivaracetam	Maximum Age Limit • 2 years: VIGAFYDE
DEPAKOTE SPRINKLE (divalproex)	BRIVIACT (brivaracetam)	
divalproex	carbamazepine ER 12-hour tablet	Quantity Limit (per 31 days) • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 5 blister packs: VALTOCO
divalproex ER	CARBATROL (carbamazepine)	
divalproex sprinkle	DEPAKOTE (divalproex)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days BANZEL, ONFI, and SYMPAZAN • Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR • Documented diagnosis of Seizure and 90 days of therapy with the requested agent in the past 105 days DIACOMIT • Documented diagnosis of Dravet Syndrome AND • 1 claim for clobazam in the past 30 days EPIDIOLEX • Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR • 1 claim for EPIDIOLEX in the past 30 days FINTEPLA • Requires clinical review SABRIL Powder for Oral Solution • Documented diagnosis of Infantile Spasms OR • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days
EPIDIOLEX (cannabidiol)	DIACOMIT (stiripentol)	
lacosamide	ELEPSIA XR (levetiracetam)	
lamotrigine	EPRONTIA (topiramate)	
lamotrigine blue, green, orange dose pack	EQUETRO (carbamazepine)	
levetiracetam	eslicarbazepine	
levetiracetam ER	felbamate	
oxcarbazepine tablet	FELBATOL (felbamate)	
tiagabine	FINTEPLA (fenfluramine)	
topiramate	FYCOMPA (perampanel)	
topiramate sprinkle 15, 25 mg (generic Topamax)	KEPPRA (levetiracetam)	
TRILEPTAL (oxcarbazepine) suspension	KEPPRA XR (levetiracetam)	
valproic acid	LAMICTAL (lamotrigine)	
zonisamide	LAMICTAL XR (lamotrigine)	
	lamotrigine ER	
	lamotrigine ODT	
	lamotrigine ODT blue, green, orange dose pack	
	MOTPOLY XR (lacosamide)	
	oxcarbazepine suspension	
	oxcarbazepine ER	
	OXTELLAR XR (oxcarbazepine)	
	perampanel ^{NR}	
	QUDEXY XR (topiramate)	

	ROWEEPRA (levetiracetam)	TOPIRAMATE ER
	rufinamide	
	SABRIL (vigabatrin)	<ul style="list-style-type: none"> Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days OR 30 days of therapy with topiramate IR in the past 6 months
	SPRITAM (levetiracetam)	
	SUBVENITE (lamotrigine)	VIGAFYDE
	SUBVENITE (lamotrigine) blue, green, orange dose pack	
	TEGRETOL (carbamazepine)	XCOPRI
	TEGRETOL XR (carbamazepine)	
	TOPAMAX TABLET (topiramate)	<ul style="list-style-type: none"> Age \leq 2 years AND Documented diagnosis of infantile spasms
	TOPAMAX SPRINKLE (topiramate)	
	topiramate ER capsule (generic Trokendi XR)	
	topiramate ER sprinkle capsule (generic Qudexy XR)	
	topiramate sprinkle 50 mg	
	TRILEPTAL (oxcarbazepine) tablet	
	TROKENDI XR (topiramate) vigabatrin	
	VIGADRONE (vigabatrin)	
	VIGAFYDE (vigabatrin)	
	VIGPODER (vigabatrin)	
	VIMPAT (lacosamide)	
	XCOPRI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
	DILANTIN (phenytoin)	
	DILANTIN-125 (phenytoin)	
	PHENYTEK (phenytoin)	
	phenytoin	
	phenytoin ER	
SELECTED BENZODIAZEPINES		
clobazam	DIASTAT (diazepam) rectal gel	
diazepam rectal gel	LIBERVANT (diazepam)	
NAYZILAM (midazolam)	ONFI (clobazam)	
VALTOCO (diazepam)	SYMPAZAN (clobazam)	
SUCCINIMIDES		
ethosuximide	CELONTIN (methsuximide)	
	methsuximide	
	ZARONTIN (ethosuximide)	
ANTIDEPRESSANTS, OTHER ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

bupropion	AUVELITY (bupropion/dextromethorphan)	Minimum Age Limit • 18 years: all agents
bupropion SR	CYMBALTA (duloxetine)	Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
bupropion XL	desvenlafaxine ER	
duloxetine 20 mg, 30 mg, 60 mg DR capsule	DESYREL (trazodone)	AUVELITY • 90 days of therapy with the requested agent in the past 105 days OR • Have tried preferred bupropion for 60 days in the past 6 months AND • Have tried another preferred agent that is not bupropion for 60 days in the past 6 months
mirtazapine	DRIZALMA SPRINKLE (duloxetine DR)	
trazodone	duloxetine 40 mg DR capsule	DRIZALMA SPRINKLE • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age duloxetine 20 mg, 30 mg, 60 mg DR capsule • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age OR • 90 days of therapy with the requested agent in the past 105 days
TRINTELLIX (vortioxetine)	EFFEXOR XR (venlafaxine)	
venlafaxine	EMSAM (selegiline)	EXXUA • Documented diagnosis of unipolar major depressive disorder AND • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
venlafaxine HCl ER	EXXUA (gepirone hcl)	
vilazodone	FETZIMA (levomilnacipran)	RALDESY • Requires clinical review ZURZUVAE MANUAL PA
	FORFIVO XL (bupropion)	
	MARPLAN (isocarboxazid)	
	NARDIL (phenelzine)	
	nefazodone	
	phenelzine	
	PRISTIQ (desvenlafaxine)	
	REMERON (mirtazapine)	
	tranylcypromine	
	Trazodone solution	
	venlafaxine besylate ER	
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	
	ZURZUVAE (zuranolone)	

ANTIDEPRESSANTS, SSRIs ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
citalopram solution, tablet	CELEXA (citalopram)	Minimum Age Limit • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: fluvoxamine • 18 years: CELEXA, LUVOX CR, PAXIL, PROZAC 90 mg Maximum Age Limit • 60 years CELEXA Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
escitalopram solution, tablet	citalopram capsule	
fluoxetine capsule, solution	escitalopram capsule	
fluvoxamine	fluoxetine tablet	
paroxetine tablet	fluoxetine DR capsule	
paroxetine CR	fluvoxamine ER capsule	
paroxetine ER	LEXAPRO (escitalopram)	
sertraline tablet, solution	paroxetine suspension, capsule	
	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	

ANTIEMETICS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

5HT3 RECEPTOR BLOCKERS		Quantity Limit (per 31 days) <ul style="list-style-type: none"> • 6 tablets: AKYNZEO • 100 mL: ZOFRAN solution Non-Preferred Agents <ul style="list-style-type: none"> • Have tried 1 preferred agent in the past 6 months AKYNZEO MANUAL PA Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.
ondansetron solution, tablet	ANZIMET (dolasetron)	
ondansetron ODT 4 mg, 8 mg	granisetron	
	ondansetron ODT 16 mg tablet	
	SANCUSO (granisetron)	
ANTIEMETIC COMBINATIONS		
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)	
	BONJESTA (doxylamine/pyridoxine)	
	doxylamine/pyridoxine	
CANNABINOIDS		
	dronabinol	
	MARINOL (dronabinol)	
NMDA RECEPTOR ANTAGONISTS		
aprepitant	EMEND (aprepitant)	

ANTIFUNGALS (ORAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
clotrimazole	BREXAFEMME (ibrexafungerp)	Minimum Age Limit <ul style="list-style-type: none"> • 18 years: CRESEMBA Non-Preferred Criteria <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months HIV Opportunistic Infection <ul style="list-style-type: none"> • Non-Preferred agent indicated for treatment (^) AND • Documented diagnosis of HIV CRESEMBA MANUAL PA griseofulvin suspension <ul style="list-style-type: none"> • Automatic approval issued for 0-11 years of age griseofulvin tablets <ul style="list-style-type: none"> • Automatic approval issued for 12-17 years of age SPORANOX <ul style="list-style-type: none"> • Requires clinical review
fluconazole	CRESEMBA (isavuconazonium sulfate)	
nystatin	DIFLUCAN (fluconazole)	
terbinafine	flucytosine^	
	griseofulvin	
	griseofulvin ultramicrosize	
	itraconazole^	
	ketoconazole	
	NOXAFIL (posaconazole)	
	ORAVIG (miconazole)	
	posaconazole^	
	SPORANOX (itraconazole)	
	TOLSURA (itraconazole)	
	VFEND (voriconazole)	
	VIVJOA (oteseconazole)	
	voriconazole^	

ANTIFUNGALS (TOPICAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS		Non-Preferred Criteria <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months MICOTRIN AC, MYCOZYL, and clotrimazole 30 mL solution <ul style="list-style-type: none"> • Require clinical review
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	
clotrimazole cream, solution <small>Rx & OTC</small>	CILODAN (ciclopirox)	
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDC 50228-0502-61)	

miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)
nystatin cream, ointment, powder	ketoconazole foam
terbinafine ^{OTC}	KETODAN (ketoconazole)
tolnaftate cream, solution ^{OTC}	LOPROX (ciclopirox)
tavaborole	luliconazole
	miconazole/zinc oxide/petrolatum ointment
	MICOTRIN AC (clotrimazole)
	MICOTRIN AP (miconazole nitrate powder)
	MYCOZYL AC (clotrimazole)
	MYCOZYL AP (miconazole)
	naftifine
	NAFTIN (naftifine)
	oxiconazole
	OXISTAT (oxiconazole)
	VOTRIZA-AL (clotrimazole)
	VUSION (miconazole/zinc oxide/petrolatum)
ANTIFUNGAL/STEROID COMBINATIONS	
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion
nystatin/triamcinolone	

ANTIFUNGALS (VAGINAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
3-DAY VAGINAL CREAM (clotrimazole)	GYNAZOLE 1 (butoconazole)	
clotrimazole cream ^{OTC}	miconazole 3 kit ^{OTC}	
clotrimazole-3 cream	terconazole suppository	
miconazole 1 ^{OTC}		
miconazole 3 combo pack ^{OTC} , cream ^{OTC} , suppository		
miconazole 7 ^{OTC}		
terconazole cream		

ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MINIMALLY SEDATING ANTIHISTAMINES		Non-Preferred Criteria
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}	<ul style="list-style-type: none"> Documented diagnosis of Allergy or Urticaria AND Have tried 2 different preferred agents in the past 12 months
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)	Quantity Limit
	desloratadine	<ul style="list-style-type: none"> 118 mL: desloratadine solution
	levocetirizine	
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS		DES Loratadine Solution
		<ul style="list-style-type: none"> Requires clinical review

cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)	
loratadine/pseudoephedrine OTC		
ANTIMIGRAINE AGENTS, ACUTE TREATMENT		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CGRP ORAL AND NASAL		Minimum Age Limit <ul style="list-style-type: none"> • 6 years: MAXALT • 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray • 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, RELPAX, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)	
UBRELVY (ubrogepant)		
INJECTABLES		Quantity Limit (per 31 days) <ul style="list-style-type: none"> • ORAL <ul style="list-style-type: none"> ○ 4 tablets: REYVOW 50 mg ○ 6 tablets: almotriptan, RELPAX, ZOMIG ○ 8 tablets: NURTEC ODT, REYVOW 100 mg ○ 9 tablets: naratriptan, FROVA, IMITREX, sumatriptan/naproxen, SYMBRAVO ○ 12 tablets: MAXALT ○ 16 tablets: UBRELVY • NASAL <ul style="list-style-type: none"> ○ 1 box: all agents
sumatriptan pen injector, vial	IMITREX (sumatriptan)	
	sumatriptan cartridge	
	ZEMBRACE SYMTOUCH (sumatriptan)	
NASAL		CUMULATIVE Quantity Limit (per 31 days) <ul style="list-style-type: none"> • INJECTABLES <ul style="list-style-type: none"> ○ 4 injections: all agents
sumatriptan spray	IMITREX (sumatriptan)	
zolmitriptan spray	TOSYMRA (sumatriptan) ZOMIG (zolmitriptan)	
TRIPTANS AND RELATED AGENTS (ORAL) DUR+		Non-Preferred Criteria <ul style="list-style-type: none"> • ORAL <ul style="list-style-type: none"> ○ Have tried 2 preferred oral agents in the past 90 days • NASAL <ul style="list-style-type: none"> ○ Requires clinical review • INJECTABLES <ul style="list-style-type: none"> ○ Requires clinical review Almotriptan and sumatriptan/naproxen <ul style="list-style-type: none"> • Automatic approval for 12-17 years of age NURTEC ODT and UBRELVY MANUAL PA <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor REYVOW <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 90 days AND • Have tried preferred NURTEC ODT in the past 90 days SYMBRAVO MANUAL PA ZAVZPRET MANUAL PA <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • Have tried both NURTEC ODT and UBRELVY in the past 6 months AND
naratriptan	almotriptan	
rizatriptan	eletriptan	
sumatriptan	FROVA (frovatriptan)	
zolmitriptan	frovatriptan	
zolmitriptan ODT	IMITREX (sumatriptan)	
	MAXALT (rizatriptan)	
	MAXALT MLT (rizatriptan)	
	RELPAX (eletriptan)	
	REYVOW (lasmiditan)	
	sumatriptan/naproxen	
	SYMBRAVO (rizatriptan benzoate/meloxicam)	
	ZOMIG (zolmitriptan)	

		<ul style="list-style-type: none"> No concurrent therapy with another CGRP AGENT
ANTIMIGRAINE AGENTS, PROPHYLAXIS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLES		<p>Preferred Injectables</p> <ul style="list-style-type: none"> History of 3 claims with the requested agent in the past 105 days OR New starts require manual PA (see criteria below) AJOVY Autoinjector 3 Pack requires clinical review <p>Non-preferred Injectables</p> <ul style="list-style-type: none"> Requires clinical review <p>Quantity Limit</p> <ul style="list-style-type: none"> 4.5 mL (per 90 days): AJOVY Autoinjector 3 Pack <p>AIMOVIG, AJOVY (except Autoinjector 3 Pack), EMGALITY, NURTEC ODT, and QULIPTA MANUAL PA</p> <p>VYEPTI MANUAL PA</p>
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL	
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)	
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}		
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}		
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}		
ORAL		
	QULIPTA (atogepant)	
	NURTEC ODT (rimegepant)	
ANTINEOPLASTICS SELECTED SYSTEMIC ENZYME INHIBITORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BOSULIF (bosutinib) tablet	AFINITOR (everolimus)	<p>FARYDAK MANUAL PA</p> <p>LYNPARZA Tablets MANUAL PA</p>
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)	
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)	
COTELLIC (cobimetinib)	ALECENSA (alectinib)	
everolimus	ALUNBRIG (brigatinib)	
GILOTRIF (afatinib)	AUGTYRO (repotrectinib)	
IBTROZI (taletrectinib)	AYVAKIT (avapritinib)	
ICLUSIG (ponatinib)	BALVERSA (erdafitinib)	
imatinib	BOSULIF (bosutinib) capsule	
IMBRUVICA (ibrutinib)	BRAFTOVI (encorafenib)	
INLYTA (axitinib)	BRUKINSA (zanubrutinib)	
IRESSA (gefitinib)	CABOMETYX (cabozantinib)	
JAKAFI (ruxolitinib)	CALQUENCE (acalabrutinib)	
MEKINIST (trametinib)	COPIKTRA (duvelisib)	
NEXAVAR (sorafenib)	DANZITEN (nilotinib)	
ROZLYTREK (entrectinib)	dasatinib	
SPRYCEL (dasatinib)	DAURISMO (glasdegib)	
STIVARGA (regorafenib)	ENSACOVE (ensartinib hydrochloride) ^{NR}	
SUTENT (sunitinib)	ERIVEDGE (vismodegib)	
TAFINLAR (dabrafenib)	ERLEADA (apalutamide)	
TARCEVA (erlotinib)	erlotinib	
TASIGNA (nilotinib)	FOTIVDA (tivozanib)	

TURALIO (pexidartinib)	FRUZAQIA (fruquintinib)
TYKERB (lapatinib)	GAVRETO (pralsetinib)
VOTRIENT (pazopanib)	gefitinib
XALKORI (crizotinib)	GLEEVEC (imatinib)
XTANDI (enzalutamide)	HERNEXEOS (zongertinib)
ZELBORAF (vemurafenib)	HYRNUO (sevabertinib)
ZYDELIG (idelalisib)	IBRANCE (palbociclib)
ZYKADIA (ceritinib)	IDHIFA (enasidenib)
	IMKELDI (imatinib)
	INLURIYO (imlunestrant tosylate)
	INQOVI (decitabine/cedazuridine)
	INREBIC (fedratinib)
	ITOVEBI (inavolisib)
	IWILFIN (eflornithine)
	JAYPIRCA (pirtobrutinib)
	KISQALI (ribociclib)
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)
	KOMZIFTI (ziftomenib) ^{NR}
	KOSELUGO (selumetinib sulfate)
	KRAZATI (adagrasib)
	lapatinib
	LAZCLUZE (lazertinib)
	LENVIMA (lenvatinib)
	LOBRENA (lorlatinib)
	LUMAKRAS (sotorasib)
	LYNPARZA (olaparib)
	LYTGOBI (futibatinib)
	MEKTOVI (binimetinib)
	MODEYSO (dordaviprone)
	NERLYNX (neratinib)
	nilotinib
	NUBEQA (darolutamide)
	ODOMZO (sonidegib)
	OGSIVEO (nirogacestat)
	OJEMDA (tovorafenib)
	OJJAARA (momelotinib)
	ONUREG (azacitidine)
	ORGOVYX (relugolix)
	ORSERDU (elacestrant)
	pazopanib
	PEMAZYRE (pemigatinib)
	PIQRAY (apelisib)
	QINLOCK (ripretinib)
	RETEVMO (selpercatinib)
	REVUFORJ (revumenib)
	REZLIDHIA (olutasidenib)
	RUBRACA (rucaparib)
	RYDAPT (midostaurin)
	SCSEMBLIX (asciminib)
	sorafenib
	sunitinib

	TABRECTA (capmatinib)	
	TAGRISSE (osimertinib)	
	TALZENNA (talazoparib)	
	TAZVERIK (tazemetostat)	
	TEPMETKO (tepotinib)	
	TIBSOVO (ivosidenib)	
	TORPENZ (everolimus)	
	TRUQAP (capivasertib)	
	TUKYSA (tucatinib)	
	VANFLYTA (quizartinib)	
	VERZENIO (abemaciclib)	
	VITRAKVI (larotrectinib)	
	VIZIMPRO (dacomitinib)	
	VONJO (pacritinib)	
	VORANIGO (vorasidenib)	
	WELIREG (belzutifan)	
	XOSPATA (gilteritinib)	
	XPOVIO (selinexor)	
	ZEJULA (niraparib)	

ANTIOBESITY SELECT AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SAXENDA (liraglutide)	liraglutide	All agents MANUAL PA required
WEGOVY (semaglutide)	orlistat	
	XENICAL (orlistat)	

ANTIPARASITICS (TOPICAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PEDICULICIDES		Minimum Age Limit <ul style="list-style-type: none"> • 2 months: permethrin 1% (OTC), permethrin 5% • 6 months: NATROBA, SKLICE • 2 years: piperonyl/pyrethrins (OTC) • 4 years: NATROBA • 6 years: OVIDE • 18 years: EURAX
permethrin 1% cream ^{OTC}	lindane	
spinosad	NATROBA (spinosad)	
VANALICE (piperonyl butoxide/pyrethrins)	malathion	
	OVIDE (malathion)	
	SKLICE (ivermectin)	
SCABICIDES		Non-Preferred Criteria <ul style="list-style-type: none"> • Pediculicides <ul style="list-style-type: none"> ○ Have tried 2 preferred topical lice agents in the past 90 days • Scabicides <ul style="list-style-type: none"> ○ Have tried permethrin 5% in the past 90 days
ivermectin	CROTAN (crotamiton)	
permethrin 5% cream	ELIMITE (permethrin)	
	EURAX (crotamiton)	
	STROMECTOL (ivermectin)	

ANTIPARKINSON'S AGENTS (INJECTABLE)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VYALEV (foscarbidopa/foslevodopa)	VYALEV <ul style="list-style-type: none"> • Requires clinical review

ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS		Non-Preferred Criteria <ul style="list-style-type: none"> • Documented diagnosis of Parkinson's disease AND
benztropine		

trihexyphenidyl		<ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with a selegiline agent in the past 105 days <p>GOCOVRI</p> <ul style="list-style-type: none"> • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with amantadine IR in the past 105 days AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days <p>INBRIJA</p> <ul style="list-style-type: none"> • Documented diagnosis of Parkinson's disease AND • 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days <p>NOURIANZ</p> <ul style="list-style-type: none"> • Documented diagnosis of Parkinson's Disease AND • Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND • 30 days of therapy with a preferred adjunctive therapy in the past 45 days <p>XADAGO</p> <ul style="list-style-type: none"> • Documented diagnosis of Parkinson' s Disease AND • History of 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND • History of 30 days of therapy with a selegiline agent the in past 45 days
COMT INHIBITORS		
entacapone	OGENTYS (opicapone)	
	tolcapone	
DOPAMINE AGONISTS		
pramipexole	NEUPRO (rotigotine)	
ropinirole	pramipexole ER	
	ropinirole ER	
MAO-B INHIBITORS		
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
OTHERS		
amantadine	bromocriptine capsule	
bromocriptine tablet	carbidopa	
carbidopa/levodopa ER tablet	carbidopa/levodopa ER capsule	
carbidopa/levodopa tablet	carbidopa/levodopa ODT	
	carbidopa/levodopa/entacapone	
	CREXONT (carbidopa/levodopa)	
	DHIVY (carbidopa/levodopa)	
	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapone)	

ANTIPSORIATICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	

ANTIPSYCHOTICS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLE, ATYPICALS^{DUR+}		<p>Concurrent Therapy Limit for Age < 18 years</p> <ul style="list-style-type: none"> 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 3 years: HALDOL 5 years: RISPERDAL, thioridazine 6 years: ABILIFY, trifluoperazine 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX, VRAYLAR (0.5, 0.75, 1.5, 3, 4.5 mg) 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene 13 years: REXULTI, ZYPREXA 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR 6 mg, and all injectable agents <p>Quantity Limit</p> <ul style="list-style-type: none"> 3 syringes/year: ARISTADA INITIO <p>Non-Preferred Criteria Oral Atypical Agents (unless specified below)</p> <ul style="list-style-type: none"> Have tried 2 preferred agents in the past 12 months OR 30 days of therapy with the requested agent in the past 180 days <p>ARISTADA INTIO, ARISTADA ER, INVEGA SUSTENNA, INVEGA TRINZA and PERSERIS</p> <ul style="list-style-type: none"> Documented diagnosis of schizophrenia or schizoaffective disorder <p>ABILIFY MAINTENA, ABILIFY ASIMTUFII, RISPERDAL CONSTA, or UZEDY</p> <ul style="list-style-type: none"> Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder <p>CAPLYTA</p> <ul style="list-style-type: none"> 30 days of therapy with the requested agent in the past 105 days OR Documented diagnosis of Bipolar II Depression OR Documented diagnosis of Bipolar I Depression AND 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days OR Documented diagnosis of Major Depressive Disorder AND 120 days of therapy with two antidepressants that are not atypical antipsychotics in the past 180 days AND 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days OR Documented diagnosis of schizophrenia AND 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days <p>INVEGA HAFYERA</p> <ul style="list-style-type: none"> Documented diagnosis of schizophrenia or schizoaffective disorder AND <ul style="list-style-type: none"> 4 claims for INVEGA SUSTENNA in the past year OR 1 claim for INVEGA TRINZA in the past year OR 1 claim for INVEGA HAFYERA in the past year <p>ERZOFRI, generic risperidone ER, RYKINDO ER, and ZYPREXA RELPREV</p> <ul style="list-style-type: none"> Require clinical review <p>NUPLAZID</p> <ul style="list-style-type: none"> Documented diagnosis of Parkinson's Disease
ABILIFY ASIMTUFII (aripiprazole)	ERZOFRI (paliperidone palmitate)	
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	
PERSERIS (risperidone)	ZYPREXA (olanzapine)	
RISPERDAL CONSTA (risperidone)	ZYPREXA RELPREV (olanzapine)	
UZEDY (risperidone)		
ORAL^{DUR+}		
aripiprazole tablet	ABILIFY (aripiprazole)	
asenapine	ABILIFY MYCITE (aripiprazole)	
clozapine tablet	ADASUVE (loxapine)	
fluphenazine	aripiprazole ODT, solution	
haloperidol	CAPLYTA (lumateperone)	
haloperidol lactate	chlorthalidone	
lurasidone	clozapine ODT	
olanzapine	CLOZARIL (clozapine)	
perphenazine	COBENFY (xanomeline/trospium)	
perphenazine/amitriptyline	FANAPT (iloperidone)	
quetiapine	GEODON (ziprasidone)	
quetiapine ER	IGALMI (dexmedetomidine)	
risperidone	INVEGA (paliperidone)	
thioridazine	LATUDA (lurasidone)	
trifluoperazine	LYBALVI (olanzapine/samidorphane)	
ziprasidone	molindone	
	NUPLAZID (pimavanserin)	
	olanzapine/fluoxetine	
	OPIPZA (aripiprazole)	
	paliperidone ER	
	REXULTI (brexpiprazole)	
	RISPERDAL (risperidone)	
	SAPHRIS (asenapine)	
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	
	SYMBYAX (olanzapine/fluoxetine)	
	VERSACLOZ (clozapine)	
	VRAYLAR (cariprazine)	

	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	VRAYLAR
TRANSDERMAL, ATYPICALS		<ul style="list-style-type: none"> • 30 days of therapy with the requested agent in the past 105 days OR <ul style="list-style-type: none"> • Age 10-17 years or older AND • Documented diagnosis of bipolar 1 disorder AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days OR <ul style="list-style-type: none"> • Age 13-17 years or older AND • Documented diagnosis of schizophrenia or schizoaffective disorder AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days OR <ul style="list-style-type: none"> • Age 18 years or older AND • Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days OR <ul style="list-style-type: none"> • Age 18 years or older AND • Documented diagnosis of major depressive disorder AND • 120 days of therapy with two antidepressants that are not atypical antipsychotics in the past 180 days AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
	SECUADO (asenapine)	<ul style="list-style-type: none"> • ARIPIRAZOLE ODT, CLOZAPINE ODT and OIPZA • Require clinical review

ANTIRETROVIRALS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CAPSID INHIBITORS		<ul style="list-style-type: none"> • Minimum Age Limit • 10 years: YEZTUGO Non-Preferred Criteria <ul style="list-style-type: none"> • 1 claim with the requested agent in the past 105 days STRIBILD MANUAL PA SUNLENCA <ul style="list-style-type: none"> • Requires clinical review TROGARZO <ul style="list-style-type: none"> • Requires clinical review TYBOST MANUAL PA NOTE: Agents with ** are indicated for Pre-Exposure Prophylaxis (PrEP).
YEZTUGO** (lenacapavir) tablet and injection	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		
	TROGARZO (ibalizumab- uiky)	
COMBINATION PRODUCTS NRTIs		
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	
DOVATO (dolutegravir/lamivudine) lamivudine/zidovudine		
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY** (emtricitabine/tenofovir alafenamide)	TRUVADA** (emtricitabine/tenofovir)	
emtricitabine/tenofovir**		
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		

DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)
COMBINATION PRODUCTS PROTEASE INHIBITORS	
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)
ENTRY INHIBITORS CCR5 CO-RECEPTOR ANTAGONISTS	
	maraviroc
	SELZENTRY (maraviroc)
ENTRY INHIBITORS FUSION INHIBITORS	
	FUZEON (enfuvirtide)
INTEGRASE STRAND TRANSFER INHIBITORS	
APREUDE** (cabotegravir)	cabotegravir ER
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)	
EDURANT (rilpivirine)	etravirine
efavirenz	INTELENCE (etravirine)
	nevirapine, nevirapine ER
	PIFELTRO (doravirine)
	rilpivirine ^{NR}
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)	
abacavir	didanosine
EMTRIVA (emtricitabine)	emtricitabine
lamivudine	EPIVIR (lamivudine)
ZIAGEN (abacavir)	RETROVIR (zidovudine)
zidovudine	stavudine
	VIREAD (tenofovir disoproxil fumarate)
PHARMACOENHANCER CYTOCHROME P450 INHIBITORS	
	TYBOST (cobicistat)
PROTEASE INHIBITORS (NON-PEPTIDIC)	
darunavir	APTIVUS (tipranavir)
PREZISTA (darunavir) 75mg tablet, 150mg tablet, 100mg/mL suspension	PREZCOBIX (darunavir/cobicistat)
	PREZISTA (darunavir) 600mg tablet, 800mg tablet
PROTEASE INHIBITORS (PEPTIDIC)	

atazanavir	fosamprenavir	
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)	
ritonavir	NORIVIR (ritonavir)	
	REYATAZ (atazanavir)	
	VIRACEPT (nelfinavir)	
SINGLE PRODUCT REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)	
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER	
SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		

ANTIVIRALS, ORAL

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI-CYTOMEGALOVIRUS AGENTS		
valganciclovir tablet	LIVTENCITY (maribavir)	PREVYMIS <ul style="list-style-type: none"> Requires clinical review
	PREVYMIS (letermovir)	
	VALCYTE (valganciclovir)	Valganciclovir solution <ul style="list-style-type: none"> Automatic approval issued for 0-12 years of age
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	
COVID-19		
PAXLOVID (nirmatrelvir/ritonavir)		

ANTIVIRALS, TOPICAL

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acyclovir cream, ointment	DENAVIR (penciclovir)	ZELSUVM MANUAL PA

	penciclovir		
	ZELSUVMI (berdazimer)		
AROMATASE INHIBITORS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
anastrozole	ARIMIDEX (anastrozole)		
exemestane	AROMASIN (exemestane)		
letrozole	FEMARA (letrozole)		
ATOPIC DERMATITIS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ADBRY (tralokinumab-ldrm)	ANZUPGO (delgocitinib)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 3 months: EUCRISA • 2 years: OPZELURA, pimecrolimus, tacrolimus 0.03% • 16 years: tacrolimus 0.1% <p>ADBRY MANUAL PA</p> <p>ANZUPGO</p> <ul style="list-style-type: none"> • Requires clinical review <p>CIBINQO</p> <ul style="list-style-type: none"> • Requires clinical review <p>DUPIXENT</p> <ul style="list-style-type: none"> • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) <ul style="list-style-type: none"> ○ Asthma MANUAL PA ○ Atopic Dermatitis MANUAL PA ○ Bullous Pemphigoid MANUAL PA ○ COPD MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Eosinophilic Esophagitis MANUAL PA ○ Nasal Polyposis MANUAL PA ○ Prurigo Nodularis MANUAL PA <p>EBGLYSS MANUAL PA</p> <p>EUCRISA</p> <ul style="list-style-type: none"> • 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months <p>NEMLUVIO</p> <ul style="list-style-type: none"> • Atopic Dermatitis MANUAL PA • Prurigo Nodularis MANUAL PA <p>OPZELURA</p> <ul style="list-style-type: none"> • 30 days of therapy with pimecrolimus, EUCRISA or tacrolimus in the past 6 months 	
ADBRY Autoinjector (tralokinumab-ldrm)	CIBINQO (abrocitinib)		
DUPIXENT (dupilumab) ^{DUR+}	NEMLUVIO (nemolizumab-ilto)		
EBGLYSS Pen (lebrikizumab-lbkz)	OPZELURA (ruxolitinib)		
EUCRISA (crisaborole) ^{DUR+}	ZORYVE (roflumilast) 0.15% cream		
pimecrolimus			
tacrolimus			
BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS ^{DUR+}			
PREFERRED AGENTS	NON-PREFERRED AGENTS		PA CRITERIA
ANTIANGINALS			Non-Preferred Criteria
ranolazine ER	ASPRUZYO SPRINKLE (ranolazine)	<ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days 	

	RANEXA (ranolazine ER)
BETA- AND ALPHA-BLOCKERS	
carvedilol	carvedilol ER
labetalol	COREG (carvedilol)
	COREG CR (carvedilol)
BETA-BLOCKER/DIURETIC COMBINATIONS	
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)
metoprolol/hydrochlorothiazide	
propranolol/hydrochlorothiazide	
BETA-BLOCKERS	
acebutolol	BETAPACE (sotalol)
atenolol	BETAPACE AF (sotalol)
bisoprolol	betaxolol
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)
metoprolol succinate	INDERAL LA (propranolol)
metoprolol tartrate (except 12.5 mg tablet)	INDERAL XL (propranolol)
nadolol	INNOPRAN XL (propranolol)
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)
pindolol	LOPRESSOR (metoprolol tartrate)
propranolol	metoprolol tartrate 12.5 mg tablet
propranolol ER	SOTYLIZE (sotalol)
SORINE (sotalol)	TENORMIN (atenolol)
sotalol	TOPROL XL (metoprolol succinate)
sotalol AF	
timolol	
SINUS NODE AGENTS	
	CORLANOR (ivabradine)
	ivabradine

ASPRUZYO SPRINKLE, LOPRESSOR SOLUTION, and metoprolol tartrate 12.5 mg tablet

- Requires clinical review

COREG CR

- Documented diagnosis of hypertension **AND**
- Have tried generic carvedilol **AND** 1 preferred agent in the past 6 months **OR**
- 90 days of therapy with the requested agent in the past 105 days

CORLANOR MANUAL PA

HEMANGEOL

- Documented diagnosis of infantile hemangioma

BILE SALTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ursodiol	BYLVAY (odevixibat)	
	CHENODAL (chenodiol)	
	IQIRVO (elafibranor)	
	LIVDELZI (seladelpar)	
	LIVMARLI (maralixibat)	
	OCALIVA (obeticholic acid)	
	RELTONE (ursodiol)	
	URSO FORTE (ursodiol)	

BLADDER RELAXANT PREPARATIONS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	
	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	

BONE RESORPTION SUPPRESSION AND RELATED AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BISPHOSPHONATES ^{DUR+}		Non-Preferred Bisphosphonate Criteria <ul style="list-style-type: none"> Documented diagnosis of osteoporosis or osteopenia AND Have tried 2 different preferred agents in the past 6 months
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	AELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
BILDYOS (denosumab-nxxp)	BOMYNTRA (denosumab-bnht)	
BILPREVDA (denosumab-nxxp)	BONSITY (teriparatide)	
FORTEO (teriparatide)	calcitonin salmon	
raloxifene	ENOBY (denosumab-qbde) ^{NR}	
	EVENITY (romosozumab-aqqg)	
	EVISTA (raloxifene)	
	JUBBONTI (denosumab-bbdz)	
	MIACALCIN (calcitonin salmon)	
	OSENVELT (denosumab-bmwo)	
	PROLIA (denosumab)	
	teriparatide	
	STOBOCLO (denoxumab-bmwo)	
	TYMLOS (abaloparatide)	
	WYOST (denosumab-bbdz)	
	XGEVA (denosumab)	
	XTRENBO (denosumab-qbde) ^{NR}	

BPH AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-ALPHA-REDUCTASE INHIBITORS		<p>CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL Female</p> <ul style="list-style-type: none"> Documented State-accepted diagnosis <p>Non-Preferred Criteria Male</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days <p>ENTADFI</p> <ul style="list-style-type: none"> Requires clinical review
dutasteride	AVODART (dutasteride)	
finasteride	ENTADFI (finasteride/tadalafil)	
	PROSCAR (finasteride)	
ALPHA BLOCKERS		
alfuzosin ER	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		
	CIALIS (tadalafil)	
	tadalafil	

BRONCHODILATORS & COPD AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> 4 years: SEREVENT, XOPENEX HFA 6 years: SPIRIVA RESPIMAT, XOPENEX Solution 18 years: BROVANA, BREZTRI AEROSPHERE, PERFORMIST, STRIVERDI RESPIMAT, TRELEGY ELLIPTA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> 1 claim for a preferred agent in the past 6 months OR 3 claims with the requested agent in the past 105 days <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> 10.7 units BREZTRI AEROSPHERE <p>BREZTRI AEROSPHERE</p> <ul style="list-style-type: none"> Documented diagnosis of COPD AND 1 claim with the BREZTRI AEROSPHERE or TRELEGY ELLIPTA in the past 105 days OR Documented diagnosis of COPD AND 60 days of therapy with a preferred anticholinergic product in the past 90 days AND 60 days of therapy with a preferred ICS-LABA product in the past 90 days <p>TRELEGY ELLIPTA</p> <ul style="list-style-type: none"> Documented diagnosis of asthma or COPD AND 1 claim with the BREZTRI AEROSPHERE or TRELEGY ELLIPTA in the past 105 days OR Documented diagnosis of asthma or COPD AND 60 days of therapy with a preferred anticholinergic product in the past 90 days AND 60 days of therapy with a preferred ICS-LABA product in the past 90 days <p>XOPENEX HFA and Solution</p> <ul style="list-style-type: none"> 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	
ipratropium/albuterol		
STIOLTO RESPIMAT (tiotropium/olodaterol)		
ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS ^{DUR+}		
BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)		
TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)		
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
ipratropium	INCRUSE ELLIPTA (umeclidinium)	
SPIRIVA HANDIHALER (tiotropium)	OHTUVAYRE (ensifentrine)	
SPIRIVA RESPIMAT (tiotropium)	roflumilast	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	YUPELRI (revefenacin)	

INHALATION SOLUTION ^{DUR+}		
albuterol	arformoterol	
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	
	levalbuterol	
	PERFOROMIST (formoterol)	
INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	levalbuterol HFA	
VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	
terbutaline		
CALCIUM CHANNEL BLOCKERS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LONG-ACTING		<p>Quantity Limit (per 21 days)</p> <ul style="list-style-type: none"> • 252 capsules: nimodipine • 2520 mL: nimodipine <p>Non-Preferred Criteria Long Acting</p> <ul style="list-style-type: none"> • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>Non-Preferred Criteria Short Acting</p> <ul style="list-style-type: none"> • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>CARDAMYST, SDAMLO</p> <ul style="list-style-type: none"> • Requires clinical review <p>nimodipine</p> <ul style="list-style-type: none"> • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days
amlodipine	diltiazem ER 12 HR	
CARTIA XT (diltiazem)	diltiazem LA 24 HR	
diltiazem ER 24 HR	KATERZIA (amlodipine)	
diltiazem CD 24 HR	levamlodipine	
diltiazem XR 24 HR	MATZIM LA (diltiazem)	
DILT-XR 24 HR (diltiazem)	nisoldipine	
felodipine	NORLIQVA (amlodipine)	
nifedipine ER	NORVASC (amlodipine)	
TAZTIA XT (diltiazem)	PROCARDIA XL (nifedipine)	
TIADYLT ER (diltiazem)	SDAMLO (amlodipine) ^{NR}	
verapamil ER	SULAR (nisoldipine)	
verapamil SR	TIAZAC (diltiazem)	
	verapamil PM	
	VERELAN PM (verapamil)	
SHORT-ACTING		
diltiazem	CARDAMYST (etripamil) ^{NR}	
nicardipine	isradipine	
nifedipine	nimodipine	
verapamil	NYMALIZE (nimodipine)	
CALORIC AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BOOST BREAKFAST ESSENTIALS BRIGHT BEGINNINGS	All non-preferred caloric/nutritional agents (which are all other products except those specifically	Non-Preferred Agents MANUAL PA

DUOCAL	listed as preferred) require a manual prior authorization.	
ENSURE		
NUTREN		
OSMOLITE		
PEDIASURE		
PROMOD		
RESOURCE		
TWOCAL HN		

CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-Preferred Criteria All Cephalosporin Generations <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
amoxicillin/clavulanate	amoxicillin/clavulanate ER	
	AUGMENTIN (amoxicillin/clavulanate)	Maximum Age Limit <ul style="list-style-type: none"> 18 years: cefdinir suspension
CEPHALOSPORINS FIRST GENERATION		
cefadroxil capsule, suspension	cefadroxil tablet	
cephalexin capsule, suspension	cephalexin tablet	
CEPHALOSPORINS SECOND GENERATION		
cefaclor capsule	cefaclor ER	
cefprozil	cefaclor suspension	
cefuroxime		
CEPHALOSPORINS THIRD GENERATION		
cefdinir	cefixime suspension, tablet ^{NR}	
cefixime capsule	SUPRAX (cefixime)	
cefpodoxime		

COLONY STIMULATING FACTORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LONG-ACTING		Non-Preferred Long-Acting Agents MANUAL PA
FULPHILA (pegfilgrastim-jmdb)	FYLNETRA (pegfilgrastim-pbbk)	
	NEULASTA, NEULASTA ONPRO (pegfilgrastim)	
	NYVEPRIA (pegfilgrastim-apgf)	
	RYZNEUTA (efbemalenograstim alfa-vuxw)	
	ROLVEDON (eflapegrastim-xnst)	
	STIMUFEND (pegfilgrastim-fpgk)	
	UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)	
	ZIEXTENZO (pegfilgrastim-bmez)	

SHORT-ACTING	
NEUPOGEN (filgrastim)	GRANIX (tbo-filgrastim)
RELEUKO (filgrastim-ayow)	LEUKINE (sargramostim)
	NIVESTYM (filgrastim-aafi)
	NYPOZI (filgrastim-txid)
	ZARXIO (filgrastim-sndz)

CYSTIC FIBROSIS AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMOZYME (dornase alfa)	ALYFTREK (vanzacافتor/tezacافتor/deuti vacافتor)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 1 month: KALYDECO granules • 3 months: PULMOZYME • 1 year: ORKAMBI • 2 years: COLY-MYCIN M, TRIKAFTA granules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL <p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets <p>Preferred Agents</p> <ul style="list-style-type: none"> • Documented diagnosis of Cystic Fibrosis OR • Require clinical review <p>ALYFTREK MANUAL PA</p> <p>KALYDECO MANUAL PA</p> <p>ORKAMBI MANUAL PA</p> <p>SYMDEKO MANUAL PA</p> <p>TOBI PODHALER Require clinical review</p> <p>TRIKAFTA MANUAL PA</p>
tobramycin (generic TOBI)	BETHKIS (tobramycin)	
	BRONCHITOL (mannitol)	
	CAYSTON (aztreonam)	
	colistimethate	
	COLY-MYCIN M (colistin)	
	KALYDECO (ivacaftor)	
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	

CYTOKINE & CAM ANTAGONISTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
adalimumab-aaty autoinject	ABRILADA (adalimumab-afzb)	<p>Non-Preferred Agents</p> <ul style="list-style-type: none"> • Require clinical review <p>IV Administered Agents</p> <ul style="list-style-type: none"> • Require clinical review <p>adalimumab-aaty autoinject, HADLIMA (adalimumab-bwwd), and YUFLYMA (adalimumab-aaty) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) <p>• Age 6 years and older AND</p>
AVSOLA (infliximab-axxq)	ACTEMRA (tocilizumab)	
CYLTEZO (adalimumab-adbm)	adalimumab-aaty syringe	
ENBREL (etanercept)	adalimumab-adaz	
HADLIMA (adalimumab-bwwd)	adalimumab-adbm	
HUMIRA (adalimumab)	adalimumab-fkjp	
IMULDOSA (ustekinumab-srlf)	adalimumab-ryvk	

KINERET (anakinra)	AMJEVITA (adalimumab-atto)	• Diagnosis of Crohn's disease (CD)
methotrexate	ARCALYST (rilonacept)	• Age 18 years and older AND
OLUMIANT (baricitinib)	BIMZELX (bimekizumab-bkzx)	• Diagnosis of rheumatoid arthritis (RA) OR
ORENCIA CLICKJECT (abatacept)	CIMZIA (certolizumab)	• Diagnosis of plaque psoriasis (PsO) OR
ORENCIA VIAL (abatacept)	COSENTYX (secukinumab)	• Diagnosis of psoriatic arthritis (PsA) OR
OTEZLA (apremilast)	ENTYVIO (vedolizumab)	• Diagnosis of ulcerative colitis (UC) OR
PYZCHIVA (ustekinumab-ttwe)	HULIO (adalimumab-fkjp)	• Diagnosis of hidradenitis suppurativa (HS) OR
RINVOQ (upadacitinib)	HYRIMOZ (adalimumab-adaz)	• Diagnosis of ankylosing spondylitis (AS) OR
RINVOQ LQ (upadacitinib)	IDACIO (adalimumab-aacf)	• Diagnosis of uveitis (UV)
SELARSDI (ustekinumab-aekn)	ILARIS (canakinumab)	AVSOLA (infliximab-axxq) – Age specific indications:
SIMPONI (golimumab)	ILUMYA (tildrakizumab-asmn)	• Age 6 years and older AND
STARJEMZA (ustekinumab-hmny)		• Diagnosis of Crohn's disease OR
TALTZ (ixekizumab)	INFLECTRA (infliximab-dyyb)	• Diagnosis of ulcerative colitis
TYENNE (tocilizumab-aazg)	infliximab	• Age 18 years and older AND
ustekinumab-aauz		• Diagnosis of rheumatoid arthritis (RA) OR
XELJANZ (tofacitinib) tablet	JYLAMVO (methotrexate)	• Diagnosis of plaque psoriasis (PsO) OR
YUFLYMA (adalimumab-aaty)	KEVZARA (sarilumab)	• Diagnosis of psoriatic arthritis (PsA) OR
	LEQSELVI (deuruxolitinib)	• Diagnosis of ankylosing spondylitis (AS)
	LITFULO (ritlecitinib)	CYLTEZO (adalimumab-adbm) – Age specific indications:
	OMVOH (mirikizumab-mrkz)	• Age 2 years and older AND
	ORENCIA SYRINGE (abatacept)	• Diagnosis of juvenile idiopathic arthritis (JIA) OR
	OTEZLA XR (apremilast)	• Diagnosis of uveitis (UV)
	OTREXUP (methotrexate)	• Age 6 years and older AND
	OTULFI (ustekinumab-aauz)	• Diagnosis of Crohn's disease (CD)
	RASUVO (methotrexate)	• Age 12 years and older AND
	REMICADE (infliximab)	• Diagnosis of hidradenitis suppurativa (HS)
	RENFLEXIS (infliximab-abda)	• Age 18 years and older AND
	SIMLANDI (adalimumab-ryvk)	• Diagnosis of rheumatoid arthritis (RA) OR
	SIMPONI ARIA (golimumab)	• Diagnosis of plaque psoriasis (PsO) OR
	SKYRIZI (risankizumab-rzaa)	• Diagnosis of psoriatic arthritis (PsA) OR
	SOTYKTU (deucravacitinib)	• Diagnosis of ulcerative colitis (UC) OR
	SPEVIGO (spesolimab-sbzo)	• Diagnosis of ankylosing spondylitis (AS)
	STELARA (ustekinumab)	ENBREL (etanercept) – Age specific indications:
	TOFIDENCE (tocilizumab-bavi)	• Age 2 years and older AND
	TREMFYA (guselkumab)	• Diagnosis of juvenile arthritis (JIA) OR
	TREXALL (methotrexate)	• Diagnosis of juvenile psoriatic arthritis (PsA)
	XATMEP (methotrexate)	• Age 4 years and older AND
		• Diagnosis of plaque psoriasis (PsO)
		• Age 18 years and older AND
		• Diagnosis of rheumatoid arthritis (RA) OR
		• Diagnosis of psoriatic arthritis (PsA) OR
		• Diagnosis of ankylosing spondylitis (AS)
		HUMIRA (adalimumab) – Age specific indications:

	XELJANZ (tofacitinib) solution	<ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	XELJANZ XR (tofacitinib)	
	YESINTEK (ustekinumab-kfce)	<ul style="list-style-type: none"> • Age 5 years and older AND • Diagnosis of ulcerative colitis (UC) • Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
	YUSIMRY (adalimumab-aqvh)	
	ZYMFENTRA (infliximab-dyyb)	<ul style="list-style-type: none"> • Age 12 years and older AND • Diagnosis of hidradenitis suppurativa (HS) <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS) <p>IMULDOSA (ustekinumab-srlf), PYZCHIVA (ustekinumab-ttwe), SELARSDI (ustekinumab-aekn), and STARJEMZA (ustekinumab-hmny) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of Crohn's disease (CD) <p>KINERET (anakinra) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) • Other indications require clinical review <p>OLUMIANT (baricitinib) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of alopecia areata (AA) • Other indications require clinical review <p>ORENCIA (abatacept) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of psoriatic arthritis (PsA) • Other indication requires clinical review <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of rheumatoid arthritis (RA) • Non-preferred Orencia syringe requires clinical review <p>OTEZLA (apremilast) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of Bechet's disease • Non-preferred Otezla XR requires clinical review

RINVOQ (upadacitinib):

- Age 2 years and older AND
 - Diagnosis of juvenile idiopathic arthritis (JIA) OR
 - Diagnosis of psoriatic arthritis
- AND**
- History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi
- OR**
- History of 1 claim with Rinvoq in the past
- AND**
- NO history of concomitant therapy in the past 30 days with any of the following:
 - A different JAK Inhibitor
 - A different biologic
 - Immunosuppressant azathioprine or cyclosporine
-
- Age 18 years and older **AND**
 - Diagnosis of ankylosing spondylitis **OR**
 - Diagnosis of Crohn's disease **OR**
 - Diagnosis of giant cell arteritis **OR**
 - Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA) **OR**
 - Diagnosis of rheumatoid arthritis (RA) **OR**
 - Diagnosis of ulcerative colitis
- AND**
- History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi
- OR**
- History of 1 claim with Rinvoq in the past
- AND**
- NO history of concomitant therapy in the past 30 days with any of the following:
 - A different JAK Inhibitor
 - A different biologic
 - Immunosuppressant azathioprine or cyclosporine
-
- Atopic Dermatitis **MANUAL PA**

SIMPONI (golimumab) – Age specific indications:

- Age 18 years and older **AND**
- Diagnosis of rheumatoid arthritis (RA) **OR**
- Diagnosis of psoriatic arthritis (PsA) **OR**
- Diagnosis of ankylosing spondylitis (AS) **OR**
- Diagnosis of ulcerative colitis
- Ages less than 18 years require clinical review
- Non-preferred Simponi Aria requires clinical review

STELARA MANUAL PA

TALTZ (ixekizumab) – Age specific indications:

Taltz 20 mg, 40 mg and 80 mg

- Age 6 **AND**
- Diagnosis of plaque psoriasis (PsO)

Taltz 80 mg

- Age 18 years and older **AND**
- Diagnosis of psoriatic arthritis (PsA) **OR**
- Diagnosis of ankylosing spondylitis (AS) **OR**
- Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA)

		<p>TYENNE (tocilizumab-aazg) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of giant cell arteritis <p>XELJANZ IR (tofacitinib) – Any of the following:</p> <ul style="list-style-type: none"> • Age 2 year and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of psoriatic arthritis (PsA) <p>• Age 18 years and older AND</p> <ul style="list-style-type: none"> • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of ankylosing spondylitis (AS) • Non-preferred Xeljanz oral solution and Xeljanz XR require clinical review <p>Preferred methotrexate does not require prior authorization</p>
--	--	--

ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of cancer or chronic renal failure OR • Antineoplastic therapy in the past 6 months AND • Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR • 1 claim for the requested agent in the past 105 days <p>JESDUVROQ</p> <ul style="list-style-type: none"> • Requires clinical review <p>MIRCERA</p> <ul style="list-style-type: none"> • Documented diagnosis of chronic renal failure in the past 2 years
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRIT (epoetin alfa)	
	VAFSEO (vadadustat)	

FACTOR DEFICIENCY PRODUCTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FACTOR VIII		<p>HEMLIBRA</p> <ul style="list-style-type: none"> • 3 claims with HEMLIBRA in the past 105 days OR • New starts require clinical review MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIQ	JIVI	
FEIBA	KCENTRA	
HEMOPIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		

XYNTHA, XYNTHA SOLOFUSE	
FACTOR IX	
ALPHANINE SD	BEQVEZ
ALPROLIX	
BENEFIX	
IDELVION	
IXINITY	
PROFILNINE	
REBINYN	
RIXUBIS	
OTHER HEMOPHILIA PRODUCTS	
COAGADEX (factor X)	ALHEMO (concizumab-mtci)
FIBRYGA (fibrinogen)	CORIFACT (factor XIII)
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncq)
RIASTAP (fibrinogen)	NOVOSEVEN RT (factor VII)
	QFITLIA (fitusiran)
	SEVENFACT (factor VII)
	TRETTEN (factor XIII)

FIBROMYALGIA/NEUROPATHIC PAIN AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
duloxetine 20 mg, 30 mg, 60 mg DR capsule	CYMBALTA (duloxetine)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: CYMBALTA, DRIZALMA SPRINKLE, duloxetine DR capsule <p>TONMYA MANUAL PA</p>
gabapentin	DRIZALMA SPRINKLE (duloxetine)	
pregabalin	duloxetine 40 mg DR capsule	
SAVELLA (milnacipran)	gabapentin ER	
	GABARONE (gabapentin)	
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	NEURONTIN (gabapentin)	
	pregabalin ER	
	TONMYA (cyclobenzaprine)	

FLUOROQUINOLONES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ciprofloxacin tablet	BAXDELA (delafloxacin)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • 1 claim for a preferred agent in the past 30 days <p>CIPRO Suspension for Age < 12 Years</p> <ul style="list-style-type: none"> • Documented diagnosis of Cystic Fibrosis or Anthrax infection or exposure OR • Documented diagnosis or Pneumonic plague or tularemia AND • History of doxycycline in the past 3 months OR • 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: <ul style="list-style-type: none"> ○ Penicillin, 2nd or 3rd generation cephalosporin or macrolide
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	

		<p>LEVAQUIN Suspension for Age < 12 Years</p> <ul style="list-style-type: none"> • Documented diagnosis of Anthrax infection or exposure OR • History of 7 days of therapy with a preferred from 2 of the following classes in the past 3 months <ul style="list-style-type: none"> ◦ Penicillin, 2nd or 3rd generation cephalosporins, or macrolide AND • History of ciprofloxacin suspension in the past 3 months
--	--	--

GAUCHER'S DISEASE

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	

GENITAL WARTS & ACTINIC KERATOSIS AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CONDYLOX (podofilox)	VEREGEN (sinecatechins)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 12 years: ALDARA • 18 years: CONDYLOX, PICATO, VEREGEN
fluorouracil		
imiquimod		
podofilox		

GI ULCER THERAPIES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
H2 RECEPTOR ANTAGONISTS		<p>PRILOSEC 2.5 mg suspension</p> <ul style="list-style-type: none"> • Automatic approval issued for 0-2 years of age <p>PRILOSEC 10 mg suspension</p> <ul style="list-style-type: none"> • Requires clinical review
famotidine	cimetidine	
	nizatidine	
	ranitidine	
OTHERS		
CARAFATE (sucralfate) suspension	CARAFATE (sucralfate) tablet	
misoprostol	CYTOTEC (misoprostol)	
sucralfate	DARTISLA (glycopyrrolate)	
	EOHILIA (budesonide)	
	VOQUEZNA (vonoprazan)	
PROTON PUMP INHIBITORS		
esomeprazole capsule	DEXILANT (dexlansoprazole)	
NEXIUM (esomeprazole) packet	dexlansoprazole	
omeprazole	esomeprazole packet	
pantoprazole	KONVOMEF (omeprazole/sodium bicarbonate)	
	lansoprazole Rx	
	NEXIUM (esomeprazole) capsule	
	omeprazole/sodium bicarbonate	
	PREVACID (lansoprazole)	

	PRILOSEC (omeprazole) packet	
	PROTONIX (pantoprazole)	
	rabeprazole	
	ZEGERID (omeprazole/sodium bicarbonate)	

GLUCOCORTICOIDS (INHALED)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOIDS		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Glucocorticoids <ul style="list-style-type: none"> ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations <ul style="list-style-type: none"> ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Note: <ul style="list-style-type: none"> ○ Institutional-sized products are non-preferred <p>AIRDUO DIGIHALER</p> <ul style="list-style-type: none"> • Requires clinical review <p>ARMONAIR DIGIHALER</p> <ul style="list-style-type: none"> • Requires clinical review <p>PROAIR DIGIHALER Require clinical review</p> <p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: AIRSUPRA <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 inhalers: AIRSUPRA -- MANUAL PA
ASMANEX (mometasone)	ALVESCO (ciclesonide)	
budesonide 0.25 mg and 0.5 mg	ARMONAIR DIGIHALER (fluticasone)	
fluticasone	ARNUITY ELLIPTA (fluticasone)	
fluticasone diskus	ASMANEX HFA (mometasone)	
fluticasone HFA	budesonide 1 mg	
QVAR REDIHALER (beclomethasone)	FLOVENT HFA (fluticasone)	
	FLOVENT DISKUS (fluticasone)	
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		
ADVAIR DISKUS (fluticasone/salmeterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)	
ADVAIR HFA (fluticasone/salmeterol)	AIRSUPRA (albuterol/budesonide)	
DULERA (mometasone/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)	
fluticasone/salmeterol diskus	BREYNA (budesonide/formoterol)	
SYMBICORT (budesonide/formoterol)	budesonide/formoterol	
	fluticasone/salmeterol HFA	
	fluticasone/vilanterol	
	WIXELA INHUB (fluticasone/salmeterol)	

GROWTH HORMONES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	<p>Preferred Criteria</p> <ul style="list-style-type: none"> • Age ≥ 18 years • Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation • Age < 18 years • Diagnosis of approvable pediatric diagnosis or history of cranial irradiation <p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 3 years: NGENLA <p>Maximum Age Limit</p>
NORDITROPIN FLEXPRO (somatropin)	NGENLA (somatrogon-ghla)	
SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SOGROYA (somapacitan-beco)	
	VOXZOGO (vosoritide)	
	ZOMACTON (somatropin)	

		<ul style="list-style-type: none"> • 18 years: NGENLA <p>Non-Preferred Criteria Age ≥ 18 years</p> <ul style="list-style-type: none"> • Documented approvable diagnosis for age as above diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND • History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR • 84 days of therapy with the requested agent in the past 105 days <p>Age < 18 years</p> <ul style="list-style-type: none"> • Diagnosis of congenital malformation syndrome, HIV associated cachexia, hypopituitarism, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, mosaicism 45, Prader-Willi Syndrome, renal function impairment growth disorders, short stature due to endocrine disorder, small for gestational age or Turner Syndrome AND • History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR • 84 days of therapy with the requested agent in the past 105 days <p>SKYTROFA Age ≥ 18 years</p> <ul style="list-style-type: none"> • Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND • No history of diagnosis of Prader Willi Syndrome AND • History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR • 84 days of therapy with Skytrofa in the past 105 days <p>Age < 18 years</p> <ul style="list-style-type: none"> • No history of diagnosis of Prader Willi Syndrome AND • History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR • 84 days of therapy with Skytrofa in the past 105 days
--	--	---

H. PYLORI COMBINATION TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PYLERA (bismuth subcitrate potassium/metronidazole/tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline	<p>Quantity Limit</p> <ul style="list-style-type: none"> • 1 treatment course/year: all agents
	lansoprazole/amoxicillin/clarithromycin	
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	

HEPATITIS B TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	
	VIREAD (tenofovir disoproxil fumarate)	

HEPATITIS C TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MAVYRET (glecaprevir/pibrentasvir) [∞]	EPCLUSA (sofosbuvir/velpatasvir) [∞]	<p>∞ EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER</p> <ul style="list-style-type: none"> Require MANUAL PA <p>Note:</p> <ul style="list-style-type: none"> EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir) [∞]	
ribavirin tablet	ledipasvir/sofosbuvir [∞]	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir) [∞]	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) [∞]	
	ZEPATIER (elbasvir/grazoprevir) [∞]	

HEREDITARY ANGIOEDEMA TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PROPHYLAXIS		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Requires clinical review
HAEGARDA (C1 esterase inhibitor)	ANDEMBRY (garadacimab-gxii)	
	CINRYZE (C1 esterase inhibitor)	
	DAWNZERA (donidalorsen)	
	ORLADEYO (berotralstat)	
	TAKHZYRO (lanadelumab-flyo)	
ACUTE TREATMENT		
BERINERT (C1 esterase inhibitor)	EKTERLY (sebetralstat)	
icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	

HYPERURICEMIA & GOUT ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
allopurinol	ALOPRIM (allopurinol)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	

	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	

HYPOGLYCEMIA TREATMENT

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 1 year: BAQSIMI • 2 years: GVOKE • 6 years: ZEGALOGUE <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE <p>Non-Preferred Criteria GVOKE</p> <ul style="list-style-type: none"> • 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		

HYPOGLYCEMICS, BIGUANIDES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metformin	GLUMETZA (metformin)	
metformin ER (generic GLUCOPHAGE XR)	metformin ER (generic FORTAMET)	
	metformin ER (generic GLUMETZA)	
	metformin solution	
	RIOMET (metformin)	

HYPOGLYCEMICS, DPP4s AND COMBINATIONS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
JANUMET (sitagliptin/metformin)	alogliptin	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred DPP4 agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>Note: Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review</p>
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	
JANUVIA (sitagliptin)	BRYNOVIN solution (sitagliptin)	
JENTADUETO (linagliptin/metformin)	JENTADUETO XR (linagliptin/metformin)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: BRYNOVIN solution
TRADJENTA (linagliptin)	KAZANO (alogliptin/metformin)	
	KOMBIGLYZE XR (saxagliptin/metformin)	
	linagliptin/metformin	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	

	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BYETTA (exenatide)	BYDUREON (exenatide)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 10 years: BYDUREON BCISE, MOUNJARO, TRULICITY, VICTOZA • 18 years: BYETTA, OZEMPIC, RYBELSUS <p>Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • No history of SAXENDA or WEGOVY in the past 30 days <p>OR</p> <ul style="list-style-type: none"> • No documented diagnosis for Type 2 Diabetes AND • 84 days of therapy with the requested agent in the past 105 days <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • No history of SAXENDA or WEGOVY in the past 30 days AND • 84 days of therapy with TRULICITY in the past 6 months AND • 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months <p>OR</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • 84 days of therapy with the request agent in the past 105 days <p>Note:</p> <ul style="list-style-type: none"> • Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. • Please see the PDL category Anti-obesity Select Agents for a list of covered agents. <p>RYBELSUS 1.5 mg and 3 mg</p> <ul style="list-style-type: none"> • Requires clinical review
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	
HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Diabetes Mellitus AND • Have tried 1 preferred agent in the past 6 months OR • 1 claim with the requested agent in the past 105 days <p>Quantity Limit</p> <ul style="list-style-type: none"> • Insulin quantity limits can be found here <p>Note:</p> <ul style="list-style-type: none"> • Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries. <p>BASAGLAR</p> <ul style="list-style-type: none"> • Requires clinical review
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO PEN (insulin lispro)	
insulin aspart protamine mix 70/30 vial	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	
insulin lispro	HUMULIN 70/30 KWIKPEN (insulin N/regular)	

insulin lispro protamine mix 75/25 vial	HUMULIN N KWIKPEN (insulin N)
LANTUS (insulin glargine)	insulin degludec
TOUJEO (insulin glargine)	insulin glargine
TOUJEO MAX (insulin glargine)	insulin glargine-yfgn
	KIRSTY (insulin aspart-xjhz)
	LEVEMIR (insulin detemir)
	LYUMJEV (insulin lispro-aabc)
	MERILOG (insulin aspart-szjj)
	NOVOLIN 70/30 (insulin NPH/regular)
	NOVOLIN N (insulin NPH)
	NOVOLIN R (insulin regular)
	NOVOLOG (insulin aspart)
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)
	REZVOGLAR (insulin glargine-aglr)
	SEMGLEE (insulin glargine-yfgn)
	TRESIBA (insulin degludec)

HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
nateglinide		
repaglinide		

HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SGLT-2 INHIBITORS		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
FARXIGA (dapagliflozin)	dapagliflozin	
JARDIANCE (empagliflozin)	INPEFA (sotagliflozin)	
	INVOKANA (canagliflozin)	
	STEGLATRO (ertugliflozin)	
SGLT-2 INHIBITOR COMBINATIONS		
GLYXAMBI (empagliflozin/linagliptin)	dapagliflozin/metformin ER	
SYNJARDY (empagliflozin/metformin)	INVOKAMET (canagliflozin/metformin)	
SYNJARDY XR (empagliflozin/metformin)	INVOKAMET XR (canagliflozin/metformin)	
TRIJARDY XR (empagliflozin/linagliptin/metformin)	QTERN (dapagliflozin/saxagliptin)	
	SEGLUROMET (ertugliflozin/metformin)	
	STEGLUJAN (ertugliflozin/sitagliptin)	

	XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
pioglitazone/glimepiride	DUETACT (pioglitazone/glimepiride)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OFEV (nintedanib)	ESBRIET (pirfenidone)	<p>All Agents</p> <ul style="list-style-type: none"> Documented diagnosis of Idiopathic Pulmonary Fibrosis <p>OFEV</p> <ul style="list-style-type: none"> Documented diagnosis of Idiopathic Pulmonary Fibrosis, Progressive Pulmonary Fibrosis, or Systemic Sclerosis-associated Interstitial Lung Disease OR 90 days of therapy with Ofev in the past 105 days <p>pirfenidone</p> <ul style="list-style-type: none"> Documented diagnosis of Idiopathic Pulmonary Fibrosis OR 90 days of therapy with pirfenidone or Esbriet in the past 105 days <p>ESBRIET</p> <ul style="list-style-type: none"> Requires clinical review <p>JASCAYD MANUAL PA</p>
pirfenidone	JASCAYD (nerandomilast)	
IMMUNE GLOBULINS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BIVIGAM	ALYGLO	
FLEBOGAMMA	ASCENIV	
GAMASTAN	CABLIVI	
GAMMAGARD	CUTAQUIG	
GAMMAGARD S-D	CUVITRU	
GAMUNEX-C	GAMMAGARD ERC ^{NR}	
HIZENTRA	GAMMAKED	
HYQVIA	GAMMAPLEX	
PANZYGA	OCTAGAM	
PRIVIGEN	QIVIGY ^{NR}	
XEMBIFY		
IMMUNOLOGIC THERAPIES FOR ASTHMA		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DUPIXENT (dupilumab) ^{DUR+}	NUCALA (mepolizumab)	<p>DUPIXENT</p> <ul style="list-style-type: none"> 1 claim with DUPIXENT in the past 60 days OR New starts require clinical review (see manual PA links below) <ul style="list-style-type: none"> Asthma MANUAL PA Atopic Dermatitis MANUAL PA Bullous Pemphigoid MANUAL PA
FASENRA (benralizumab)	TEZSPIRE (tezepelumab-ekko)	
XOLAIR (omalizumab)		

		<ul style="list-style-type: none"> ○ COPD MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Eosinophilic Esophagitis MANUAL PA ○ Nasal Polyposis MANUAL PA ○ Prurigo Nodularis MANUAL PA <p>FASENRA</p> <ul style="list-style-type: none"> • Requires clinical review MANUAL PA <p>NUCALA</p> <ul style="list-style-type: none"> • Requires clinical review <p>TEZSPIRE</p> <ul style="list-style-type: none"> • Requires clinical review <p>XOLAIR</p> <ul style="list-style-type: none"> • 1 claim with XOLAIR in the past 45 days OR • New starts require clinical review <ul style="list-style-type: none"> ○ Asthma MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Nasal Polyposis MANUAL PA
--	--	--

IMMUNOSUPPRESSIVE AGENTS, ORAL

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AZASAN (azathioprine)	ASTAGRAF XL (tacrolimus)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 13 years: RAPAMUNE • 18 years: ZORTRESS <p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 12 years: PROGRAF Granules <p>Preferred Criteria</p> <ul style="list-style-type: none"> • AZASAN <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE <ul style="list-style-type: none"> ○ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • everolimus <ul style="list-style-type: none"> ○ Documented diagnosis of kidney or liver transplant • RAPAMUNE <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant • tacrolimus <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • ASTAGRAF XR or ENVARUSUS XR <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ○ 30 days of therapy with tacrolimus IR in the past 105 days OR ○ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules <ul style="list-style-type: none"> ○ Age ≤ 11 years AND ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis
azathioprine	ENVARUSUS XR (tacrolimus)	
CELLCEPT (mycophenolate)	LUPKYNIS (voclosporin)	
cyclosporine	MYFORTIC (mycophenolate)	
everolimus	MYHIBBIN (mycophenolate)	
mycophenolate	PROGRAF (tacrolimus)	
mycophenolic acid	REZUROCK (belumosudil)	
NEORAL (cyclosporine)	ZORTRESS (everolimus)	
RAPAMUNE (sirolimus)		
SANDIMMUNE (cyclosporine)		
sirolimus		
tacrolimus		

		<ul style="list-style-type: none"> • MYFORTIC <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant or psoriasis • MYHIBBIN <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ○ 30 days of therapy with mycophenolate suspension in the past 105 days OR ○ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ZORTRESS <ul style="list-style-type: none"> ○ Documented diagnosis of kidney or liver transplant <p>LUPKYNIS and REZUROCK</p> <ul style="list-style-type: none"> • Requires clinical review
--	--	--

INTRANASAL RHINITIS AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS		<p>Non-Preferred Criteria Corticosteroids</p> <ul style="list-style-type: none"> • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months
ipratropium		
ANTI-HISTAMINE/CORTICOSTEROID COMBINATIONS		
	azelastine/fluticasone	
	DYMISTA (azelastine/fluticasone)	
	RYALTRIS (olopatadine/mometasone)	
ANTI-HISTAMINES		
azelastine	olopatadine	
	PATANASE (olopatadine)	
CORTICOSTEROIDS		
fluticasone	BECONASE AQ (beclomethasone)	
NASONEX 24 HOUR ALLERGY SPRAY ^{OTC}	flunisolide	
	mometasone	
	NASONEX (mometasone)	
	OMNARIS (ciclesonide)	
	QNASL (beclomethasone)	
	XHANCE (fluticasone)	
	ZETONNA (ciclesonide)	

IRON CHELATING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
deferasirox (all manufacturers except those listed as non-preferred)	deferasirox (manufacturers starting with 45963, 62332)	JADENU MANUAL PA
deferiprone 500 mg tablet	deferiprone 1,000 mg tablet	
FERRIPROX (deferiprone)	EXJADE (deferasirox)	
	JADENU (deferasirox)	
	JADENU SPRINKLE (deferasirox)	

IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 7 years: LINZESS 145 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 290 mcg, MOTTEGRITY, MOVANTIK, MYTESI, SYMPROIC, VIBERZI <p>Gender Limit</p> <ul style="list-style-type: none"> • Female AMITIZA 8 mcg
LINZESS (linaclotide)	AMITIZA (lubiprostone)	
lubiprostone	IBSRELA (tenapanor)	
	MOTTEGRITY (prucalopride)	
	MOVANTIK (naloxegol)	
	prucalopride	
	SYMPROIC (naldemedine)	
IRRITABLE BOWEL SYNDROME DIARRHEA		
dicyclomine	alosetron	
ED-SPAZ (hyoscyamine)	LOTRONEX (alosetron) ^{DUR+}	
hyoscyamine, hyoscyamine ER	VIBERZI (eluxadoline) ^{DUR+}	
HYOSYNE (hyoscyamine)		
LEVSIN, LEVSIN-SL (hyoscyamine)		
NULEV (hyoscyamine)		
OSCIMIN, OSCIMIN SL (hyoscyamine)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
	GATTEX (teduglutide)	
	MYTESI (crofelemer)	
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		
<p>Chronic Idiopathic Constipation (CIC): Amitiza 24 mcg, LINZESS, MOTTEGRITY</p> <ul style="list-style-type: none"> • LINZESS 72 mcg <ul style="list-style-type: none"> ○ Age 6-17 years AND ○ Documented diagnosis pediatric functional constipation in the past year AND ○ No history of GI or bowel obstruction <p>OR</p> <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction <ul style="list-style-type: none"> • LINZESS 145 mcg and lubiprostone 24 mcg <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND 	<p>Irritable Bowel Syndrome Constipation Dominant (IBS-C): AMITIZA 8 mcg, IBSRELA, LINZESS 290 mcg</p> <ul style="list-style-type: none"> • Preferred IBS-C Agents <ul style="list-style-type: none"> ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction • Non-Preferred IBS-C Agents <ul style="list-style-type: none"> ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred IBS-C agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days 	<p>Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, SYMPROIC</p> <ul style="list-style-type: none"> • Preferred OIC Agents <ul style="list-style-type: none"> ○ Documented diagnosis of OIC and chronic pain in the past year AND ○ No history of GI or bowel obstruction AND ○ 1 claim for an opioid in the past 30 days • Non-Preferred OIC Agents <ul style="list-style-type: none"> ○ All preferred criteria met AND ○ Have tried 1 preferred OIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days

<ul style="list-style-type: none"> ○ No history of GI or bowel obstruction • LINZESS 290 mcg <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction AND ○ 1 claim with LINZESS 145 mcg in the past 45 days • Non-Preferred CIC Agents <ul style="list-style-type: none"> ○ Documented diagnosis of CIC AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred CIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days 		
--	--	--

IRRITABLE BOWEL SYNDROME DIARRHEA

- VIBERZI** [New starts require clinical review]
- Documented diagnosis of IBS D in the past year **and** 1 claim for Viberzi in the past 105 days
- LOTRONEX**
- 1 claim for LOTRONEX in the past 105 days **OR**
 - New starts require **MANUAL PA**

SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}

- | | |
|--|---|
| <p>HIV/AIDS Non-infectious Diarrhea</p> <ul style="list-style-type: none"> • MYTESI <ul style="list-style-type: none"> ○ Documented diagnosis of HIV/AIDS and non-infectious diarrhea in the past year AND ○ 1 claim for an antiretroviral in the past 30 days | <p>Short Bowel Syndrome (SBS)</p> <ul style="list-style-type: none"> • GATTEX <ul style="list-style-type: none"> ○ 1 claim for GATTEX in the past 105 days OR ○ New starts require clinical review |
|--|---|

LEUKOTRIENE MODIFIERS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
montelukast	ACCOLATE (zafirlukast)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 12 years: ZYFLO & ZYFLO CR <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	

LIPOTROPICS, OTHER (NON-STATINS)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

ACL INHIBITORS AND COMBINATIONS		JUXTAPID MANUAL PA
	NEXLETOL (bempedoic acid)	KYNAMRO
	NEXLIZET (bempedoic acid/ezetimibe)	• Requires clinical review
ANGIOPOIETIN-LIKE 3 INHIBITORS		LEQVIO
	EVKEEZA (evinacumab-dgnb)	• Requires clinical review
BILE ACID SEQUESTRANTS		NEXLETOL and NEXLIZET
cholestyramine	colesevelam	• Require clinical review
cholestyramine light	COLESTID (colestipol)	PRALUENT MANUAL PA
colestipol tablet	colestipol packet	REPATHA MANUAL PA
	PREVALITE (cholestyramine)	WELCHOL
	QUESTRAN (cholestyramine)	• Documented diagnosis of Type 2 Diabetes AND
	QUESTRAN LIGHT (cholestyramine)	• 30 days of therapy with an antidiabetic agent in the past 6 months OR
	WELCHOL (colesevelam)	• 90 days of therapy with WELCHOL in the past 105 days
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	
	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER	niacin	
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	
	PRALUENT (alirocumab)	
LIPOTROPICS, STATINS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STATINS ^{DUR+}		Minimum Age Limit
atorvastatin	ALTOPREV (lovastatin)	• 10 years: ATORVALIQ Suspension
lovastatin	ATORVALIQ (atorvastatin)	Non-Preferred Criteria Statins
pravastatin	CRESTOR (rosuvastatin)	• Have tried 2 different preferred statin or statin combination agents in the past 6 months OR
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)	• 90 days of therapy with the requested agent in the past 105 days
simvastatin	FLOLIPID (simvastatin)	Simvastatin
	fluvastatin	• Daily doses ≥ 80 mg require clinical review
	fluvastatin ER	

	LESCOL XL (fluvastatin)	
	LIPITOR (atorvastatin)	
	LIVALO (pitavastatin)	
	pitavastatin	
	ZOCOR (simvastatin)	
	ZYPITAMAG (pitavastatin)	
STATIN COMBINATIONS		
ezetimibe/simvastatin	amlodipine/atorvastatin	
	CADUET (amlodipine/atorvastatin)	
	VYTORIN (ezetimibe/simvastatin)	
MISCELLANEOUS BRAND/GENERIC		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALLERGEN EXTRACT IMMUNOTHERAPY		CUMULATIVE Quantity Limit (per 31 days) • 31 tablets: alprazolam ER
	GRASTEK	
	ORALAIR	
	RAGWITEK	Quantity Limit (per 31 days) • 2 kits: epinephrine
ANXIOLYTICS		EVRYSDI MANUAL PA
alprazolam	alprazolam ER	PALSONIFY MANUAL PA
hydroxyzine HCL	VISTARIL (hydroxyzine pamoate)	RHAPSIDO MANUAL PA
hydroxyzine pamoate	XANAX, XANAX XR (alprazolam)	
EPINEPHRINE		*The Miscellaneous subclass contains drugs that do not belong to any PDL drug classes. A non-preferred drug in this subclass may not require a documented history of preferred agents within the Miscellaneous subclass except for a brand name product with a generic equivalent.
epinephrine (Mylan)	AUVI-Q (epinephrine)	
	epinephrine (all other manufacturers)	
	EPIPEN (epinephrine)	
	EPIPEN JR (epinephrine)	
	NEFFY (epinephrine)	
FAMILIAL CHYLOMICRONEMIA SYNDROME		
	REDEMPLO (plozasiran sodium) ^{NR}	
	TRYNGOLZA (olezarsen)	
MISCELLANEOUS*		
megestrol	BLUJEPA (gepotidacin)	
REVLIMID (lenalidomide)	BRINSUPRI (brensocatic)	
	CAMZYOS (mavacamten)	
	CRENESSITY (crinecerfont)	
	ERGOMAR (ergotamine)	
	EVRYSDI (risdiplam)	
	HARLIKU (nitisinone)	
	KORLYM (mifepristone)	
	lenalidomide	
	MYQORZO (aficamten) ^{NR}	
	PALSONIFY (paltusotine)	
	pomalidomide	
	POMALYST (pomalidomide)	
	RHAPSIDO (remibrutinib)	
	TARPEYO (budesonide)	
	VERQUVO (vericiguat)	

SUBLINGUAL NITROGLYCERIN	
nitroglycerin	
NITROLINGUAL (nitroglycerin)	
NITROSTAT (nitroglycerin)	

MOVEMENT DISORDER AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	<p>AUSTEDO and AUSTEDO XR</p> <ul style="list-style-type: none"> Documented diagnosis of Huntington's chorea AND 30 days of therapy with tetrabenazine in the past 180 days OR 90 days of therapy with either agent in the past 105 days <p>• Documented diagnosis of tardive dyskinesia AND</p> <ul style="list-style-type: none"> 90 days of therapy with either agent in the past 105 days OR New starts require clinical review MANUAL PA <p>INGREZZA and INGREZZA SPRINKLE</p> <ul style="list-style-type: none"> Documented diagnosis of Huntington's chorea AND 30 days of therapy with tetrabenazine in the past 180 days OR 90 days of therapy with the requested agent in the past 105 days <p>• Documented diagnosis of tardive dyskinesia AND</p> <ul style="list-style-type: none"> 90 days of therapy with the requested agent in the past 105 days OR New starts require clinical review MANUAL PA
AUSTEDO XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		

MULTIPLE SCLEROSIS AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HIGHLY ACTIVE		<p>Preferred Agents</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis <p>Preferred Agents</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis <p>Non-Preferred Criteria (Highly Active)</p> <ul style="list-style-type: none"> Requires clinical review <p>Non-Preferred Criteria (Mildly Active)</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis AND Have tried 2 different preferred agents in the past 6 months OR 3 claims with the requested agent in the last 105 days <p>GILENYA, KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA</p> <ul style="list-style-type: none"> Requires clinical review <p>cladribine and MAVENCLAD MANUAL PA</p>
TYSABRI (natalizumab)	BRIUMVI (ublituximab-xiiv)	
	cladribine	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	TYRUKO (natalizumab-sztn)	
MODERATELY ACTIVE		<p>Non-Preferred Criteria (Mildly Active)</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis AND Have tried 2 different preferred agents in the past 6 months OR 3 claims with the requested agent in the last 105 days <p>GILENYA, KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA</p> <ul style="list-style-type: none"> Requires clinical review <p>cladribine and MAVENCLAD MANUAL PA</p>
fingolimod	GILENYA (fingolimod)	
	MAYZENT (siponimod)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	ZEPOSIA (ozanimod)	
MILDLY ACTIVE		<p>MAYZENT MANUAL PA</p> <p>OCREVUS and OCREVUS ZUNOVO MANUAL PA</p>
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	

dimethyl fumarate	BAFIERTAM (monomethyl fumarate)
REBIF (interferon beta-1b)	COPAXONE (glatiramer) 40 mg
REBIF REBIDOSE (interferon beta-1b)	glatiramer
teriflunomide	GLATOPA (glatiramer)
	PLEGRIDY (peginterferon beta-1a)
	TECFIDERA (dimethyl fumarate)
	VUMERITY (diroximel fumarate)

MUSCULAR DYSTROPHY AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	AGAMREE MANUAL PA
	AMONDYS-45 (casimersen)	AMONDYS-45 MANUAL PA
	deflazacort	
	DUVYZAT (givinostat)	DUVYZAT MANUAL PA
	ELEVIDYS (delandistrogene moxeparvovec-rokl)	ELEVIDYS MANUAL PA
	EXONDYS-51 (eteplirsen)	EXONDYS MANUAL PA
	JAYTHARI (deflazacort)	JAYTHARI MANUAL PA
	KYMBEE (deflazacort)	KYMBEE MANUAL PA
	VILTEPSO (viltolarsen)	VILTEPSO MANUAL PA
	VYONDYS-53 (golodirsen)	VYONDYS MANUAL PA

NSAIDS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COX II SELECTIVE		Quantity Limit (per 31 days) <ul style="list-style-type: none"> 20 tablets: ketorolac tablets
CELEBREX (celecoxib)	ELYXYB (celecoxib)	
celecoxib	meloxicam capsule	
meloxicam tablet	VYSCOXA (celecoxib)	Non-Preferred Criteria COX II Selective <ul style="list-style-type: none"> Requires clinical review
	ZYBIC (meloxicam) ^{NR}	
NON-SELECTIVE DUR+		Non-Preferred Criteria Non-Selective & Combinations <ul style="list-style-type: none"> No history of a contraindicated GI disorder or coagulation disorder AND Have tried 2 different preferred non-selective agents in the past 6 months
diclofenac sodium	COXANTO (oxaprozin)	COXANTO, fenoprofen, ibuprofen 300mg, ORUDIS, oxaprozin 300mg <ul style="list-style-type: none"> Requires clinical review
diclofenac sodium ER	DAYPRO (oxaprozin)	
EC-naproxen DR 500 mg tablet	diclofenac potassium	
etodolac tablet	DOLOBID (diflunisal)	
flurbiprofen	etodolac capsule, etodolac ER	
ibuprofen	FELDENE (piroxicam)	
indomethacin capsule	fenoprofen	

indomethacin ER	indomethacin suppository
ketorolac	ketoprofen
nabumetone	LOFENA (diclofenac potassium)
naproxen 250 mg, 500 mg	meclufenamate
piroxicam	mefenamic acid
sulindac	NALFON (fenoprofen)
	NAPRELAN (naproxen)
	NAPROSYN 375 mg (naproxen)
	naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg
	ORUDIS (ketoprofen) ^{NR}
	oxaprozin
	RELAFEN DS (nabumetone)
	TOLECTIN 600 mg (tolmetin)
	tolmetin
NSAID/GI PROTECTANT COMBINATIONS DUR+	
	ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)
	diclofenac/misoprostol
	ibuprofen/famotidine
	naproxen/esomeprazole
	VIMOVO (naproxen/esomeprazole)

OPHTHALMIC AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS		
bacitracin/polymyxin	AZASITE (azithromycin)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 16 years: RESTASIS • 17 years: XIIDRA • 18 years: CEQUA, EYSUVIS, MIEBO, TRYPTYR, VEVYE <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 mL: VEVYE • 3 mL: MIEBO • 5.5 mL: RESTASIS Multidose • 8.3 mL: EYSUVIS • 60 units: CEQUA, RESTASIS Droperette, TRYPTYR, XIIDRA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Anti-Inflammatory Agents <ul style="list-style-type: none"> ○ Have tried 2 different preferred agents in the past 6 months • Dry Eye Agents <ul style="list-style-type: none"> ○ History of 1 claim for both RESTASIS Droperette and XIIDRA in the past 6 months <p>MIEBO</p>
ciprofloxacin	bacitracin	
erythromycin	besifloxacin ^{NR}	
gentamicin	BESIVANCE (besifloxacin)	
moxifloxacin	CILOXAN (ciprofloxacin)	
ofloxacin	gatifloxacin	
polymyxin B/trimethoprim	NATACYN (natamycin0)	
tobramycin	neomycin/bacitracin/polymyxin	
	OCUFLOX (ofloxacin)	
	sulfacetamide	
	TOBEX (tobramycin)	
	VIGAMOX (moxifloxacin)	
ANTIBIOTIC-STEROID COMBINATIONS		
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)	MAXITROL (neomycin/polymyxin/dexamethasone)	
neomycin/bacitracin/polymyxin/hydrocortisone	neomycin/polymyxin/gramicidin	

neomycin/polymyxin/dexamethasone	TOBRADEX ST (tobramycin/dexamethasone)	<ul style="list-style-type: none"> Requires clinical review
PRED-G (gentamicin/prednisolone)	tobramycin/loteprednol ^{NR}	<ul style="list-style-type: none"> Requires clinical review
sulfacetamide/prednisolone		TRYPYR
TOBRADEX (tobramycin/dexamethasone)		<ul style="list-style-type: none"> Requires clinical review
tobramycin/dexamethasone		TYRVAYA
ZYLET (tobramycin/loteprednol)		<ul style="list-style-type: none"> Requires clinical review
ANTI-INFLAMMATORY AGENTS^{DUR+}		VEVYE
dexamethasone	ACULAR, ACULAR LS (ketorolac)	<ul style="list-style-type: none"> Requires clinical review
diclofenac sodium	ACUVAIL (ketorolac)	
difluprednate	bromfenac	
FLAREX (fluorometholone)	BROMSITE (bromfenac)	
fluorometholone	DUREZOL (difluprednate)	
flurbiprofen	FML (fluorometholone)	
FML FORTE (fluorometholone)	ILEVRO (nepafenac)	
ketorolac	INVELTYS (loteprednol)	
MAXIDEX (dexamethasone)	LOTEMAX, LOTE MAX SM (loteprednol)	
PRED MILD (prednisolone)	loteprednol	
prednisolone acetate	NEVANAC (nepafenac)	
prednisolone sodium phosphate	PRED FORTE (prednisolone)	
	PROLENSA (bromfenac)	
DRY EYE AGENTS		
EYSUVIS (loteprednol)	CEQUA (cyclosporine)	
RESTASIS Droperette (cyclosporine)	cyclosporine	
XIIDRA (lifitegrast)	MIEBO (perfluorohexyloactane)	
	RESTASIS Multidose (cyclosporine)	
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS		
BETIMOL (timolol)	betaxolol	<ul style="list-style-type: none"> Minimum Age Limit • 18 years: IYUZEH
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	<ul style="list-style-type: none"> Non-Preferred Criteria • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	

COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol)	brimonidine/timolol
dorzolamide/timolol	COSOPT (dorzolamide/timolol)
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF
PARASYMPATHOMIMETICS	
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)
PROSTAGLANDIN ANALOGS	
latanoprost	bimatoprost
	IYUZEH (latanoprost)
	LUMIGAN (bimatoprost)
	tafluprost
	TRAVATAN Z (travoprost)
	travoprost
	VYZULTA (latanoprostene bunod)
	XALATAN (latanoprost)
	XELPROS (latanoprost)
	ZIOPTAN (tafluprost)
RHO KINASE INHIBITORS/COMBINATIONS	
RHOPRESSA (netarsudil)	
ROCKLATAN (netarsudil/latanoprost)	
SYMPATHOMIMETICS	
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%
brimonidine 0.2%	

OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALREX (loteprednol)	ALOCRIAL (nedocromil)	Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months VERKAZIA <ul style="list-style-type: none"> Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen ^{OTC}	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACAPT (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIAATE (cetirizine)	

OPIATE DEPENDENCE TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DEPENDENCE		Buprenorphine/naloxone provider summary found here
buprenorphine/naloxone SL tablet ^{DUR+}	BRIXADI (buprenorphine)	Minimum Age Limit <ul style="list-style-type: none"> 18 years: VIVITROL SUBLOCADE MANUAL PA VIVITROL
naltrexone	buprenorphine ^{DUR+}	
SUBOXONE (buprenorphine/naloxone) ^{DUR+}	buprenorphine/naloxone film ^{DUR+}	
	lofexidine	

	LUCEMYRA (lofexidine)	<ul style="list-style-type: none"> Documented diagnosis of opioid related disorder Diagnosis of alcohol dependence requires MANUAL PA
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone) ^{DUR+}	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		
OPVEE (nalmefene)		
REXTOVY (naloxone)		
ZIMHI (naloxone)		

OTIC ANTIBIOTICS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CIPRO HC (ciprofloxacin/hydrocortisone)	ciprofloxacin	<p>Maximum Age Limit</p> <ul style="list-style-type: none"> 9 years: CIPRO HC and ciprofloxacin/hydrocortisone <p>Ciprofloxacin/Dexamethasone Suspension Criteria</p> <ul style="list-style-type: none"> Age ≥ 6 months AND Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension
CORTISPORIN-TC (neomycin/colistin/hydrocortisone)	ciprofloxacin/dexamethasone	
fluocinolone	ciprofloxacin/fluocinolone	
neomycin/polymyxin/hydrocortisone	ciprofloxacin/hydrocortisone	
	DERMOTIC (fluocinolone)	
	FLAC OTIC OIL (fluocinolone)	
	hydrocortisone/acetic acid	
	OTOVEL (ciprofloxacin/fluocinolone)	

PANCREATIC ENZYMES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CREON (lipase/protease/amylase)	VIOKACE (lipase/protease/amylase)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
PERTZYE (lipase/protease/amylase)		
ZENPEP (lipase/protease/amylase)		

PARATHYROID AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	

PHOSPHATE BINDERS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	REVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	

PLATELET AGGREGATION INHIBITORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
aspirin/dipyridamole	BRILINTA (ticagrelor)	Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis AND Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ZONTIVITY MANUAL PA
cilostazol	EFFIENT (prasugrel)	
clopidogrel	PLAVIX (clopidogrel)	
dipyridamole		
pentoxifylline		
prasugrel		
ticagrelor		

PLATELET STIMULATING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NPLATE (romiplostim)	ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet	DOPTELET (avatrombopag)	
	DOPTELET SPRINKLE (avatrombopag maleate)	
	MULPLETA (lusutrombopag)	
	PROMACTA (eltrombopag) packet	
	TAVALLISSE (fostamatinib)	

POTASSIUM REMOVING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)	
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate	
	SPS (sodium polystyrene sulfonate) enema	
	VELTASSA (patiomer calcium sorbitex)	

PRENATAL VITAMINS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASSIC PRENATAL		

COMPLETE NATAL DHA	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
COMPLETENATE		
M-NATAL PLUS		
PRENATAL PLUS VITAMIN-MINERAL		
PNV 72, 95, 124, and 137 / IRON / FOLIC ACID		
SELECT-OB + DHA		
SE-NATAL-19		
STUART ONE		
THRIVITE RX		
TRICARE		
TRINATAL RX 1		
VITAFOL FE PLUS		
VITAFOL-OB		
VITAFOL-ONE		
VITAFOL ULTRA		
WESNATAL DHA COMPLETE		
WESTAB PLUS		

PSEUDOBULBAR AFFECT AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUEDEXTA (dextromethorphan/quinidine)	Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days

PULMONARY ANTIHYPERTENSIVE AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACTIVIN SIGNALING INHIBITORS		Minimum Age Limit <ul style="list-style-type: none"> 18 years: ADEMPAS, OPSYNVI, TADLIQ
	WINREVAIR (sotatercept-csrk)	
COMBINATION AGENTS		Maximum Age Limit <ul style="list-style-type: none"> 12 years: REVATIO suspension
	OPSYNVI (macitentan/tadalafil)	
ENDOTHELIN RECEPTOR ANTAGONISTS		Preferred Criteria <ul style="list-style-type: none"> PAH Agents <ul style="list-style-type: none"> Documented diagnosis of pulmonary hypertension Sildenafil tablets <ul style="list-style-type: none"> ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days Sildenafil suspension <ul style="list-style-type: none"> < 12 years of age AND Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR 90 days stable therapy with sildenafil suspension in the past 105 days
ambrisentan	OPSUMIT (macitentan)	
bosentan	TRACLEER (bosentan)	
LETAIRIS (ambrisentan)	TRYVIO (aprocitentan)	
PDE5 INHIBITORS		
sildenafil (generic REVATIO) tablet, suspension	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	REVATIO (sildenafil)	
	TADLIQ (tadalafil)	Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of pulmonary hypertension AND Have tried 1 preferred PAH agent in the past 6 months OR
PROSTACYCLINS		
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	

	VENTAVIS (iloprost)	<ul style="list-style-type: none"> • 90 days of therapy with the requested agent in the past 105 days <p>OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS</p> <ul style="list-style-type: none"> • Require clinical review
	YUTREPIA (treprostinil)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		
	UPTRAVI (selexipag)	
SOLUABLE GUANYLATE CYCLASE STIMULATORS		
	ADEMPAS (riociguat)	

<p>ADEMPAS</p> <ul style="list-style-type: none"> • Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) AND • Have tried 1 preferred PAH agent in the past 6 months OR • 90 days of therapy with ADEMPAS in the past 105 days 	<p>TADLIQ</p> <ul style="list-style-type: none"> • Documented diagnosis of pulmonary hypertension AND • Have tried preferred sildenafil suspension in the past 6 months OR • 90 days of therapy with TADLIQ in the past 105 days <p>UPTRAVI</p> <ul style="list-style-type: none"> • Documented diagnosis of pulmonary hypertension AND • Have tried 1 preferred endothelin receptor antagonist in the past 6 months AND • Have tried 1 preferred PDE5 inhibitor in the past 6 months OR • 90 days of therapy with UPTRAVI in the past 105 days
---	---

ROSACEA TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole	AVAR (sulfacetamide sodium/sulfur)	<p>Note:</p> <ul style="list-style-type: none"> • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.
	AVAR LS (sulfacetamide sodium/sulfur)	
	AVAR-E (sulfacetamide sodium/sulfur)	
	BP 10-1 (sulfacetamide sodium/sulfur)	
	brimonidine	
	EPSOLAY (benzoyl peroxide)	
	FINACEA (azelaic acid)	
	METROCREAM (metronidazole)	
	METROGEL (metronidazole)	
	MIRVASO (brimonidine)	
	OVACE (sulfacetamide sodium)	
	OVACE PLUS (sulfacetamide sodium)	
	RHOFADE (oxymetazoline)	
	ROSADAN (metronidazole)	
	ROSULA (sulfacetamide sodium/sulfur)	
	sodium sulfacetamide	
	sodium sulfacetamide/sulfur	
	SOOLANTRA (ivermectin)	
	SUMADAN (sulfacetamide sodium/sulfur)	

	SUMADAN XLT (sulfacetamide sodium/sulfur/avob)
	SUMAXIN (sulfacetamide sodium/sulfur)
	SUMAXIN CP (sulfacetamide sodium/sulfur)
	SUMAXIN TS (sulfacetamide sodium/sulfur)

SEDATIVE HYPNOTIC AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BENZODIAZEPINES DUR+		<p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Concomitant use of Opioids and Benzodiazepines <p>Maximum Age Limit</p> <ul style="list-style-type: none"> 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg <p>Gender and Dose Limit</p> <ul style="list-style-type: none"> Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg Male: all strengths of zolpidem <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months <p>HETLIOZ capsules</p> <ul style="list-style-type: none"> Age 18 years or older AND Documented diagnosis of circadian rhythm sleep disorder OR Age 16 years and older AND Documented diagnosis of Smith-Magenis syndrome <p>HETLIOZ liquid</p> <ul style="list-style-type: none"> Age 3-15 years AND Documented diagnosis of Smith-Magenis syndrome <p>Note:</p> <ul style="list-style-type: none"> Single-source benzodiazepines and barbiturates are NOT covered. <ul style="list-style-type: none"> PA s will NOT be issued for these drugs. <p style="background-color: yellow;">See below for additional PA Criteria/DUR+ Rules</p>
estazolam	flurazepam	
temazepam 15 mg, 30 mg capsule	HALCION (triazolam)	
	quazepam	
	RESTORIL (temazepam)	
	temazepam 7.5 mg, 22.5 mg capsule	
	triazolam	
OTHERS DUR+		
eszopiclone	AMBIEN (zolpidem)	
ramelteon	AMBIEN CR (zolpidem)	
zaleplon	BELSOMRA (suvorexant)	
zolpidem tablet	DAYVIGO (lemborexant)	
	doxepin	
	EDULAR (zolpidem)	
	HETLIOZ LQ (tasimelteon)	
	LUNESTA (eszopiclone)	
	QUVIVIQ (daridorexant)	
	ROZEREM (ramelteon)	
	tasimelteon	
	zolpidem capsule	
	zolpidem sublingual tablet	
	zolpidem ER	

CUMULATIVE Quantity Limit Benzodiazepines

- 31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit Triazolam

- 10 units/31 days:** Quantity limit per rolling days for all strengths.
- 60 units/365 days:** Quantity limit per rolling days for all strengths.

CUMULATIVE Quantity Limit Non-Benzodiazepines

- 31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit HETLIOZ LQ

- 1 bottle (48 mL or 158 mL):** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit ZOLPIMIST

- **1 canister/31 days:** male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.
- **1 canister/62 days:** female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

SELECT CONTRACEPTIVE PRODUCTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	<ul style="list-style-type: none"> • 1 claim with the requested agent in the past 105 days
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	ANNOVERA (segesterone/ethinyl estradiol)	
NUVARING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	
	NATAZIA (estradiol valerate/dienogest)	

	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
	SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)	
	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)	
	YASMIN (ethinyl estradiol/drospirenone)	
	YAZ (ethinyl estradiol/drospirenone)	
TRANSDERMAL CONTRACEPTIVES		
TWIRLA (levonorgestrel/ethinyl estradiol)	norelgestromin/ethinyl estradiol	
XULANE (norelgestromin/ethinyl estradiol)		
ZAFEMY (norelgestromin/ethinyl estradiol)		
SICKLE CELL AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CASGEVY (exagamglogene autotemcel)	ADAKVEO (crizanlizumab- tmca)	ENDARI MANUAL PA
DROXIA (hydroxyurea)	ENDARI (glutamine)	CASGEVY MANUAL PA
hydroxyurea	HYDREA (hydroxyurea)	LYFGENIA MANUAL PA
LYFGENIA (lovotibeglogene autotemcel)	l-glutamine	
	SIKLOS (hydroxyurea)	
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
baclofen 5 mg, 10 mg, 20 mg tablet	AMRIX (cyclobenzaprine)	Quantity Limit • 84 tablets/180 days: carisoprodol
chlorzoxazone	baclofen 15 mg tablet	Non-Preferred Criteria • Documented diagnosis of an approvable indication AND • Have tried 2 different preferred agents in the past 6 months
cyclobenzaprine 5 mg, 10 mg tablet	baclofen suspension	
methocarbamol	carisoprodol	
tizanidine tablet	carisoprodol/aspirin	
	cyclobenzaprine 7.5 mg tablet	Baclofen granules, solution, and suspension • Require clinical review.

	cyclobenzaprine ER	
	DANTRIUM (dantrolene)	Carisoprodol
	dantrolene	• Documented diagnosis of acute musculoskeletal condition AND
	FEXMID (cyclobenzaprine)	• No history with meprobamate in the past 105 days AND
	FLEQSUVY (baclofen)	• History of 1 claim for cyclobenzaprine in the past 21 days
	LORZONE (chlorzoxazone)	
	LYVISPAH (baclofen)	Carisoprodol with codeine
	metaxalone	• Requires clinical review.
	NORGESIC (orphenadrine/aspirin/caffeine)	Metaxalone 640 mg and TANLOR
	NORGESIC FORTE (orphenadrine/aspirin/caffeine)	• Requires clinical review
	ONTRALFY (tizanidine)	ONTRALFY
	orphenadrine	• Requires clinical review
	orphenadrine/aspirin/caffeine	Tizanidine capsule
	ORPHENGESIC FORTE (orphenadrine/aspirin/caffeine)	• Requires clinical review
	SOMA (carisoprodol)	
	TANLOR (methocarbamol)	
	tizanidine capsule	
	ZANAFLEX (tizanidine)	

SMOKING DETERRENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NICOTINE TYPE		Minimum Age Limit • 18 years: CHANTIX Quantity Limit • 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack • 2 treatment courses/year: CHANTIX Starter Pack
nicotine gum ^{OTC}	NICOTROL INHALER CARTRIDGE	
nicotine lozenge ^{OTC}	NICOTROL NASAL SPRAY	
nicotine patch ^{OTC}		
NON-NICOTINE TYPE		
bupropion SR		
CHANTIX (varenicline)		
varenicline		

STEROIDS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOW POTENCY		Non-Preferred Criteria • Low Potency ○ Have tried 2 different preferred low potency agents in the past 6 months • Medium Potency ○ Have tried 2 different preferred medium potency agents in the past 6 months • High Potency ○ Have tried 2 different preferred high potency agents in the past 6 months • Very High Potency ○ Have tried 2 different preferred very high potency agents in the past 6 months
alclometasone	fluocinolone	
DERMA-SMOOTH-FS (fluocinolone)	hydrocortisone lotion	
desonide	HYDROXYM (hydrocortisone)	
hydrocortisone cream, ointment, solution	PROCTOCORT (hydrocortisone)	
MEDIUM POTENCY		
fluticasone	BESER (fluticasone)	Clobetasol 0.025% • Requires clinical review.
mometasone	CAPEX (fluocinolone)	
PANDEL (hydrocortisone probutate)	clocortolone	

prednicarbate cream	CLODERM (clocortolone)	
	flurandrenolide	
	fluticasone lotion	
	LOCOID (hydrocortisone butyrate)	
	prednicarbate ointment	
	SYNALAR (fluocinolone)	
HIGH POTENCY		
betamethasone dipropionate cream, lotion	amcinonide	
betamethasone dipropionate augmented	betamethasone dipropionate ointment	
betamethasone valerate	desoximetasone	
fluocinolone	diflorasone	
fluocinonide	Halcinonide	
fluocinonide-E	HALOG (halcinonide)	
triamcinolone cream, ointment, lotion	KENALOG (triamcinolone)	
	TOPICORT (desoximetasone)	
	triamcinolone spray	
VERY HIGH POTENCY		
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	clobetasol emulsion	
halobetasol	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SHORT-ACTING		
dexmethylphenidate	ADDERALL (dextroamphetamine/amphetamine)	Minimum Age Limit <ul style="list-style-type: none"> • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANAVEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXXII ER, RITALIN LA, VYVANSE, WAKIX, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil • 18 years: armodafinil, SUNOSI
dextroamphetamine	amphetamine	
dextroamphetamine/amphetamine	EVEKEO (amphetamine)	
methylphenidate tablet, solution	dextroamphetamine solution	
PROCENTRA (dextroamphetamine)	EVEKEO ODT (amphetamine)	

	FOCALIN (dexmethylphenidate)	<p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER <p>Quantity Limit Stimulants (per 31 days)</p> <ul style="list-style-type: none"> • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLIN, RITALIN, ZENZEDI • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLIN, PROCENTRA • 372 mL: QUILLIVANT XR <p>Quantity Limit Narcolepsy (per 31 days)</p> <ul style="list-style-type: none"> • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX <p>Quantity Limit Non-Stimulants (per 31 days)</p> <ul style="list-style-type: none"> • 31 tablets: atomoxetine, guanfacine ER • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension
	methamphetamine	
	METHYLIN (methylphenidate)	
	methylphenidate chewable tablet	
	RITALIN (methylphenidate)	
	ZENZEDI (dextroamphetamine)	
LONG-ACTING		
ADDERALL XR (dextroamphetamine/amphetamine)	ADZENYS XR ODT (amphetamine)	
CONCERTA (methylphenidate)	amphetamine ER ODT (generic ADZENYS XR ODT)	
dexmethylphenidate ER	APTENSIO XR (methylphenidate)	
dextroamphetamine ER	AZSTARYS (serdexmethylphenidate/dex methylphenidate)	
dextroamphetamine/amphetamine ER (generic ADDERALL XR)	COTEMPLA XR ODT (methylphenidate)	
DYANAVEL XR (amphetamine) suspension	DAYTRANA (methylphenidate)	
lisdexamfetamine	DEXEDRINE (dextroamphetamine)	
methylphenidate CD	dextroamphetamine/amphetamine ER (generic MYDAYIS ER)	
methylphenidate ER tablet	DYANAVEL XR (amphetamine) tablets	
methylphenidate LA	FOCALIN XR (dexmethylphenidate)	
QUILLICHEW ER (methylphenidate)	JORNAY PM (methylphenidate)	
QUILLIVANT XR (methylphenidate)	methylphenidate patch	
VYVANSE (lisdexamfetamine) capsules	methylphenidate ER capsule	
	MYDAYIS (dextroamphetamine/amphetamine)	
	RELEXXII (methylphenidate)	
	RITALIN LA (methylphenidate)	
	VYVANSE (lisdexamfetamine) chewable tablets	
	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		

armodafinil	NUVIGIL (armodafinil)
modafinil	PROVIGIL (modafinil)
SUNOSI (solriamfetol)	sodium oxybate
XYREM (sodium oxybate)	WAKIX (pitolisant)
	XYWAV (calcium/magnesium/potassium/sodium oxybate)
NON-STIMULANTS	
atomoxetine	INTUNIV (guanfacine)
clonidine ER (generic Kapvay only)	ONYDA XR (clonidine)
guanfacine ER	STRATTERA (atomoxetine)
QELBREE (viloxazine)	

<p>Non-Preferred Short Acting Criteria ADD/ADHD</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Short Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days <p>Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 preferred agent indicated for narcolepsy in the past 6 months OR • Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days 	<p>Non-Preferred Long Acting Criteria ADD/ADHD</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Long-Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days <p>Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 different preferred agent indicated for narcolepsy in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days
---	--

<p>Armodafinil</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression <p>Atomoxetine</p> <ul style="list-style-type: none"> • Age ≥ 21 years AND • Documented diagnosis of ADD/ADHD <p>Clonidine ER</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD <p>Guanfacine ER</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD <p>JORNAY PM</p> <ul style="list-style-type: none"> • Diagnosis of ADD/ADHD AND 	<p>QELBREE 100 mg</p> <ul style="list-style-type: none"> • Quantity of 1 per day AND • Documented diagnosis of ADD/ADHD AND • No history of a different strength of QELBREE in the past 26 days AND • 30 days of therapy with a preferred ADHD agent in the past 105 days OR • 30 days of therapy with QELBREE in the past 105 days <p>QELBREE 150 mg</p> <ul style="list-style-type: none"> • Quantity of ≤ 2 per day AND • Documented diagnosis of ADD/ADHD AND • No history of a different strength of QELBREE in the past 26 days AND • 30 days of therapy with a preferred ADHD agent in the past 105 days OR • 30 days of therapy with QELBREE in the past 105 days <p>QELBREE 200 mg</p> <ul style="list-style-type: none"> • Age 18 years and older AND • Quantity of ≤ 3 per day AND
---	--

- History of 84 days of therapy with 2 different preferred LA methylphenidate products in the past 12 months **AND**
- History of 84 days of therapy with 1 preferred non-methylphenidate LA stimulant in the past 12 months **OR**
- History of 84 days of therapy with JORNAY PM in the past 105 days

Modafinil

- Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome

ONYDA XR MANUAL PA

- Documented diagnosis of ADD/ADHD **AND**
- No history of a different strength of QELBREE in the past 26 days **AND**
- 30 days of therapy with a preferred ADHD agent in the past 105 days **OR**
- Age 6-17 years **AND**
- Quantity of <= 2 tablets per day **AND**
- Documented diagnosis of ADD/ADHD **AND**
- No history of a different strength of Qelbree in the past 26 days **AND**
- 30 days of therapy with a preferred ADHD agent in the past 105 days **OR**
- 30 days of therapy with QELBREE in the past 105 days

SUNOSI

- Documented diagnosis of narcolepsy or obstructive sleep apnea **AND**
- 30 days of therapy with preferred modafinil or armodafinil in the past 6 months

VYVANSE

- Documented diagnosis of binge eating disorder or ADD/ADHD **OR**
- 90 days of therapy with Vyvanse in the past 105 days

WAKIX

- Requires clinical review

XYREM

- Diagnosis of narcolepsy or excessive daytime sleepiness **OR**
- 30 days of therapy with this agent in the past 105 days

XYWAV

- Requires clinical review

TETRACYCLINES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
doxycycline hyclate	demeclocycline	<p>Non-Preferred Agents</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months <p>Demeclocycline</p> <ul style="list-style-type: none"> • Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval <p>ORACEA</p> <ul style="list-style-type: none"> • Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	
	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	

ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*

PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
ORAL			<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Ulcerative Colitis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>VELSIPITY</p> <ul style="list-style-type: none"> • Requires clinical review
balsalazide	AZULFIDINE (sulfasalazine)		
budesonide	DELZICOL (mesalamine)		
PENTASA (mesalamine)	DIPENTUM (olsalazine)		
sulfasalazine	LIALDA (mesalamine)		
sulfasalazine DR	mesalamine		
	mesalamine DR, mesalamine ER		
	VELSIPITY (etrasimod)		
RECTAL			
mesalamine suppository	budesonide		
	CANASA (mesalamine)		
	mesalamine enema		
	ROWASA (mesalamine)		
	SFROWASA (mesalamine)		
UREA CYCLE DISORDER AGENTS			
PREFERRED AGENTS		NON-PREFERRED AGENTS	PA CRITERIA
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)		
	carglumic acid		
	glycerol phenylbutyrate		
	OLPRUVA (sodium phenylbutyrate)		
	PHEBURANE (sodium phenylbutyrate)		
	RAVICTI (glycerol phenylbutyrate)		