

MISSISSIPPI DIVISION OF MEDICAID UNIVERSAL PREFERRED DRUG LIST

EFFECTIVE 5/1/2026
VERSION 2026_6
Updated 4/29/2026

General Preferred Drug List Information

- Gainwell Technologies DUR+ process is a proprietary electronic prior authorization system used for Medicaid pharmacy claims.
- Drug coverage subject to the rules and regulations set forth in Sec. 1927 of Social Security Act. This is not an all-inclusive list of available covered drugs and includes only managed categories. Unless otherwise stated, the listing of a particular brand or generic name includes all dosage forms of that drug. NR indicates a new drug that has not yet been reviewed by the P&T Committee.
- **PREFERRED BRANDS** will not count toward the two-brand monthly Rx Limit.
- Drugs highlighted in **yellow** denote change in PDL status.
- To search the PDL, **press CTRL + F**.

Medication Coverage Status Search Tool - [Pharmacy Drug Coverage Inquiry](#)

ACNE AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI-INFECTIVES		<p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 21 years: all acne agents except isotretinoin products <p>Topical Clindamycin 1% lotion</p> <ul style="list-style-type: none"> • 21 years and older AND • Documented diagnosis of hidradenitis suppurativa <p>Note: Isotretinoin products available for all ages Clindamycin 1% lotion only available for ages 21 years and older with approvable diagnosis Preferred clindamycin 1% lotion for ages < 21 years does not require PA</p>
clindamycin gel (generic CLEOCIN-T)	azelaic acid	
clindamycin lotion, medicated swab, solution	CLEOCIN T (clindamycin)	
erythromycin gel, solution	CLINDACIN (clindamycin)	
	clindamycin foam	
	clindamycin gel (generic CLINDAGEL)	
	dapsone	
	ERY (erythromycin)	
	ERYGEL (erythromycin)	
	EVOCLIN (clindamycin)	
	MORGIDOX (doxycycline)	
	sulfacetamide sodium suspension	
	WINLEVI (clascoterone) cream	
ISOTRETINOIN PRODUCTS		
AMNESTEEM (isotretinoin)	ABSORBICA (isotretinoin)	
CLARAVIS (isotretinoin)	isotretinoin	
ZENATANE (isotretinoin)		
KERATOLYTICS (BENZOYL PEROXIDES)		
ACNE MEDICATION (benzoyl peroxide)	BPO towelette (benzoyl peroxide)	
benzoyl peroxide		
LINTERA (benzoyl peroxide)		
RETINOIDS		
adapalene gel, gel with pump	adapalene cream	
tretinoin cream	AKLIEF (trifarotene)	
	ATRALIN (tretinoin)	
	DIFFERIN (adapalene)	
	FABIOR (tazarotene)	
	tretinoin gel	
	tretinoin microsphere	
OTHERS/COMBINATION PRODUCTS		
adapalene/benzoyl peroxide gel	CLEANSING WASH (sulfacetamide sodium/sulfur/urea) cleanser	
clindamycin/benzoyl peroxide 1%-5% gel	clindamycin phosphate/benzoyl peroxide 1.2%-2.5% gel	
clindamycin phosphate/benzoyl peroxide 1.2%-5% gel	clindamycin phosphate/tretinoin 1.2%-0.025% gel	
sodium sulfacetamide w/sulfur 8%-4%, 9%-4.25%, 10-5% suspension	clindamycin/benzoyl peroxide 1.2%-3.75% gel	

	w/pump (generic ONEXTON)	
	EPIDUO FORTE (adapalene/benzoyl peroxide) gel	
	erythromycin/benzoyl peroxide gel	
	NEUAC (benzoyl peroxide/clindamycin) cream, gel	
	sodium sulfacetamide w/sulfur 8%-4% cleanser	
	sodium sulfacetamide w/sulfur 10%-2% cream	
	sodium sulfacetamide w/sulfur 10%-5% cream, lotion	
	SSS (sodium sulfacetamide/sulfur)10-5 cream, foam	
	TWYNEO (benzoyl peroxide/tretinoin) cream	
	ZMA CLEAR (sodium sulfacetamide/sulfur) suspension	

ALPHA-1 PROTEINASE INHIBITORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ARALAST NP		
GLASSIA		
PROLASTIN C		
ZEMAIRA		

ALZHEIMER'S AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CHOLINESTERASE INHIBITORS		<p>Preferred Criteria</p> <ul style="list-style-type: none"> Documented approvable diagnosis <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Documented approvable diagnosis AND Have tried 2 different preferred agents in the past 6 months <p>NAMZARIC</p> <ul style="list-style-type: none"> Requires clinical review <p>ZUNVEYL</p> <ul style="list-style-type: none"> Requires clinical review
donepezil 5 mg, 10 mg ODT, tablets	ADLARITY (donepezil)	
galantamine	ARICEPT (donepezil)	
galantamine ER	donepezil 23 mg tablet	
rivastigmine	EXELON (rivastigmine)	
	ZUNVEYL (benzgalantamine gluconate)	
NMDA RECEPTOR ANTAGONISTS		
memantine	memantine ER	
	NAMENDA (memantine)	
	NAMENDA XR (memantine ER)	
COMBINATION AGENTS		
	NAMZARIC (memantine/donepezil)	
	memantine/donepezil ER	

ANALGESICS, OPIOID-SHORT ACTING ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acetaminophen/caffeine/dihydrocodeine	ACTIQ (fentanyl)	<p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Morphine Equivalent Daily Dose Concomitant use of Opioids and Benzodiazepines <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 18 years: codeine-containing products and tramadol-containing products <p>Quantity Limit (per 31 rolling days)</p> <ul style="list-style-type: none"> 62 tablets: butalbital/codeine combinations, codeine combinations, dihydrocodeine combinations, fentanyl, hydrocodone, hydromorphone, levorphanol, meperidine, morphine, oxycodone, oxymorphone, pentazocine, tapentadol, tramadol 186 tablets: butalbital/acetaminophen, butalbital/aspirin 5 mL: butorphanol nasal 180 mL: oxycodone liquid 280 mL: QDOLO <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months <p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Morphine Equivalent Daily Dose Concomitant use of Opioids and Benzodiazepines <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 18 years: BUTRANS and tramadol-containing products
acetaminophen/codeine	aspirin/butalbital/caffeine/codeine	
codeine	butalbital/acetaminophen/caffeine/codeine	
ENDOCET (oxycodone/acetaminophen)	butorphanol	
hydrocodone/acetaminophen	DILAUDID (hydromorphone)	
hydromorphone	fentanyl citrate	
morphine sulfate	FENTORA (fentanyl)	
oxycodone	FIORICET W/CODEINE (butalbital/acetaminophen/codeine)	
oxycodone/acetaminophen (325 mg acetaminophen formulations)	hydrocodone/ibuprofen	
tramadol 50 mg tablet	meperidine	
tramadol/acetaminophen	NALOCET (oxycodone/acetaminophen)	
	levorphanol	
	oxymorphone	
	pentazocine/naloxone	
	PERCOCET (oxycodone/acetaminophen)	
	PROLATE (oxycodone/acetaminophen)	
	ROXICODONE (oxycodone)	
	ROXYBOND (oxycodone)	
	SEGLENTIS (tramadol/celecoxib)	
	tapentadol	
	tramadol 25 mg, 75 mg, 100 mg tablet	
	tramadol solution	
	XYVONA (levorphanol) ^{NR}	
ANALGESICS, OPIOID-LONG ACTING ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BUTRANS (buprenorphine)	BELBUCA (buprenorphine)	<p>Quantity Limit (per 31 rolling days)</p> <ul style="list-style-type: none"> 31 tablets: AVINZA, hydromorphone ER, HYSINGLA ER, tramadol ER 62 tablets: methadone, morphine ER, OXYCONTIN, oxymorphone ER, ZOHYDRO ER 62 films: BELBUCA 10 patches: fentanyl 4 patches: BUTRANS <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 preferred agents in the past 6 months
fentanyl patch	buprenorphine patch	
morphine sulfate ER tablet	CONZIP (tramadol)	
	hydrocodone bitartrate ER	
	hydromorphone ER	
	HYSINGLA ER (hydrocodone)	
	methadone	
	methadone intensol	

	METHADOSE (methadone)
	morphine sulfate ER capsule
	MS CONTIN (morphine)
	oxycodone ER
	OXYCONTIN (oxycodone)
	oxymorphone ER
	tapentadol ER
	tramadol ER

ANALGESICS/ANESTHETICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
diclofenac 1%, 3% gel	DERMACINRX LIDOCAN (lidocaine)	<p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 1 bottle (112 mL): diclofenac 2% solution pump • 1 bottle (150 mL): diclofenac 1.5% solution <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 preferred agents in the past 6 months <p>Lidocaine 5% Patch</p> <ul style="list-style-type: none"> • Documented diagnosis of Herpetic Neuralgia OR • Documented diagnosis of Diabetic Neuropathy <p>ZTLIDO</p> <ul style="list-style-type: none"> • Documented diagnosis of postherpetic neuralgia OR • History of 3 claims with preferred lidocaine 5% patch in the past 6 months
lidocaine 4% cream, patch, solution	DERMACINRX LIDOGEL (lidocaine)	
lidocaine 5% cream, ointment, patch	DERMACINRX LIDOREX (lidocaine)	
lidocaine 40 mg/mL solution	diclofenac epolamine	
lidocaine/prilocaine cream	diclofenac sodium 2% solution pump	
TRIDACAINE (lidocaine) patch	DICLOGEN (diclofenac/menthol/camphor) kit	
TRIDACAINE XL (lidocaine) patch	DOLOGESIC PAIN RELIEF (lidocaine)	
ULTRA LIDO (lidocaine) cream, gel	LIDAFLEX (lidocaine)	
	lidocaine 3% cream	
	lidocaine 4% kit, liquid	
	lidocaine/hydrocortisone	
	lidocaine/prilocaine kit	
	LIDOCAN II, III, IV, V (lidocaine)	
	LIDOCORT (lidocaine/hydrocortisone)	
	LIDODERM (lidocaine)	
	LIDOTRAL (lidocaine)	
	LIXOFEN (diclofenac)	
	PENNSAID (diclofenac)	
	PLIAGLIS (lidocaine/tetracaine)	
	TRIDACAINE II, III (lidocaine) patch	
	ZTLIDO (lidocaine)	

ANDROGENIC AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
testosterone	ANDROGEL (testosterone)	<p>All Agents</p> <ul style="list-style-type: none"> • Limited to male gender <p>Non-Preferred Criteria</p>
	JATENZO (testosterone undecanoate)	
	NATESTO (testosterone)	

	TESTIM (testosterone)	<ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
	TLANDO (testosterone undecanoate)	
	VOGELXO (testosterone)	
	UNDECATREX (testosterone undecanoate)	
ANGIOTENSIN MODULATORS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN CONVERTING ENZYME (ACE) INHIBITORS		<p>EPANED</p> <ul style="list-style-type: none"> Automatic approval issued for 0-6 years of age <p>valsartan/sacubitril</p> <ul style="list-style-type: none"> Age ≥1 year and documented diagnosis of Heart Failure with Systemic Ventricular Systolic Dysfunction OR Age ≥ 18 years and documented diagnosis of Heart Failure <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> ACEIs: <ul style="list-style-type: none"> Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/CCB Combinations: <ul style="list-style-type: none"> Have tried 2 different preferred ACEI/CCB agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ACEI/Diuretic Combinations: <ul style="list-style-type: none"> Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARBs: <ul style="list-style-type: none"> Have tried 2 different preferred single entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/CCB and ARB/CCB/Diuretic Combinations: <ul style="list-style-type: none"> Have tried 1 preferred ARB/CCB agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days ARB/Diuretic Combinations: <ul style="list-style-type: none"> Have tried 2 different preferred ARB/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitors: <ul style="list-style-type: none"> Documented diagnosis of Hypertension AND Have tried 2 different preferred ACEI or ARB single-entity agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Direct Renin Inhibitor Combinations: <ul style="list-style-type: none"> Documented diagnosis of Hypertension AND Have tried 2 different preferred ACEI or ARB diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days Have tried 2 different preferred ACEI/Diuretic agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
ACE INHIBITOR (ACEI) COMBINATIONS		
benazepril/amlodipine	ACCURETIC (quinapril/hydrochlorothiazide)	
benazepril/hydrochlorothiazide	LOTENSIN HCT (benazepril/hydrochlorothiazide)	
captopril/hydrochlorothiazide	LOTREL (benazepril/amlodipine)	
enalapril/hydrochlorothiazide	ZESTORETIC (lisinopril/hydrochlorothiazide)	
fosinopril/hydrochlorothiazide		
lisinopril/hydrochlorothiazide		
quinapril/hydrochlorothiazide		
trandolapril/verapamil ER		
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)		
irbesartan	ATACAND (candesartan)	
losartan	azilsartan	
olmesartan	AVAPRO (irbesartan)	
telmisartan	BENICAR (olmesartan)	
valsartan tablet	candesartan	
	COZAAR (losartan)	
	EDARBI (azilsartan)	
	eprosartan	
	MICARDIS (telmisartan)	
	valsartan solution	
ARB COMBINATIONS		

irbesartan/hydrochlorothiazide	ATACAND HCT (candesartan/hydrochlorothiazide)	
losartan/hydrochlorothiazide	AVALIDE (irbesartan/hydrochlorothiazide)	
olmesartan/amlodipine	AZOR (olmesartan/hydrochlorothiazide)	
olmesartan/amlodipine/hydrochlorothiazide	BENICAR HCT (olmesartan/hydrochlorothiazide)	
olmesartan/hydrochlorothiazide	candesartan/hydrochlorothiazide	
telmisartan/hydrochlorothiazide	DIOVAN-HCT (valsartan/hydrochlorothiazide)	
valsartan/amlodipine	EDARBYCLOR (azilsartan/chlorthalidone)	
valsartan/hydrochlorothiazide	ENTRESTO (valsartan/sacubitril)	
valsartan/sacubitril ^{DUR+}	EXFORGE (valsartan/amlodipine)	
	EXFORGE HCT (valsartan/amlodipine/hydrochlorothiazide)	
	telmisartan/amlodipine	
	TRIBENZOR (olmesartan/amlodipine/hydrochlorothiazide)	
	valsartan/amlodipine/hydrochlorothiazide	
	WIDAPLIK (telmisartan/amlodipine/indapamide)	
DIRECT RENIN INHIBITORS		
	aliskiren	
	TEKTURNA (aliskiren)	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURNA HCT (aliskiren/hydrochlorothiazide)	
ANTIBIOTICS (GI) & RELATED AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole tablet	AEMCOLO (rifamycin)	
neomycin	DIFICID (fidaxomicin)	
tinidazole	FIRVANQ (vancomycin)	
vancomycin capsule, oral solution	FLAGYL (metronidazole)	
	LIKMEZ (metronidazole)	
	metronidazole 125 mg tablet, 375 mg capsule	
	nitazoxanide	

	paromomycin	
	REBYOTA (fecal microbiota, live-jslm)	
	VANCOCIN (vancomycin)	
	VOWST (fecal microbiota spore, live-brpk)	

ANTIBIOTICS (MISCELLANEOUS)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LINCOSAMIDE ANTIBIOTICS		Quantity Limit • 6 tablets/month: SIVEXTRO SIVEXTRO MANUAL PA
clindamycin	CLEOCIN (clindamycin)	
	CELOCIN PEDIATRIC (clindamycin)	
MACROLIDES		
azithromycin	E.E.S. (erythromycin ethylsuccinate) suspension	
clarithromycin	ERYPED (erythromycin ethylsuccinate) suspension	
clarithromycin ER	ERYTHROCIN (erythromycin stearate)	
E.E.S. (erythromycin ethylsuccinate) 400mg tablet	ZITHROMAX (azithromycin)	
ERY-TAB (erythromycin)		
erythromycin		
erythromycin ethylsuccinate		
NITROFURANTOIN DERIVATIVES		
nitrofurantoin capsule	FURADANTIN (nitrofurantoin) suspension	
nitrofurantoin monohydrate macrocrystals	MACROBID (nitrofurantoin monohydrate macrocrystals) nitrofurantoin suspension	
OXAZOLIDINONES		
linezolid tablet	linezolid suspension	
	SIVEXTRO (tedizolid)	
	ZYVOX (linezolid)	

ANTIBIOTICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
bacitracin ^{OTC}	CENTANY (mupirocin)	
bacitracin/polymyxin ^{OTC}	CENTANY AT (mupirocin)	
gentamicin sulfate	mupirocin cream	
mupirocin ointment	XEPI (ozenoxacin)	
neomycin/bacitracin/polymyxin ^{OTC}		

ANTIBIOTICS (VAGINAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLEOCIN (clindamycin)	clindamycin phosphate	
NUVESSA (metronidazole)	CLINDESSE (clindamycin)	

	SOLOSEC (secnidazole)	
	XACIATO (clindamycin)	
ANTICOAGULANTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOW MOLECULAR WEIGHT HEPARIN (LMWH)		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • LMWH: <ul style="list-style-type: none"> ○ Have tried 1 preferred agent in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Oral: <ul style="list-style-type: none"> ○ Have tried 2 different preferred oral agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days <p>XARELTO Dose Pack</p> <ul style="list-style-type: none"> • Requires clinical review
enoxaparin	ARIXTRA (fondaparinux)	
	fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	
ORAL		
dabigatran	PRADAXA (dabigatran)	
ELIQUIS (apixaban)	rivaroxaban	
ELIQUIS SPRINKLE (apixaban)	SAVAYSA (edoxaban)	
JANTOVEN (warfarin)	XARELTO (rivaroxaban) dose pack	
warfarin		
XARELTO (rivaroxaban) tablet, suspension		
ANTICONVULSANTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADJUVANTS		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 6 months: DIACOMIT • 1 year: BANZEL, EPIDIOLEX • 2 years: ONFI, SYMPAZAN, SUBVENITE, VALTOCO • 12 years: NAYZILAM <p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 2 years: VIGAFYDE <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 twin packs: DIASTAT • 2 packages: NAYZILAM • 5 blister packs: VALTOCO <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days <p>BANZEL, ONFI, and SYMPAZAN</p> <ul style="list-style-type: none"> • Documented diagnosis of Lennox-Gastaut Syndrome and have tried 1 preferred agent for Lennox-Gastaut Syndrome in the past 6 months OR • Documented diagnosis of Seizure AND 90 days of therapy with the requested agent in the past 105 days <p>DIACOMIT</p> <ul style="list-style-type: none"> • Documented diagnosis of Dravet Syndrome AND
carbamazepine	APTIOM (eslicarbazepine acetate)	
carbamazepine ER 12-hour capsule	BANZEL (rufinamide)	
DEPAKOTE ER (divalproex)	brivaracetam	
DEPAKOTE SPRINKLE (divalproex)	BRIVIACT (brivaracetam)	
divalproex	carbamazepine ER 12-hour tablet	
divalproex ER	CARBATROL (carbamazepine)	
divalproex sprinkle	DEPAKOTE (divalproex)	
EPIDIOLEX (cannabidiol)	DIACOMIT (stiripentol)	
lacosamide	ELEPSIA XR (levetiracetam)	
lamotrigine	EPRONTIA (topiramate)	
lamotrigine blue, green, orange dose pack	EQUETRO (carbamazepine)	
levetiracetam	eslicarbazepine	
levetiracetam ER	felbamate	
oxcarbazepine tablet	FELBATOL (felbamate)	
tiagabine	FINTEPLA (fenfluramine)	
topiramate	FYCOMPA (perampanel)	
topiramate sprinkle 15, 25 mg (generic Topamax)	KEPPRA (levetiracetam)	

TRILEPTAL (oxcarbazepine) suspension	KEPPRA XR (levetiracetam)	<ul style="list-style-type: none"> • 1 claim for clobazam in the past 30 days
valproic acid	LAMICTAL (lamotrigine)	EPIDIOLEX <ul style="list-style-type: none"> • Documented diagnosis of Dravet Syndrome, Lennox-Gastaut Syndrome, or Seizures associated with Tuberous Sclerosis Complex OR • 1 claim for EPIDIOLEX in the past 30 days
zonisamide	LAMICTAL XR (lamotrigine)	
	lamotrigine ER	FINTEPLA <ul style="list-style-type: none"> • Requires clinical review
	lamotrigine ODT	
	lamotrigine ODT blue, green, orange dose pack	SABRIL Powder for Oral Solution <ul style="list-style-type: none"> • Documented diagnosis of Infantile Spasms OR • Have tried 2 different preferred agents in the past 6 months OR • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days
	MOTPOLY XR (lacosamide)	
	oxcarbazepine suspension	TOPIRAMATE ER <ul style="list-style-type: none"> • Documented diagnosis of Seizure AND • 90 days of therapy with the requested agent in the past 105 days OR • 30 days of therapy with topiramate IR in the past 6 months
	oxcarbazepine ER	
	OXTELLAR XR (oxcarbazepine)	VIGAFYDE <ul style="list-style-type: none"> • Age ≤ 2 years AND • Documented diagnosis of infantile spasms
	perampanel ^{NR}	
	QUDEXY XR (topiramate)	XCOPRI <ul style="list-style-type: none"> • Age ≥ 18 years
	ROWEEPRA (levetiracetam)	
	rufinamide	
	SABRIL (vigabatrin)	
	SPRITAM (levetiracetam)	
	SUBVENITE (lamotrigine)	
	SUBVENITE (lamotrigine) blue, green, orange dose pack	
	TEGRETOL (carbamazepine)	
	TEGRETOL XR (carbamazepine)	
	TOPAMAX TABLET (topiramate)	
	TOPAMAX SPRINKLE (topiramate)	
	topiramate ER capsule (generic Trokendi XR)	
	topiramate ER sprinkle capsule (generic Qudexy XR)	
	topiramate sprinkle 50 mg	
	TRILEPTAL (oxcarbazepine) tablet	
	TROKENDI XR (topiramate)	
	vigabatrin	
	VIGADRONE (vigabatrin)	
	VIGAFYDE (vigabatrin)	
	VIGPODER (vigabatrin)	
	VIMPAT (lacosamide)	
	XCOPRI (cenobamate)	
	ZONISADE (zonisamide) suspension	
	ZTALMY (ganaxolone)	
HYDANTOINS		
DILANTIN (phenytoin)		
DILANTIN-125 (phenytoin)		
PHENYTEK (phenytoin)		
phenytoin		

phenytoin ER	
SELECTED BENZODIAZEPINES	
clobazam	DIASTAT (diazepam) rectal gel
diazepam rectal gel	LIBERVANT (diazepam)
NAYZILAM (midazolam)	ONFI (clobazam)
VALTOCO (diazepam)	SYMPAZAN (clobazam)
SUCCINIMIDES	
ethosuximide	CELONTIN (methsuximide)
	methsuximide
	ZARONTIN (ethosuximide)

ANTIDEPRESSANTS, OTHER ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
bupropion	AUVELITY (bupropion/dextromethorphan)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: all agents <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>AUVELITY</p> <ul style="list-style-type: none"> • 90 days of therapy with the requested agent in the past 105 days OR • Have tried preferred bupropion for 60 days in the past 6 months AND • Have tried another preferred agent that is not bupropion for 60 days in the past 6 months <p>DRIZALMA SPRINKLE</p> <ul style="list-style-type: none"> • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-11 years of age <p>duloxetine 20 mg, 30 mg, 60 mg DR capsule</p> <ul style="list-style-type: none"> • Automatic approval issued with a diagnosis of Generalized Anxiety Disorder for 7-17 years of age OR • 90 days of therapy with the requested agent in the past 105 days <p>EXXUA</p> <ul style="list-style-type: none"> • Documented diagnosis of unipolar major depressive disorder AND • Have tried 2 different preferred agents in the past 6 months OR • Have tried 1 preferred agent and 1 SSRI in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>RALDESY</p> <ul style="list-style-type: none"> • Requires clinical review <p>ZURZUVAE MANUAL PA</p>
bupropion SR	CYMBALTA (duloxetine)	
bupropion XL	desvenlafaxine ER	
duloxetine 20 mg, 30 mg, 60 mg DR capsule	DESYREL (trazodone)	
mirtazapine	DRIZALMA SPRINKLE (duloxetine DR)	
trazodone	duloxetine 40 mg DR capsule	
TRINTELLIX (vortioxetine)	EFFEXOR XR (venlafaxine)	
venlafaxine	EMSAM (selegiline)	
venlafaxine HCl ER	EXXUA (gepirone hcl)	
vilazodone	FETZIMA (levomilnacipran)	
	FORFIVO XL (bupropion)	
	MARPLAN (isocarboxazid)	
	NARDIL (phenelzine)	
	nefazodone	
	phenelzine	
	PRISTIQ (desvenlafaxine)	
	REMERON (mirtazapine)	
	tranylcypromine	
	Trazodone solution	
	venlafaxine besylate ER	
	VIIBRYD (vilazodone)	
	WELLBUTRIN SR (bupropion)	
	ZURZUVAE (zuranolone)	

ANTIDEPRESSANTS, SSRIs ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
citalopram solution, tablet	CELEXA (citalopram)	

escitalopram solution, tablet	citalopram capsule	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 6 years: ZOLOFT • 7 years: LEXAPRO, PROZAC • 8 years: fluvoxamine • 18 years: CELEXA, LUVOX CR, PAXIL, PROZAC 90 mg <p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 60 years CELEXA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
fluoxetine capsule, solution	escitalopram capsule	
fluvoxamine	fluoxetine tablet	
paroxetine tablet	fluoxetine DR capsule	
paroxetine CR	fluvoxamine ER capsule	
paroxetine ER	LEXAPRO (escitalopram)	
sertraline tablet, solution	paroxetine suspension, capsule	
	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PROZAC (fluoxetine)	
	sertraline capsule	
	ZOLOFT (sertraline)	

ANTIEMETICS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5HT3 RECEPTOR BLOCKERS		
ondansetron solution, tablet	ANZIMET (dolasetron)	<p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 6 tablets: AKYNZEO • 100 mL: ZOFRAN solution <p>Non-Preferred Agents</p> <ul style="list-style-type: none"> • Have tried 1 preferred agent in the past 6 months <p>AKYNZEO MANUAL PA</p> <p>NEREUS</p> <ul style="list-style-type: none"> • Requires clinical review <p>Note: Injectables in this class are closed to point of sale. PA required if not administered in clinic/hospital.</p>
ondansetron ODT 4 mg, 8 mg	granisetron	
	ondansetron ODT 16 mg tablet	
	SANCUSO (granisetron)	
ANTIEMETIC COMBINATIONS		
DICLEGIS (doxylamine/pyridoxine)	AKYNZEO (netupitant/palonosetron)	
	BONJESTA (doxylamine/pyridoxine)	
	doxylamine/pyridoxine	
CANNABINOIDS		
	dronabinol	
	MARINOL (dronabinol)	
NMDA RECEPTOR ANTAGONISTS		
aprepitant	EMEND (aprepitant)	
	NEREUS (tradipitant) ^{NR}	

ANTIFUNGALS (ORAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
clotrimazole	BREXAFEMME (ibrexafungerp)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: CRESEMBA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months <p>HIV Opportunistic Infection</p> <ul style="list-style-type: none"> • Non-Preferred agent indicated for treatment (^) AND • Documented diagnosis of HIV <p>CRESEMBA MANUAL PA</p> <p>griseofulvin suspension</p>
fluconazole	CRESEMBA (isavuconazonium sulfate)	
nystatin	DIFLUCAN (fluconazole)	
terbinafine	flucytosine [^]	
	FULVICIN P-G (griseofulvin ultramicrosize)	
	griseofulvin	
	griseofulvin ultramicrosize	
	itraconazole [^]	
	ketoconazole	
	NOXAFIL (posaconazole)	

	ORAVIG (miconazole) posaconazole [^]	<ul style="list-style-type: none"> Automatic approval issued for 0-11 years of age
	SPORANOX (itraconazole)	griseofulvin tablets
	TOLSURA (itraconazole)	<ul style="list-style-type: none"> Automatic approval issued for 12-17 years of age
	VFEND (voriconazole)	
	VIVJOA (oteseconazole) voriconazole [^]	FULVICIN P-G, SPORANOX <ul style="list-style-type: none"> Requires clinical review

ANTIFUNGALS (TOPICAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS		Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
ciclopirox cream, gel, solution, suspension	BENSAL HP (salicylic acid)	LASOLEX, clotrimazole 30 mL solution <ul style="list-style-type: none"> Require clinical review
clotrimazole cream, solution ^{Rx & OTC}	CILODAN (ciclopirox)	
econazole	ciclopirox shampoo	
ketoconazole cream, shampoo	clotrimazole solution (NDCs 50228-0502-61, 82568-0036-06)	
miconazole cream, powder, solution ^{OTC}	EXTINA (ketoconazole)	
nystatin cream, ointment, powder	ketoconazole foam	
terbinafine ^{OTC}	KETODAN (ketoconazole)	
tolnaftate cream, powder ^{OTC}	LASOLEX (clotrimazole) ^{OTC}	
tavaborole	LOPROX (ciclopirox)	
	luliconazole	
	miconazole/zinc oxide/petrolatum ointment	
	MICOTRIN AC (clotrimazole)	
	MICOTRIN AP (miconazole nitrate powder)	
	MYCOZYL AC (clotrimazole)	
	MYCOZYL AP (miconazole)	
	naftifine	
	NAFTIN (naftifine)	
	oxiconazole	
	OXISTAT (oxiconazole)	
	VOTRIZA-AL (clotrimazole)	
	VUSION (miconazole/zinc oxide/petrolatum)	
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion	
nystatin/triamcinolone		

ANTIFUNGALS (VAGINAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

3-DAY VAGINAL CREAM (clotrimazole) ^{OTC}	GYNAZOLE 1 (butoconazole)	
clotrimazole cream ^{OTC}	miconazole 3 kit ^{OTC}	
clotrimazole-3 cream	terconazole suppository	
miconazole 1 ^{OTC}		
miconazole 3 combo pack ^{OTC} , cream ^{OTC} , suppository		
miconazole 7 ^{OTC}		
terconazole cream		
ANTIHISTAMINES, MINIMALLY SEDATING AND COMBINATIONS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MINIMALLY SEDATING ANTIHISTAMINES		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Documented diagnosis of Allergy or Urticaria AND Have tried 2 different preferred agents in the past 12 months <p>Quantity Limit</p> <ul style="list-style-type: none"> 118 mL: desloratadine solution <p>DESLORATADINE SOLUTION</p> <ul style="list-style-type: none"> Requires clinical review
cetirizine capsule, solution, tablet ^{OTC}	cetirizine chewable tablet ^{OTC}	
loratadine chewable tablet, ODT, solution, tablet ^{OTC}	CLARINEX (desloratadine)	
	desloratadine	
	levocetirizine	
MINIMALLY SEDATING ANTIHISTAMINE/DECONGESTANT COMBINATIONS		
cetirizine/pseudoephedrine	CLARINEX-D 12 HOUR (desloratadine/pseudoephedrine)	
loratadine/pseudoephedrine ^{OTC}		
ANTIMIGRAINE AGENTS, ACUTE TREATMENT		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CGRP ORAL AND NASAL		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> 6 years: MAXALT 12 years: almotriptan, sumatriptan/naproxen, ZOMIG nasal spray 18 years: FROVA, IMITREX, naratriptan, NURTEC ODT, RELPAX, REYVOW, SYMBRAVO, TOSYMRA, UBRELVY, ZEMBRACE, ZOMIG tablets <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> ORAL <ul style="list-style-type: none"> 4 tablets: REYVOW 50 mg 6 tablets: almotriptan, RELPAX, ZOMIG 8 tablets: NURTEC ODT, REYVOW 100 mg 9 tablets: naratriptan, FROVA, IMITREX, sumatriptan/naproxen, SYMBRAVO 12 tablets: MAXALT 16 tablets: UBRELVY NASAL <ul style="list-style-type: none"> 1 box: all agents <p>CUMULATIVE Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> INJECTABLES <ul style="list-style-type: none"> 4 injections: all agents <p>Non-Preferred Criteria</p>
NURTEC ODT (rimegepant)	ZAVZPRET (zavegepant)	
UBRELVY (ubrogepant)		
INJECTABLES		
sumatriptan pen injector, vial	IMITREX (sumatriptan)	
	sumatriptan cartridge	
	ZEMBRACE SYMTOUCH (sumatriptan)	
NASAL		
sumatriptan spray	IMITREX (sumatriptan)	
zolmitriptan spray	TOSYMRA (sumatriptan)	
	ZOMIG (zolmitriptan)	
TRIPTANS AND RELATED AGENTS (ORAL) ^{DUR+}		
naratriptan	almotriptan	
rizatriptan	eletriptan	
sumatriptan	FROVA (frovatriptan)	
zolmitriptan	frovatriptan	
zolmitriptan ODT	IMITREX (sumatriptan)	

	MAXALT (rizatriptan)	<ul style="list-style-type: none"> • ORAL <ul style="list-style-type: none"> ○ Have tried 2 preferred oral agents in the past 90 days • NASAL <ul style="list-style-type: none"> ○ Requires clinical review • INJECTABLES <ul style="list-style-type: none"> ○ Requires clinical review <p>Almotriptan and sumatriptan/naproxen</p> <ul style="list-style-type: none"> • Automatic approval for 12-17 years of age <p>NURTEC ODT and UBRELVY MANUAL PA</p> <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • No concurrent therapy with another CGRP agent or strong CYP3A4 inhibitor <p>REYVOW</p> <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 90 days AND • Have tried preferred NURTEC ODT in the past 90 days <p>SYMBRAVO</p> <ul style="list-style-type: none"> • Requires clinical review <p>ZAVZPRET MANUAL PA</p> <ul style="list-style-type: none"> • Documented diagnosis of Migraine AND • Have tried 2 different triptans in the past 6 months AND • Have tried both NURTEC ODT and UBRELVY in the past 6 months AND • No concurrent therapy with another CGRP AGENT
	MAXALT MLT (rizatriptan)	
	RELPAX (eletriptan)	
	REYVOW (lasmiditan)	
	sumatriptan/naproxen	
	SYMBRAVO (rizatriptan benzoate/meloxicam)	
	ZOMIG (zolmitriptan)	

ANTIMIGRAINE AGENTS, PROPHYLAXIS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLES		<p>Preferred Injectables</p> <ul style="list-style-type: none"> • History of 3 claims with the requested agent in the past 105 days OR • New starts require manual PA (see criteria below) • AJOVY Autoinjector 3 Pack requires clinical review <p>Non-preferred Injectables</p> <ul style="list-style-type: none"> • Requires clinical review <p>Quantity Limit</p> <ul style="list-style-type: none"> • 4.5 mL (per 90 days): AJOVY Autoinjector 3 Pack <p>AIMOVIG, AJOVY (except Autoinjector 3 Pack), EMGALITY, NURTEC ODT, and QULIPTA MANUAL PA</p> <p>VYEPTI MANUAL PA</p>
AIMOVIG Autoinjector (erenumab-aooe) ^{DUR+}	EMGALITY Syringe (galcanezumab-gnlm) 300 mg/mL	
AJOVY Autoinjector (fremanezumab-vfrm) ^{DUR+}	VYEPTI (eptinezumab-jjmr)	
AJOVY Syringe (fremanezumab-vfrm) ^{DUR+}		
EMGALITY Pen (galcanezumab-gnlm) ^{DUR+}		
EMGALITY Syringe (galcanezumab-gnlm) 120 mg/mL ^{DUR+}		
ORAL		
	QULIPTA (atogepant)	
	NURTEC ODT (rimegepant)	

ANTINEOPLASTICS SELECTED SYSTEMIC ENZYME INHIBITORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

BOSULIF (bosutinib) tablet	AFINITOR (everolimus)
CAPRESLA (vandetanib)	AFINITOR DISPERZ (everolimus)
COMETRIQ (cabozantinib)	AKEEGA (niraparib/abiraterone)
COTELLIC (cobimetinib)	ALECENSA (alectinib)
everolimus	ALUNBRIG (brigatinib)
GILOTRIF (afatinib)	AUGTYRO (repotrectinib)
IBTROZI (taletrectinib)	AYVAKIT (avapritinib)
ICLUSIG (ponatinib)	BALVERSA (erdafitinib)
imatinib	BOSULIF (bosutinib) capsule
IMBRUVICA (ibrutinib)	BRAFTOVI (encorafenib)
INLYTA (axitinib)	BRUKINSA (zanubrutinib)
IRESSA (gefitinib)	CABOMETYX (cabozantinib)
JAKAFI (ruxolitinib)	CALQUENCE (acalabrutinib)
MEKINIST (trametinib)	COPIKTRA (duvelisib)
NEXAVAR (sorafenib)	DANZITEN (nilotinib)
ROZLYTREK (entrectinib)	dasatinib
SPRYCEL (dasatinib)	DAURISMO (glasdegib)
STIVARGA (regorafenib)	ENSACOVE (ensartinib hydrochloride) ^{NR}
SUTENT (sunitinib)	ERIVEDGE (vismodegib)
TAFINLAR (dabrafenib)	ERLEADA (apalutamide)
TARCEVA (erlotinib)	erlotinib
TASIGNA (nilotinib)	FOTIVDA (tivozanib)
TURALIO (pexidartinib)	FRUZAQIA (fruquintinib)
TYKERB (lapatinib)	GAVRETO (pralsetinib)
VOTRIENT (pazopanib)	gefitinib
XALKORI (crizotinib)	GLEEVEC (imatinib)
XTANDI (enzalutamide)	HERNEXEOS (zongertinib)
ZELBORAF (vemurafenib)	HYRNUJO (sevabertinib)
ZYDELIG (idelalisib)	IBRANCE (palbociclib)
ZYKADIA (ceritinib)	IDHIFA (enasidenib)
	IMKELDI (imatinib)
	INLURIYO (imlunestrant tosylate)
	INQOVI (decitabine/cedazuridine)
	INREBIC (fedratinib)
	ITOVEBI (inavolisib)
	IWILFIN (eflornithine)
	JAYPIRCA (pirtobrutinib)
	KISQALI (ribociclib)
	KISQALI-FEMARA CO-PACK (ribociclib/letrozole)
	KOMZIFTI (ziftomenib) ^{NR}
	KOSELUGO (selumetinib sulfate)
	KRAZATI (adagrasib)
	lapatinib
	LAZCLUZE (lazertinib)
	LENVIMA (lenvatinib)

FARYDAK MANUAL PA

LYNPARZA Tablets MANUAL PA

	LIFYORLI (relacorilant) ^{NR}
	LOBRENA (lorlatinib)
	LUMAKRAS (sotorasib)
	LYNPARZA (olaparib)
	LYTGOBI (futibatinib)
	MEKTOVI (binimetinib)
	MODEYSO (dordaviprone)
	NERLYNX (neratinib)
	nilotinib
	NUBEQA (darolutamide)
	ODOMZO (sonidegib)
	OGSIVEO (nirogacestat)
	OJEMDA (tovorafenib)
	OJJAARA (momelotinib)
	ONUREG (azacitidine)
	ORGOVYX (relugolix)
	ORSERDU (elacestrant)
	pazopanib
	PEMAZYRE (pemigatinib)
	PIQRAY (alpelisib)
	QINLOCK (ripretinib)
	RETEVMO (selpercatinib)
	REVUFORJ (revumenib)
	REZLIDHIA (olutasidenib)
	RUBRACA (rucaparib)
	RYDAPT (midostaurin)
	SCSEMBLIX (asciminib)
	sorafenib
	sunitinib
	TABRECTA (capmatinib)
	TAGRISO (osimertinib)
	TALZENNA (talazoparib)
	TAZVERIK (tazemetostat)
	TEPMETKO (tepotinib)
	TIBSOVO (ivosidenib)
	TORPENZ (everolimus)
	TRUQAP (capivasertib)
	TUKYSA (tucatinib)
	VANFLYTA (quizartinib)
	VERZENIO (abemaciclib)
	VITRAKVI (larotrectinib)
	VIZIMPRO (dacomitinib)
	VONJO (pacritinib)
	VORANIGO (vorasidenib)
	WELIREG (belzutifan)
	XOSPATA (gilteritinib)
	XPOVIO (selinexor)
	ZEJULA (niraparib)

ANTIOBESITY SELECT AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SAXENDA (liraglutide)	liraglutide	All agents MANUAL PA required

WEGOVY (semaglutide) ^{DUR+}	orlistat	WEGOVY <ul style="list-style-type: none"> Submission of a manual PA and clinical review may be required when DUR+ electronic PA criteria are not met. Reauthorization after 12 months requires submission of a manual PA to confirm continued appropriateness of therapy.
	XENICAL (orlistat)	
ANTIPARASITICS (TOPICAL) ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PEDICULICIDES		Minimum Age Limit <ul style="list-style-type: none"> 2 months: permethrin 1% (OTC), permethrin 5% 6 months: NATROBA, SKLICE 2 years: piperonyl/pyrethrins (OTC) 4 years: NATROBA 6 years: OVIDE 18 years: EURAX Non-Preferred Criteria <ul style="list-style-type: none"> Pediculicides <ul style="list-style-type: none"> Have tried 2 preferred topical lice agents in the past 90 days Scabicides <ul style="list-style-type: none"> Have tried permethrin 5% in the past 90 days
permethrin 1% cream ^{OTC}	lindane	
spinosad	NATROBA (spinosad)	
VANALICE (piperonyl butoxide/pyrethrins)	malathion	
	OVIDE (malathion)	
	SKLICE (ivermectin)	
SCABICIDES		
ivermectin	CROTAN (crotamiton)	
permethrin 5% cream	ELIMITE (permethrin)	
	EURAX (crotamiton)	
	STROMEKTOL (ivermectin)	
ANTIPARKINSON'S AGENTS (INJECTABLE)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VYALEV (foscabadopa/foslevodopa)	VYALEV <ul style="list-style-type: none"> Requires clinical review
ANTIPARKINSON'S AGENTS (ORAL) ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS		Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of Parkinson's disease AND Have tried 2 different preferred agents in the past 6 months OR 90 days of therapy with a selegiline agent in the past 105 days GOCOVRI <ul style="list-style-type: none"> Documented diagnosis of Parkinson's disease AND 30 days of therapy with amantadine IR in the past 105 days AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days INBRIJA <ul style="list-style-type: none"> Documented diagnosis of Parkinson's disease AND 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days NOURIANZ <ul style="list-style-type: none"> Documented diagnosis of Parkinson's Disease AND Have tried 1 preferred carbidopa/levodopa combination agent in the past 30 days AND 30 days of therapy with a preferred adjunctive therapy in the past 45 days XADAGO <ul style="list-style-type: none"> Documented diagnosis of Parkinson's Disease AND History of 30 days of therapy with a carbidopa/levodopa combination agent in the past 45 days AND History of 30 days of therapy with a selegiline agent the in past 45 days
benztropine		
trihexyphenidyl		
COMT INHIBITORS		
entacapone	OGENTYS (opicapone)	
DOPAMINE AGONISTS		
pramipexole	NEUPRO (rotigotine)	
ropinirole	pramipexole ER	
	ropinirole ER	
MAO-B INHIBITORS		
selegiline	AZILECT (rasagiline)	
	rasagiline	
	XADAGO (safinamide)	
OTHERS		
amantadine	bromocriptine capsule	
bromocriptine tablet	carbidopa	
carbidopa/levodopa ER tablet	carbidopa/levodopa ER capsule	
carbidopa/levodopa tablet	carbidopa/levodopa ODT	
	carbidopa/levodopa/entacapone	

	CREXONT (carbidopa/levodopa)	
	DHIVY (carbidopa/levodopa)	
	DUOPA (carbidopa/levodopa)	
	GOCOVRI (amantadine)	
	INBRIJA (levodopa)	
	NOURIANZ (istradefylline)	
	OSMOLEX ER (amantadine)	
	RYTARY (carbidopa/levodopa)	
	SINEMET (carbidopa/levodopa)	
	STALEVO (carbidopa/levodopa/entacapon)	

ANTIPSORIATICS (TOPICAL)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcipotriene cream	calcipotriene foam, ointment, solution	
ENSTILAR (calcipotriene/betamethasone)	calcipotriene/betamethasone	
TACLONEX (calcipotriene/betamethasone)	calcitriol ointment	
	SORILUX (calcipotriene)	
	tazarotene	
	VECTICAL (calcitriol)	
	VTAMA (tapinarof)	
	ZORYVE (roflumilast)	

ANTIPSYCHOTICS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLE, ATYPICALS ^{DUR+}		
ABILIFY ASIMTUFII (aripiprazole)	ERZOFRI (paliperidone palmitate)	<p>Concurrent Therapy Limit for Age < 18 years</p> <ul style="list-style-type: none"> 90 days with ≥ 2 agents in the last 120 days will require a MANUAL PA <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 3 years: HALDOL 5 years: RISPERDAL, thioridazine 6 years: ABILIFY, trifluoperazine 10 years: LATUDA, SAPHRIS, SEROQUEL, SYMBYAX, VRAYLAR (0.5, 0.75, 1.5, 3, 4.5 mg) 12 years: INVEGA, molindone, perphenazine, pimozide, thiothixene 13 years: REXULTI, ZYPREXA 18 years: ABILIFY MYCITE, CAPLYTA, CLOZARIL, COBENFY, FANAPT, fluphenazine, GEODON, loxapine, LYBALVI, NUPLAZID, perphenazine/amitriptyline, SECUADO, VRAYLAR 6 mg, and all injectable agents <p>Quantity Limit</p> <ul style="list-style-type: none"> 3 syringes/year: ARISTADA INITIO <p>Non-Preferred Criteria Oral Atypical Agents (unless specified below)</p>
ABILIFY MAINTENA (aripiprazole)	GEODON (ziprasidone)	
ARISTADA, ARISTADA INITIO (aripiprazole lauroxil)	olanzapine	
INVEGA HAFYERA (paliperidone)	risperidone ER	
INVEGA SUSTENNA (paliperidone palmitate)	RYKINDO (risperidone)	
INVEGA TRINZA (paliperidone)	ziprasidone	
PERSERIS (risperidone)	ZYPREXA (olanzapine)	
RISPERIDAL CONSTA (risperidone)	ZYPREXA RELPREVV (olanzapine)	

UZEDY (risperidone)		<ul style="list-style-type: none"> • Have tried 2 preferred agents in the past 12 months OR • 30 days of therapy with the requested agent in the past 180 days
ORAL^{DUR+}		
aripiprazole tablet	ABILIFY (aripiprazole)	
asenapine	ABILIFY MYCITE (aripiprazole)	ARISTADA INTIO, ARISTADA ER, INVEGA SUSTENNA, INVEGA TRINZA and PERSERIS
clozapine tablet	ADASUVE (lozapine)	<ul style="list-style-type: none"> • Documented diagnosis of schizophrenia or schizoaffective disorder
fluphenazine	aripiprazole ODT, solution	ABILIFY MAINTENA, ABILIFY ASIMTUFII, RISPERDAL CONSTA, or UZEDY
haloperidol	CAPLYTA (lumateperone)	<ul style="list-style-type: none"> • Documented diagnosis of schizophrenia, schizoaffective disorder or bipolar disorder
haloperidol lactate	chlorpromazine	
lurasidone	clozapine ODT	CAPLYTA
olanzapine	CLOZARIL (clozapine)	<ul style="list-style-type: none"> • 30 days of therapy with the requested agent in the past 105 days
perphenazine	COBENFY (xanomeline/trospium)	OR
perphenazine/amitriptyline	FANAPT (iloperidone)	<ul style="list-style-type: none"> • Documented diagnosis of Bipolar II Depression
quetiapine	GEODON (ziprasidone)	OR
quetiapine ER	IGALMI (dexmedetomidine)	<ul style="list-style-type: none"> • Documented diagnosis of Bipolar I Depression AND
risperidone	INVEGA (paliperidone)	<ul style="list-style-type: none"> • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
thioridazine	LATUDA (lurasidone)	OR
trifluoperazine	LYBALVI (olanzapine/samidorphan)	<ul style="list-style-type: none"> • Documented diagnosis of Major Depressive Disorder AND
ziprasidone	molindone	<ul style="list-style-type: none"> • 120 days of therapy with two antidepressants that are not atypical antipsychotics in the past 180 days AND
	NUPLAZID (pimavanserin)	<ul style="list-style-type: none"> • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
	olanzapine/fluoxetine	OR
	OPIPZA (aripiprazole)	<ul style="list-style-type: none"> • Documented diagnosis of schizophrenia AND
	paliperidone ER	<ul style="list-style-type: none"> • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
	REXULTI (brexpiprazole)	INVEGA HAFYERA
	RISPERDAL (risperidone)	<ul style="list-style-type: none"> • Documented diagnosis of schizophrenia or schizoaffective disorder AND
	SAPHRIS (asenapine)	<ul style="list-style-type: none"> ○ 4 claims for INVEGA SUSTENNA in the past year OR ○ 1 claim for INVEGA TRINZA in the past year OR ○ 1 claim for INVEGA HAFYERA in the past year
	SEROQUEL (quetiapine)	
	SEROQUEL XR (quetiapine ER)	ERZOFRI, generic risperidone ER, RYKINDO ER, and ZYPREXA RELPREV
	SYMBYAX (olanzapine/fluoxetine)	<ul style="list-style-type: none"> • Require clinical review
	VERSACLOZ (clozapine)	NUPLAZID
	VRAYLAR (cariprazine)	<ul style="list-style-type: none"> • Documented diagnosis of Parkinson's Disease
	ZYPREXA, ZYPREXA ZYDIS (olanzapine)	VRAYLAR
TRANSDERMAL, ATYPICALS		<ul style="list-style-type: none"> • 30 days of therapy with the requested agent in the past 105 days
	SECUADO (asenapine)	<ul style="list-style-type: none"> OR • Age 10-17 years or older AND • Documented diagnosis of bipolar 1 disorder AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
		OR
		<ul style="list-style-type: none"> • Age 13-17 years or older AND • Documented diagnosis of schizophrenia or schizoaffective disorder AND
		<ul style="list-style-type: none"> • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
		OR
		<ul style="list-style-type: none"> • Age 18 years or older AND • Documented diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder AND
		<ul style="list-style-type: none"> • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days
		OR
		<ul style="list-style-type: none"> • Age 18 years or older AND • Documented diagnosis of major depressive disorder AND • 120 days of therapy with two antidepressants that are not atypical antipsychotics in the past 180 days AND • 30 days of therapy with a preferred oral atypical antipsychotic indicated for requested diagnosis in the past 105 days

		ARIPIRAZOLE ODT, CLOZAPINE ODT and OIPZA • Require clinical review
ANTIRETROVIRALS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CAPSID INHIBITORS		Minimum Age Limit • 10 years: YEZTUGO
YEZTUGO** (lenacapavir) tablet and injection	SUNLENCA (lenacapavir)	
CD4 DIRECTED ATTACHMENT INHIBITORS		Non-Preferred Criteria • 1 claim with the requested agent in the past 105 days
	RUKOBIA (fostemsavir)	
CD4 DIRECTED HIV-1 INHIBITORS		STRIBILD MANUAL PA
	TROGARZO (ibalizumab-uiyk)	SUNLENCA • Requires clinical review
COMBINATION PRODUCTS NRTIs		TROGARZO • Requires clinical review
abacavir/lamivudine	COMBIVIR (lamivudine/zidovudine)	
CABENUVA (cabotegravir/rilpivirine)	EPZICOM (abacavir/lamivudine)	TYBOST MANUAL PA
DOVATO (dolutegravir/lamivudine)		
lamivudine/zidovudine		NOTE: Agents with ** are indicated for Pre-Exposure Prophylaxis (PrEP).
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG RTIs		
DESCOVY** (emtricitabine/tenofovir alafenamide)	TRUVADA** (emtricitabine/tenofovir)	
emtricitabine/tenofovir**		
COMBINATION PRODUCTS NUCLEOSIDE AND NUCLEOTIDE ANALOG AND NON-NUCLEOSIDE RTIs		
DELSTRIGO (doravirine/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir)	
efavirenz/emtricitabine/tenofovir	CIMDUO (lamivudine/tenofovir)	
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)	
COMBINATION PRODUCTS PROTEASE INHIBITORS		
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
ENTRY INHIBITORS CCR5 CO-RECEPTOR ANTAGONISTS		
	maraviroc	
	SELZENTRY (maraviroc)	
ENTRY INHIBITORS FUSION INHIBITORS		
	FUZEON (enfuvirtide)	

INTEGRASE STRAND TRANSFER INHIBITORS	
APRETUDE** (cabotegravir)	cabotegravir ER
ISENTRESS (raltegravir)	ISENTRESS HD (raltegravir)
TIVICAY, TIVICAY PD (dolutegravir)	VOCABRIA (cabotegravir)
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)	
EDURANT (rilpivirine)	etravirine
efavirenz	INTELENCE (etravirine)
	nevirapine, nevirapine ER
	PIFELTRO (doravirine)
	rilpivirine ^{NR}
NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)	
abacavir	didanosine
EMTRIVA (emtricitabine)	emtricitabine
lamivudine	EPIVIR (lamivudine)
ZIAGEN (abacavir)	RETROVIR (zidovudine)
zidovudine	stavudine
	VIREAD (tenofovir disoproxil fumarate)
PHARMACOENHANCER CYTOCHROME P450 INHIBITORS	
	TYBOST (cobicistat)
PROTEASE INHIBITORS (NON-PEPTIDIC)	
darunavir	APTIVUS (tipranavir)
PREZISTA (darunavir) 75mg tablet, 150mg tablet, 100mg/mL suspension	PREZCOBIX (darunavir/cobicistat)
	PREZISTA (darunavir) 600mg tablet, 800mg tablet
PROTEASE INHIBITORS (PEPTIDIC)	
atazanavir	fosamprenavir
EVOTAZ (atazanavir/cobicistat)	LEXIVA (fosamprenavir)
ritonavir	NORIVIR (ritonavir)
	REYATAZ (atazanavir)
	VIRACEPT (nelfinavir)
SINGLE PRODUCT REGIMENS	
BIKTARVY (bictegravir/emtricitabine/tenofovir)	efavirenz/lamivudine/tenofovir
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	JULUCA (dolutegravir/rilpivirine)
SYMFI (efavirenz/lamivudine/tenofovir)	rilpivirine ER

SYMFI LO (efavirenz/lamivudine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate)	
TRIUMEQ (abacavir/dolutegravir/lamivudine)	SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)	
TRIUMEQ PD (abacavir/dolutegravir/lamivudine)		
ANTIVIRALS, ORAL		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI-CYTOMEGALOVIRUS AGENTS		<p>PREVMIS</p> <ul style="list-style-type: none"> Requires clinical review <p>Valganciclovir solution</p> <ul style="list-style-type: none"> Automatic approval issued for 0-12 years of age
valganciclovir tablet	LIVTENCITY (maribavir)	
	PREVMIS (letermovir)	
	VALCYTE (valganciclovir)	
	valganciclovir solution	
ANTI-HERPETIC AGENTS		
acyclovir	SITAVIG (acyclovir)	
famciclovir	VALTREX (valacyclovir)	
valacyclovir		
ANTI-INFLUENZA AGENTS		
oseltamivir	FLUMADINE (rimantadine)	
	RAPIVAB (peramivir)	
	RELENZA (zanamivir)	
	rimantadine	
	TAMIFLU (oseltamivir)	
	XOFLUZA (baloxavir)	
COVID-19		
PAXLOVID (nirmatrelvir/ritonavir)		
ANTIVIRALS, TOPICAL		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
acyclovir cream, ointment	DENAVIR (penciclovir)	ZELSUVMI MANUAL PA
	penciclovir	
	ZELSUVMI (berdazimer)	
AROMATASE INHIBITORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
anastrozole	ARIMIDEX (anastrozole)	
exemestane	AROMASIN (exemestane)	
letrozole	FEMARA (letrozole)	
ATOPIC DERMATITIS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SYSTEMIC		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> 3 months: EUCRISA 2 years: OPZELURA, pimecrolimus, tacrolimus 0.03%
ADBRY (tralokinumab-ldrm)	CIBINQO (abrocitinib)	

ADBRY Autoinjector (tralokinumab-ldrm)	NEMLUVIO (nemolizumab-ilto)	<ul style="list-style-type: none"> • 16 years: tacrolimus 0.1%
DUPIXENT (dupilumab) DUR+		ADBRY MANUAL PA
EBGLYSS pen and syringe (lebrikizumab-lbkz)		ANZUPGO
TOPICAL		<ul style="list-style-type: none"> • Requires clinical review
EUCRISA (crisaborole) ^{DUR+}	ANZUPGO (delgocitinib)	CIBINQO
pimecrolimus	OPZELURA (ruxolitinib)	<ul style="list-style-type: none"> • Requires clinical review
tacrolimus	ZORYVE (roflumilast) 0.15% cream	<p>DUPIXENT</p> <ul style="list-style-type: none"> • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) <ul style="list-style-type: none"> ○ Allergic Fungal Rhinosinusitis MANUAL PA ○ Asthma MANUAL PA ○ Atopic Dermatitis MANUAL PA ○ Bullous Pemphigoid MANUAL PA ○ COPD MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Eosinophilic Esophagitis MANUAL PA ○ Nasal Polyposis MANUAL PA ○ Prurigo Nodularis MANUAL PA <p>EBGLYSS MANUAL PA</p> <p>EUCRISA</p> <ul style="list-style-type: none"> • 30 days of therapy with a calcineurin inhibitor or topical steroid in the past 6 months <p>NEMLUVIO</p> <ul style="list-style-type: none"> • Atopic Dermatitis MANUAL PA • Prurigo Nodularis MANUAL PA <p>OPZELURA</p> <ul style="list-style-type: none"> • 30 days of therapy with pimecrolimus, EUCRISA or tacrolimus in the past 6 months

BETA BLOCKERS, ANTIANGINALS & SINUS NODE AGENTS^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIANGINALS		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
ranolazine ER	ASPRUZYO SPRINKLE (ranolazine)	
	RANEXA (ranolazine ER)	<p>ASPRUZYO SPRINKLE, LOPRESSOR SOLUTION, and metoprolol tartrate 12.5 mg tablet</p> <ul style="list-style-type: none"> • Requires clinical review
BETA- AND ALPHA-BLOCKERS		
carvedilol	carvedilol ER	<p>COREG CR</p> <ul style="list-style-type: none"> • Documented diagnosis of hypertension AND • Have tried generic carvedilol AND 1 preferred agent in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
labetalol	COREG (carvedilol) COREG CR (carvedilol)	
BETA-BLOCKER/DIURETIC COMBINATIONS		<p>CORLANOR MANUAL PA</p> <p>HEMANGEOL</p> <ul style="list-style-type: none"> • Documented diagnosis of infantile hemangioma
atenolol/chlorthalidone	TENORETIC (atenolol/chlorthalidone)	
bisoprolol/hydrochlorothiazide	ZIAC (bisoprolol/hydrochlorothiazide)	
metoprolol/hydrochlorothiazide		

propranolol/hydrochlorothiazide	
BETA-BLOCKERS	
acebutolol	BETAPACE (sotalol)
atenolol	BETAPACE AF (sotalol)
bisoprolol	betaxolol
HEMANGEOL (propranolol)	BYSTOLIC (nebivolol)
metoprolol succinate	INDERAL LA (propranolol)
metoprolol tartrate (except 12.5 mg tablet)	INDERAL XL (propranolol)
nadolol	INNOPRAN XL (propranolol)
nebivolol	KAPSPARGO SPRINKLE (metoprolol succinate)
pindolol	LOPRESSOR (metoprolol tartrate)
propranolol	metoprolol tartrate 12.5 mg tablet
propranolol ER	SOTYLIZE (sotalol)
SORINE (sotalol)	TENORMIN (atenolol)
sotalol	TOPROL XL (metoprolol succinate)
sotalol AF	
timolol	
SINUS NODE AGENTS	
	CORLANOR (ivabradine)
	ivabradine

BILE SALTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ursodiol	BYLVAY (odevixibat) CHENODAL (chenodiol) IQIRVO (elafibranor) LIVDELZI (seladelpar) LIVMARLI (maralixibat) OCALIVA (obeticholic acid) RELTONE (ursodiol) URSO FORTE (ursodiol)	

BLADDER RELAXANT PREPARATIONS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MYRBETRIQ (mirabegron)	darifenacin ER	Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
oxybutynin	DETROL (tolterodine)	
oxybutynin ER	DETROL LA (tolterodine)	
solifenacin	fesoterodine	
	GEMTESA (vibegron)	
	mirabegron ER	
	tolterodine	
	tolterodine ER	
	TOVIAZ (fesoterodine)	
	trospium	
	trospium ER	

	VESICARE (solifenacin)	
	VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BISPHOSPHONATES ^{DUR+}		<p>Non-Preferred Bisphosphonate Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of osteoporosis or osteopenia AND • Have tried 2 different preferred agents in the past 6 months <p>Non-Preferred Others</p> <ul style="list-style-type: none"> • Requires clinical review
alendronate tablet	ACTONEL (risedronate)	
ibandronate tablet	alendronate solution	
risedronate	ATELVIA (risedronate)	
	BINOSTO (alendronate)	
	FOSAMAX (alendronate)	
	FOSAMAX PLUS D (alendronate/vitamin D3)	
	ibandronate syringe/vial	
	risedronate DR	
OTHERS		
BILDYOS (denosumab-nxxp)	AUKELSO (denosumab-kyqq)	
BILPREVDA (denosumab-nxxp)	BOMYNTRA (denosumab-bnht)	
FORTEO (teriparatide)	BONSITY (teriparatide)	
raloxifene	BOSAYA (denosumab-kyqq)	
	calcitonin salmon	
	CONEXXENCE (denosumab-bnht)	
	ENOBY (denosumab-qbde) ^{NR}	
	EVENITY (romosozumab-aqqg)	
	EVISTA (raloxifene)	
	JUBBONTI (denosumab-bbdz)	
	MIACALCIN (calcitonin salmon)	
	OSEVELT (denosumab-bmwo)	
	PROLIA (denosumab)	
	STOBOCLO (denosumab-bmwo)	
	teriparatide	
	TYMLOS (abaloparatide)	
	WYOST (denosumab-bbdz)	
	XGEVA (denosumab)	
	XTRENBO (denosumab-qbde) ^{NR}	
BPH AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-ALPHA-REDUCTASE INHIBITORS		<p>CARDURA, FLOMAX, PROSCAR, terazosin, or UROXATRAL Female</p> <ul style="list-style-type: none"> • Documented State-accepted diagnosis <p>Non-Preferred Criteria Male</p>
dutasteride	AVODART (dutasteride)	
finasteride	ENTADFI (finasteride/tadalafil)	

	PROSCAR (finasteride)	<ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
ALPHA BLOCKERS		
alfuzosin ER	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	dutasteride/tamsulosin	
terazosin	FLOMAX (tamsulosin)	
	RAPAFLO (silodosin)	
	silodosin	
PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS		
	CIALIS (tadalafil)	
	tadalafil	
BRONCHODILATORS & COPD AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 4 years: SEREVENT, XOPENEX HFA • 6 years: SPIRIVA RESPIMAT, XOPENEX Solution • 18 years: BROVANA, BREZTRI AEROSPHERE, PERFOROMIST, STRIVERDI RESPIMAT, TRELEGY ELLIPTA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • 1 claim for a preferred agent in the past 6 months OR • 3 claims with the requested agent in the past 105 days <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 10.7 units BREZTRI AEROSPHERE <p>BREZTRI AEROSPHERE</p> <ul style="list-style-type: none"> • Documented diagnosis of COPD AND • 1 claim with the BREZTRI AEROSPHERE or TRELEGY ELLIPTA in the past 105 days <p>OR</p> <ul style="list-style-type: none"> • Documented diagnosis of COPD AND • 60 days of therapy with a preferred anticholinergic product in the past 90 days AND • 60 days of therapy with a preferred ICS-LABA product in the past 90 days <p>TRELEGY ELLIPTA</p> <ul style="list-style-type: none"> • Documented diagnosis of asthma or COPD AND • 1 claim with the BREZTRI AEROSPHERE or TRELEGY ELLIPTA in the past 105 days <p>OR</p> <ul style="list-style-type: none"> • Documented diagnosis of asthma or COPD AND • 60 days of therapy with a preferred anticholinergic product in the past 90 days AND • 60 days of therapy with a preferred ICS-LABA product in the past 90 days <p>XOPENEX HFA and Solution</p> <ul style="list-style-type: none"> • 1 claim for a preferred albuterol (inhaler or vials) in the past 30 days
ANORO ELLIPTA (umeclidinium/vilanterol)	BEVESPI AEROSPHERE (glycopyrrolate/formoterol)	
COMBIVENT RESPIMAT (ipratropium/albuterol)	DUAKLIR PRESSAIR (aclidinium/formoterol)	
ipratropium/albuterol		
STIOLTO RESPIMAT (tiotropium/olodaterol)		
ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS ^{DUR+}		
BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)		
TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)		
ANTICHOLINERGICS AND COPD AGENTS		
ATROVENT HFA (ipratropium)	DALIRESP (roflumilast)	
ipratropium solution	INCRUSE ELLIPTA (umeclidinium)	
SPIRIVA HANDIHALER (tiotropium)	ipratropium HFA ^{NR}	
SPIRIVA RESPIMAT (tiotropium)	OHTUVAYRE (ensifentrine)	
	roflumilast	
	tiotropium	
	TUDORZA PRESSAIR (aclidinium)	
	umeclidinium ellipta	
	YUPELRI (revefenacin)	
INHALATION SOLUTION ^{DUR+}		
albuterol	arformoterol	
	BROVANA (arformoterol)	
	formoterol, formoterol fumarate	

	levalbuterol	
	PERFOROMIST (formoterol)	
INHALERS, LONG ACTING ^{DUR+}		
SEREVENT DISKUS (salmeterol)		
STRIVERDI RESPIMAT (olodaterol)		
INHALERS, SHORT ACTING		
albuterol HFA	levalbuterol HFA	
VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol)	
	XOPENEX HFA (levalbuterol)	
ORAL		
albuterol IR	albuterol ER	
terbutaline		

CALCIUM CHANNEL BLOCKERS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LONG-ACTING		
amlodipine	diltiazem ER 12 HR	<p>Quantity Limit (per 21 days)</p> <ul style="list-style-type: none"> • 252 capsules: nimodipine • 2520 mL: nimodipine <p>Non-Preferred Criteria Long Acting</p> <ul style="list-style-type: none"> • Have tried 2 different preferred Long Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>Non-Preferred Criteria Short Acting</p> <ul style="list-style-type: none"> • Have tried 2 different preferred Short Acting CCB agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>CARDAMYST, SDAMLO</p> <ul style="list-style-type: none"> • Requires clinical review <p>nimodipine</p> <ul style="list-style-type: none"> • Documented diagnosis of subarachnoid hemorrhage in the past 45 days AND • Duration of therapy limited to 21 days
CARTIA XT (diltiazem)	diltiazem LA 24 HR	
diltiazem ER 24 HR	KATERZIA (amlodipine)	
diltiazem CD 24 HR	levamlodipine	
diltiazem XR 24 HR	MATZIM LA (diltiazem)	
DILT-XR 24 HR (diltiazem)	nisoldipine	
felodipine	NORLIQVA (amlodipine)	
nifedipine ER	NORVASC (amlodipine)	
TAZTIA XT (diltiazem)	PROCARDIA XL (nifedipine)	
TIADYLT ER (diltiazem)	SDAMLO (amlodipine) ^{NR}	
verapamil ER	SULAR (nisoldipine)	
verapamil SR	TIAZAC (diltiazem)	
	verapamil PM	
	VERELAN PM (verapamil)	
SHORT-ACTING		
diltiazem	CARDAMYST (etripamil) ^{NR}	
nicardipine	isradipine	
nifedipine	nimodipine	
verapamil	NYMALIZE (nimodipine)	

CALORIC AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BOOST	All non-preferred caloric/nutritional agents (which are all other products except those specifically listed as preferred) require a manual prior authorization.	<p>Non-Preferred Agents MANUAL PA</p>
BREAKFAST ESSENTIALS		
BRIGHT BEGINNINGS		
DUOCAL		
ENSURE		
NUTREN		
OSMOLITE		
PEDIASURE		

PROMOD		
RESOURCE		
TWOCAL HN		
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-Preferred Criteria All Cephalosporin Generations <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months Maximum Age Limit <ul style="list-style-type: none"> 18 years: cefdinir suspension
amoxicillin/clavulanate	amoxicillin/clavulanate ER	
	AUGMENTIN (amoxicillin/clavulanate)	
CEPHALOSPORINS FIRST GENERATION		
cefadroxil capsule, suspension	cefadroxil tablet	
cephalexin capsule, suspension	cephalexin tablet	
CEPHALOSPORINS SECOND GENERATION		
cefaclor capsule	cefaclor ER	
cefprozil	cefaclor suspension	
cefuroxime		
CEPHALOSPORINS THIRD GENERATION		
cefdinir	cefixime suspension, tablet ^{NR}	
cefixime capsule	SUPRAX (cefixime)	
cefepodoxime		
COLONY STIMULATING FACTORS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LONG-ACTING		
FULPHILA (pegfilgrastim-jmdb)	FYLNETRA (pegfilgrastim-pbbk)	
	NEULASTA, NEULASTA ONPRO (pegfilgrastim)	
	NYVEPRIA (pegfilgrastim-apgf)	
	RYZNEUTA (efbemalenograstim alfa-vuxw)	
	ROLVEDON (eflapegrastim-xnst)	
	STIMUFEND (pegfilgrastim-fpgk)	
	UDENYCA, UDENYCA ONBODY (pegfilgrastim-cbqv)	
	ZIEXTENZO (pegfilgrastim-bmez)	
SHORT-ACTING		
NEUPOGEN (filgrastim)	GRANIX (tbo-filgrastim)	
RELEUKO (filgrastim-ayow)	LEUKINE (sargramostim)	
	NIVESTYM (filgrastim-aafi)	

	NYPOZI (filgrastim-txid)	
	ZARXIO (filgrastim-sndz)	
CYSTIC FIBROSIS AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PULMOZYME (dornase alfa)	ALYFTREK (vanzacaftor/tezacaftor/deutivacaftor)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 1 month: KALYDECO granules • 3 months: PULMOZYME • 1 year: ORKAMBI • 2 years: COLY-MYCIN M, TRIKAFTA granules • 6 years: ALYFTREK, BETHKIS, KALYDECO tablet, KITABIS, SYMDEKO, TOBI, TOBI PODHALER, TRIKAFTA tablet • 7 years: CAYSTON • 18 years: BRONCHITOL <p>Maximum Age Limit</p> <ul style="list-style-type: none"> • 2 years: ORKAMBI 75-94 mg granules • 5 years: KALYDECO, ORKAMBI 100-125 mg granules, ORKAMBI 200-125 mg granules, TRIKAFTA granules • 11 years: TRIKAFTA 50-25-37.5 mg tablets <p>Preferred Agents</p> <ul style="list-style-type: none"> • Documented diagnosis of Cystic Fibrosis OR • Require clinical review <p>ALYFTREK MANUAL PA</p> <p>KALYDECO MANUAL PA</p> <p>ORKAMBI MANUAL PA</p> <p>SYMDEKO MANUAL PA</p> <p>TOBI PODHALER Require clinical review</p> <p>TRIKAFTA MANUAL PA</p>
tobramycin (generic TOBI)	BETHKIS (tobramycin)	
	BRONCHITOL (mannitol)	
	CAYSTON (aztreonam)	
	colistimethate	
	COLY-MYCIN M (colistin)	
	KALYDECO (ivacaftor)	
	KITABIS (tobramycin)	
	ORKAMBI (lumacaftor/ivacaftor)	
	SYMDEKO (tezacaftor/ivacaftor)	
	TOBI (tobramycin)	
	TOBI PODHALER (tobramycin)	
	tobramycin (generic BETHKIS & KITABIS)	
	TRIKAFTA (elexacaftor/tezacaftor/ivacaftor)	
CYTOKINE & CAM ANTAGONISTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
adalimumab-aaty autoinject	ABRILADA (adalimumab-afzb)	<p>Non-Preferred Agents</p> <ul style="list-style-type: none"> • Require clinical review <p>IV Administered Agents</p> <ul style="list-style-type: none"> • Require clinical review <p>adalimumab-aaty autoinject, HADLIMA (adalimumab-bwwd), and YUFLYMA (adalimumab-aaty) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of Crohn's disease (CD) <ul style="list-style-type: none"> • Age 18 years and older AND
AVSOLA (infliximab-axxq)	ACTEMRA (tocilizumab)	
CYLTEZO (adalimumab-adbm)	adalimumab-aaty syringe	
ENBREL (etanercept)	adalimumab-adaz	
HADLIMA (adalimumab-bwwd)	adalimumab-adbm	
HUMIRA (adalimumab)	adalimumab-fkjp	
IMULDOSA (ustekinumab-srif)	adalimumab-ryvk	
KINERET (anakinra)	AMJEVITA (adalimumab-atto)	
methotrexate	ARCALYST (riloncept)	

OLUMIANT (baricitinib)	AVTOZMA (tocilizumab-anoh)	<ul style="list-style-type: none"> • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of hidradenitis suppurativa (HS) OR • Diagnosis of ankylosing spondylitis (AS) OR • Diagnosis of uveitis (UV)
ORENCIA CLICKJECT (abatacept)	AVTOZMA AUTOINJECTOR (tocilizumab-anoh)	
ORENCIA VIAL (abatacept)	BIMZELX (bimekizumab-bkzx)	<ul style="list-style-type: none"> • Diagnosis of ankylosing spondylitis (AS) OR • Diagnosis of uveitis (UV)
OTEZLA (apremilast)	CIMZIA (certolizumab)	
PYZCHIVA (ustekinumab-ttwe)	COSENTYX (secukinumab)	<p>AVSOLA (infliximab-axxq) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of Crohn's disease OR • Diagnosis of ulcerative colitis
RINVOQ (upadacitinib)	ENTYVIO (vedolizumab)	
RINVOQ LQ (upadacitinib)	HULIO (adalimumab-fkjp)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
SELARSDI (ustekinumab-aekn)	HYRIMOZ (adalimumab-adaz)	
SIMPONI (golimumab)	ICOTYDE (icotrokinra) ^{NR}	<p>CYLTEZO (adalimumab-adbm) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
STARJEMZA (ustekinumab-hmny)	IDACIO (adalimumab-aacf)	
TALTZ (ixekizumab)	ILARIS (canakinumab)	<ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of Crohn's disease (CD)
TYENNE (tocilizumab-aazg)	ILUMYA (tildrakizumab-asmn)	
ustekinumab-aauz	INFLECTRA (infliximab-dyyb)	<ul style="list-style-type: none"> • Age 12 years and older AND • Diagnosis of hidradenitis suppurativa (HS)
XELJANZ (tofacitinib) tablet	infliximab	
YUFLYMA (adalimumab-aaty)	JYLAMVO (methotrexate)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of ankylosing spondylitis (AS)
	KEVZARA (sarilumab)	
	LEQSELVI (deuruxolitinib)	<ul style="list-style-type: none"> • Age 4 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of juvenile psoriatic arthritis (PsA)
	LITFULO (ritlecitinib)	
	OMVOH (mirikizumab-mrkz)	<ul style="list-style-type: none"> • Age 4 years and older AND • Diagnosis of plaque psoriasis (PsO)
	ORENCIA SYRINGE (abatacept)	
	OTEZLA XR (apremilast)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	OTREXUP (methotrexate)	
	OTULFI (ustekinumab-aauz)	<p>ENBREL (etanercept) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of juvenile psoriatic arthritis (PsA)
	RASUVO (methotrexate)	
	REMICADE (infliximab)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	RENFLEXIS (infliximab-abda)	
	SIMLANDI (adalimumab-ryvk)	<p>HUMIRA (adalimumab) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	SIMPONI ARIA (golimumab)	
	SKYRIZI (risankizumab-rzaa)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	SOTYKTU (deucravacitinib)	
	SPEVIGO (spesolimab-sbzo)	<ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile idiopathic arthritis (JIA) OR • Diagnosis of uveitis (UV)
	STELARA (ustekinumab)	
	STEQEYMA (ustekinumab-stba)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	TOFIDENCE (tocilizumab-bavi)	
	TREMFYA (guselkumab)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	TREXALL (methotrexate)	
	ustekinumab	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS)
	ustekinumab-aekn	

	ustekinumab-ttwe	
	XATMEP (methotrexate)	<ul style="list-style-type: none"> • Age 5 years and older AND
	XELJANZ (tofacitinib) solution	<ul style="list-style-type: none"> • Diagnosis of ulcerative colitis (UC) • Age 6 years and older AND
	XELJANZ XR (tofacitinib)	<ul style="list-style-type: none"> • Diagnosis of Crohn's disease (CD)
	YESINTEK (ustekinumab-kfce)	<ul style="list-style-type: none"> • Age 12 years and older AND
	YUSIMRY (adalimumab-aqvh)	<ul style="list-style-type: none"> • Diagnosis of hidradenitis suppurativa (HS)
	ZYMFENTRA (infliximab-dyyb)	<ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) OR • Diagnosis of ankylosing spondylitis (AS) <p>IMULDOSA (ustekinumab-srlf), PYZCHIVA (ustekinumab-ttwe), SELARSDI (ustekinumab-aekn), STARJEMZA (ustekinumab-hmny), and ustekinumab-aauz – Age specific indications:</p> <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of Crohn's disease (CD) <p>KINERET (anakinra) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) • Other indications require clinical review <p>OLUMIANT (baricitinib) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of alopecia areata (AA) • Other indications require clinical review <p>ORENCIA (abatacept) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of psoriatic arthritis (PsA) • Other indication requires clinical review <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) • Non-preferred Orencia syringe requires clinical review <p>OTEZLA (apremilast) – Age specific indications:</p> <ul style="list-style-type: none"> • Age 6 years and older AND • Diagnosis of plaque psoriasis (PsO) OR • Diagnosis of psoriatic arthritis (PsA) <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of Bechet's disease • Non-preferred Otezla XR requires clinical review <p>RINVOQ (upadacitinib):</p>

- Age 2 years and older AND
 - Diagnosis of juvenile idiopathic arthritis (JIA) OR
 - Diagnosis of psoriatic arthritis
- AND**
- History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi
- OR**
- History of 1 claim with Rinvoq in the past
- AND**
- NO history of concomitant therapy in the past 30 days with any of the following:
 - A different JAK Inhibitor
 - A different biologic
 - Immunosuppressant azathioprine or cyclosporine

- Age 18 years and older **AND**
 - Diagnosis of ankylosing spondylitis **OR**
 - Diagnosis of Crohn's disease **OR**
 - Diagnosis of giant cell arteritis **OR**
 - Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA) **OR**
 - Diagnosis of rheumatoid arthritis (RA) **OR**
 - Diagnosis of ulcerative colitis
- AND**
- History of 3 claims with preferred TNF Inhibitor Avsola, Enbrel, Humira or Simponi
- OR**
- History of 1 claim with Rinvoq in the past
- AND**
- NO history of concomitant therapy in the past 30 days with any of the following:
 - A different JAK Inhibitor
 - A different biologic
 - Immunosuppressant azathioprine or cyclosporine

- Atopic Dermatitis **MANUAL PA**

SIMPONI (golimumab) – Age specific indications:

- Age 18 years and older **AND**
- Diagnosis of rheumatoid arthritis (RA) **OR**
- Diagnosis of psoriatic arthritis (PsA) **OR**
- Diagnosis of ankylosing spondylitis (AS) **OR**
- Diagnosis of ulcerative colitis
- Ages less than 18 years require clinical review
- Non-preferred Simponi Aria requires clinical review

STELARA MANUAL PA

TALTZ (ixekizumab) – Age specific indications:

Taltz 20 mg, 40 mg and 80 mg

- Age 6 **AND**
- Diagnosis of plaque psoriasis (PsO)

Taltz 80 mg

- Age 18 years and older **AND**
- Diagnosis of psoriatic arthritis (PsA) **OR**
- Diagnosis of ankylosing spondylitis (AS) **OR**
- Diagnosis of active non-radiographic axial spondyloarthritis (nr-axSpA)

TYENNE (tocilizumab-aazg) – Age specific indications:

		<ul style="list-style-type: none"> • Age 2 years and older AND • Diagnosis of juvenile arthritis (JIA) <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of giant cell arteritis <p>XELJANZ IR (tofacitinib) – Any of the following:</p> <ul style="list-style-type: none"> • Age 2 year and older AND • Diagnosis of juvenile arthritis (JIA) OR • Diagnosis of psoriatic arthritis (PsA) <ul style="list-style-type: none"> • Age 18 years and older AND • Diagnosis of rheumatoid arthritis (RA) OR • Diagnosis of ulcerative colitis (UC) OR • Diagnosis of ankylosing spondylitis (AS) • Non-preferred Xeljanz oral solution and Xeljanz XR require clinical review <p>Preferred methotrexate does not require prior authorization</p>
--	--	--

ERYTHROPOIESIS STIMULATING PROTEINS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EPOGEN (epoetin alfa)	ARANESP (darbepoetin alfa)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of cancer or chronic renal failure OR • Antineoplastic therapy in the past 6 months AND • Have tried a preferred RETACRIT or EPOGEN in the past 6 months OR • 1 claim for the requested agent in the past 105 days <p>JESDUVROQ</p> <ul style="list-style-type: none"> • Requires clinical review <p>MIRCERA</p> <ul style="list-style-type: none"> • Documented diagnosis of chronic renal failure in the past 2 years
MIRCERA (methoxy polyethylene glycol-epoetin-beta)	JESDUVROQ (daprodustat)	
RETACRIT (epoetin alfa-epbx)	PROCRIT (epoetin alfa)	
	VAFSEO (vadadustat)	

FACTOR DEFICIENCY PRODUCTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FACTOR VIII		<p>HEMLIBRA</p> <ul style="list-style-type: none"> • 3 claims with HEMLIBRA in the past 105 days OR • New starts require clinical review MANUAL PA
ADVATE	ADYNOVATE	
AFSTYLA	ELOCTATE	
ALPHANATE	ESPEROCT	
ALTUVIIIIO	JIVI	
FEIBA	KCENTRA	
HEMOPIL M	OBIZUR	
HUMATE-P	VONVENDI	
KOATE		
KOGENATE FS		
KOVALTRY		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
WILATE		

XYNTHA, XYNTHA SOLOFUSE	
FACTOR IX	
ALPHANINE SD	BEQVEZ
ALPROLIX	
BENEFIX	
IDELVION	
IXINITY	
PROFILNINE	
REBINYN	
RIXUBIS	
OTHER HEMOPHILIA PRODUCTS	
COAGADEX (factor X)	ALHEMO (concizumab-mtci)
FIBRYGA (fibrinogen)	CORIFACT (factor XIII)
HEMLIBRA (emicizumab-kxwh) ^{DUR+}	HYMPAVZI (marstacimab-hncq)
RIASTAP (fibrinogen)	NOVOSEVEN RT (factor VII)
	QFITLIA (fitusiran)
	SEVENFACT (factor VII)
	TRETTEN (factor XIII)

FIBROMYALGIA/NEUROPATHIC PAIN AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
duloxetine 20 mg, 30 mg, 60 mg DR capsule	CYMBALTA (duloxetine)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: CYMBALTA, DRIZALMA SPRINKLE, duloxetine DR capsule <p>TONMYA MANUAL PA</p> <p>RELGAABI</p> <ul style="list-style-type: none"> • Requires clinical review
gabapentin	DRIZALMA SPRINKLE (duloxetine)	
pregabalin	duloxetine 40 mg DR capsule	
SAVELLA (milnacipran)	gabapentin ER	
	GABARONE (gabapentin)	
	GRALISE (gabapentin)	
	HORIZANT (gabapentin enacarbil)	
	LYRICA, LYRICA CR (pregabalin)	
	milnacipran ^{NR}	
	NEURONTIN (gabapentin)	
	pregabalin ER	
	RELGAABI (gabapentin)	
	TONMYA (cyclobenzaprine)	

FLUOROQUINOLONES^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ciprofloxacin tablet	BAXDELA (delafloxacin)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • 1 claim for a preferred agent in the past 30 days <p>CIPRO Suspension for Age < 12 Years</p> <ul style="list-style-type: none"> • Documented diagnosis of Cystic Fibrosis or Anthrax infection or exposure OR • Documented diagnosis or Pneumonic plague or tularemia AND • History of doxycycline in the past 3 months OR
levofloxacin tablet	CIPRO (ciprofloxacin)	
	ciprofloxacin suspension	
	levofloxacin solution	
	moxifloxacin	
	ofloxacin	

		<ul style="list-style-type: none"> • 7 days of therapy with a preferred agent from 2 of the classes below in the past 3 months: <ul style="list-style-type: none"> ◦ Penicillin, 2nd or 3rd generation cephalosporin or macrolide <p>LEVAQUIN Suspension for Age < 12 Years</p> <ul style="list-style-type: none"> • Documented diagnosis of Anthrax infection or exposure OR • History of 7 days of therapy with a preferred from 2 of the following classes in the past 3 months <ul style="list-style-type: none"> ◦ Penicillin, 2nd or 3rd generation cephalosporins, or macrolide AND • History of ciprofloxacin suspension in the past 3 months
--	--	---

GAUCHER'S DISEASE

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ELELYSO (taliglucerase alfa)	CERDELGA (eliglustat)	
ZAVESCA (miglustat)	CEREZYME (imiglucerase)	
	miglustat	
	VPRIV (velaglucerase alfa)	
	YARGESA (miglustat)	

GENITAL WARTS & ACTINIC KERATOSIS AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CONDYLOX (podofilox)	VEREGEN (sinecatechins)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 12 years: ALDARA • 18 years: CONDYLOX, PICATO, VEREGEN
fluorouracil		
imiquimod		
podofilox		

GI ULCER THERAPIES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
H2 RECEPTOR ANTAGONISTS		<p>PRILOSEC 2.5 mg suspension</p> <ul style="list-style-type: none"> • Automatic approval issued for 0-2 years of age <p>PRILOSEC 10 mg suspension</p> <ul style="list-style-type: none"> • Requires clinical review
famotidine	cimetidine	
	nizatidine	
	ranitidine	
OTHERS		
CARAFATE (sucralfate) suspension	CARAFATE (sucralfate) tablet	
misoprostol	CYTOTEC (misoprostol)	
sucralfate	DARTISLA (glycopyrrolate)	
	EOHILIA (budesonide)	
	VOQUEZNA (vonoprazan)	
PROTON PUMP INHIBITORS		
esomeprazole capsule	DEXILANT (dexlansoprazole)	
NEXIUM (esomeprazole) packet	dexlansoprazole	
omeprazole	esomeprazole packet	
pantoprazole	KONVOMEF (omeprazole/sodium bicarbonate)	
	lansoprazole Rx	
	NEXIUM (esomeprazole) capsule	

	omeprazole/sodium bicarbonate	
	PREVACID (lansoprazole)	
	PRILOSEC (omeprazole) packet	
	PROTONIX (pantoprazole)	
	rabeprazole	
	ZEGERID (omeprazole/sodium bicarbonate)	

GLUCOCORTICOIDS (INHALED)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOIDS		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Glucocorticoids <ul style="list-style-type: none"> ○ 2 preferred single-entity agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Glucocorticoid/Bronchodilator Combinations <ul style="list-style-type: none"> ○ 2 preferred combination agents in the past 6 months OR ○ 90 days of therapy with the requested agent in the past 105 days • Note: <ul style="list-style-type: none"> ○ Institutional-sized products are non-preferred <p>AIRDUO DIGIHALER</p> <ul style="list-style-type: none"> • Requires clinical review <p>ARMONAIR DIGIHALER</p> <ul style="list-style-type: none"> • Requires clinical review <p>PROAIR DIGIHALER Require clinical review</p> <p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: AIRSUPRA <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 inhalers: AIRSUPRA MANUAL PA
ASMANEX (mometasone)	ALVESCO (ciclesonide)	
budesonide 0.25 mg and 0.5 mg	ARMONAIR DIGIHALER (fluticasone)	
fluticasone	ARNUIITY ELLIPTA (fluticasone)	
fluticasone diskus	ASMANEX HFA (mometasone)	
fluticasone HFA	beclomethasone ^{NIR}	
QVAR REDIHALER (beclomethasone)	budesonide 1 mg	
	FLOVENT HFA (fluticasone)	
	FLOVENT DISKUS (fluticasone)	
	PULMICORT (budesonide) nebulizer solution	
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		
ADVAIR DISKUS (fluticasone/salmeterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)	
ADVAIR HFA (fluticasone/salmeterol)	AIRSUPRA (albuterol/budesonide)	
DULERA (mometasone/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)	
fluticasone/salmeterol diskus	BREYNA (budesonide/formoterol)	
SYMBICORT (budesonide/formoterol)	budesonide/formoterol	
	fluticasone/salmeterol HFA	
	fluticasone/vilanterol	
	WIXELA INHUB (fluticasone/salmeterol)	

GROWTH HORMONES ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GENOTROPIN (somatotropin)	HUMATROPE (somatotropin)	<p>Preferred Criteria</p> <ul style="list-style-type: none"> • Age ≥ 18 years
NORDITROPIN FLEXPRO (somatotropin)	NGENLA (somatrogon-ghla)	

SKYTROFA (lonapegsomatropin-tcgd)	OMNITROPE (somatropin)	<ul style="list-style-type: none"> Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation Age < 18 years Diagnosis of approvable pediatric diagnosis or history of cranial irradiation <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 3 years: NGENLA <p>Maximum Age Limit</p> <ul style="list-style-type: none"> 18 years: NGENLA <p>Non-Preferred Criteria</p> <p>Age ≥ 18 years</p> <ul style="list-style-type: none"> Documented approvable diagnosis for age as above diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, Prader-Willi Syndrome, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days <p>Age < 18 years</p> <ul style="list-style-type: none"> Diagnosis of congenital malformation syndrome, HIV associated cachexia, hypopituitarism, iatrogenic growth deficiency due to drug-induced or post-procedural hypopituitarism, mosaicism 45, Prader-Willi Syndrome, renal function impairment growth disorders, short stature due to endocrine disorder, small for gestational age or Turner Syndrome AND History of 28 days of therapy with a preferred Growth Hormone in the past 6 months OR 84 days of therapy with the requested agent in the past 105 days <p>SKYTROFA</p> <p>Age ≥ 18 years</p> <ul style="list-style-type: none"> Documented diagnosis of craniopharyngioma, HIV associated cachexia, iatrogenic growth deficiency growth deficiency due to drug-induced or post-procedural hypopituitarism, Noonan Syndrome, panhypopituitarism, renal function impairment growth disorders, short stature shox deficiency, Turner Syndrome or history of cranial irradiation AND No history of diagnosis of Prader Willi Syndrome AND History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR 84 days of therapy with Skytrofa in the past 105 days <p>Age < 18 years</p> <ul style="list-style-type: none"> No history of diagnosis of Prader Willi Syndrome AND History of 28 days of therapy with a preferred Short-Acting Growth Hormone in the past 6 months OR 84 days of therapy with Skytrofa in the past 105 days
	SEROSTIM (somatropin)	
	SOGROYA (somapacitan-beco)	
	ZOMACTON (somatropin)	

H. PYLORI COMBINATION TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PYLERA (bismuth subcitrate potassium/metronidazole/tetracycline)	bismuth subcitrate potassium/metronidazole/tetracycline	<p>Quantity Limit</p> <ul style="list-style-type: none"> 1 treatment course/year: all agents
	lansoprazole/amoxicillin/clarithromycin	
	OMECLAMOX (omeprazole/clarithromycin/amoxicillin)	

	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)	
	VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
entecavir	adefovir dipivoxil	
lamivudine HBV	BARACLUDE (entecavir)	
tenofovir disoproxil fumarate	VEMLIDY (tenofovir alafenamide)	
	VIREAD (tenofovir disoproxil fumarate)	
HEPATITIS C TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MAVYRET (glecaprevir/pibrentasvir)	EPCLUSA (sofosbuvir/velpatasvir)	EPCLUSA, HARVONI, MAVYRET, SOVALDI, VOSEVI, ZEPATIER <ul style="list-style-type: none"> Require MANUAL PA Note: <ul style="list-style-type: none"> EPCLUSA, HARVONI, MAVYRET and SOVALDI have FDA-approved pediatric indications
PEGASYS (peginterferon alfa-2a)	HARVONI (ledipasvir/sofosbuvir)	
ribavirin tablet	ledipasvir/sofosbuvir	
sofosbuvir/velpatasvir	ribavirin capsule	
	SOVALDI (sofosbuvir)	
	VIEKIRA PAK (ombitasvir/paritaprevir/ritonavir)	
	VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
	ZEPATIER (elbasvir/grazoprevir)	
HEREDITARY ANGIOEDEMA TREATMENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PROPHYLAXIS		Non-Preferred Criteria <ul style="list-style-type: none"> Requires clinical review
HAEGARDA (C1 esterase inhibitor)	ANDEMBRY (garadacimab-gxii)	
	CINRYZE (C1 esterase inhibitor)	
	DAWNZERA (donidalorsen)	
	ORLADEYO (berotralstat)	
	TAKHZYRO (lanadelumab-flyo)	
ACUTE TREATMENT		
BERINERT (C1 esterase inhibitor)	EKTERLY (sebetralstat)	

icatibant	FIRAZYR (icatibant)	
	KALBITOR (ecallantide)	
	RUCONEST (C1 esterase inhibitor)	
	SAJAZIR (icatibant)	

HYPERURICEMIA & GOUT ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
allopurinol	ALOPRIM (allopurinol)	Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months
colchicine tablet	colchicine capsule	
probenecid	COLCRYS (colchicine)	
probenecid/colchicine	febuxostat	
	GLOPERBA (colchicine)	
	MITIGARE (colchicine)	
	ULORIC (febuxostat)	
	ZYLOPRIM (allopurinol)	

HYPOGLYCEMIA TREATMENT

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BAQSIMI (glucagon)	GVOKE (glucagon) ^{Step Edit}	Minimum Age Limit <ul style="list-style-type: none"> 1 year: BAQSIMI 2 years: GVOKE 6 years: ZEGALOGUE Quantity Limit (per 31 days) <ul style="list-style-type: none"> 2 packs (or kits): BAQSIMI, glucagon, GVOKE, ZEGALOGUE Non-Preferred Criteria GVOKE <ul style="list-style-type: none"> 1 claim with preferred BAQSIMI or ZEGALOGUE in the past 30 days
GLUCAGEN (glucagon)		
glucagon emergency kit		
glucagon vial		
ZEGALOGUE (dasiglucagon)		

HYPOGLYCEMICS, BIGUANIDES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metformin 500 mg, 850 mg, 1,000 mg tablets	GLUMETZA (metformin)	
metformin ER (generic GLUCOPHAGE XR)	metformin 625 mg, 750 mg tablets	
	metformin ER (generic FORTAMET)	
	metformin ER (generic GLUMETZA)	
	metformin solution	
	RIOMET (metformin)	

HYPOGLYCEMICS, DPP4s AND COMBINATIONS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
JANUMET (sitagliptin/metformin)	alogliptin	Non-Preferred Criteria <ul style="list-style-type: none"> Have tried 2 different preferred DPP4 agents in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
JANUMET XR (sitagliptin/metformin)	alogliptin/metformin	

JANUVIA (sitagliptin)	BRYNOVIN solution (sitagliptin)	<p>Note: Concomitant use of a GLP-1 agent and a DPP-4 agent requires clinical review</p> <p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: BRYNOVIN solution
JENTADUETO (linagliptin/metformin)	JENTADUETO XR (linagliptin/metformin)	
TRADJENTA (linagliptin)	KAZANO (alogliptin/metformin)	
	KOMBIGLYZE XR (saxagliptin/metformin)	
	linagliptin/metformin	
	NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	saxagliptin	
	saxagliptin/metformin ER	
	sitagliptin	
	sitagliptin/metformin	
	ZITUVIMET (sitagliptin/metformin)	
	ZITUVIMET XR (sitagliptin/metformin)	
	ZITUVIO (sitagliptin)	

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BYETTA (exenatide)	BYDUREON (exenatide)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 10 years: BYDUREON BCISE, MOUNJARO, TRULICITY, VICTOZA • 18 years: BYETTA, OZEMPIC, RYBELSUS <p>Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • No history of SAXENDA or WEGOVY in the past 30 days <p>OR</p> <ul style="list-style-type: none"> • No documented diagnosis for Type 2 Diabetes AND • 84 days of therapy with the requested agent in the past 105 days <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • No history of SAXENDA or WEGOVY in the past 30 days AND • 84 days of therapy with TRULICITY in the past 6 months AND • 84 days of therapy with either preferred BYETTA or VICTOZA in the past 6 months <p>OR</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • 84 days of therapy with the request agent in the past 105 days <p>Note:</p> <ul style="list-style-type: none"> • Concomitant use of a GLP-1 agonist and a DPP-4 agent requires clinical review. • Please see the PDL category Anti-obesity Select Agents for a list of covered agents. <p>RYBELSUS 1.5 mg and 3 mg</p> <ul style="list-style-type: none"> • Requires clinical review
TRULICITY (dulaglutide)	exenatide	
VICTOZA (liraglutide)	liraglutide	
	MOUNJARO (tirzepatide)	
	OZEMPIC (semaglutide)	
	RYBELSUS (semaglutide)	
	SOLIQUA (insulin glargine/lixisenatide)	
	SYMLINPEN (pramlintide)	
	XULTOPHY (insulin degludec/liraglutide)	

HYPOGLYCEMICS, INSULINS & RELATED AGENTS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMALOG MIX 75/25 vial (insulin lispro/lispro protamine)	ADMELOG (insulin lispro)	Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of Diabetes Mellitus AND Have tried 1 preferred agent in the past 6 months OR 1 claim with the requested agent in the past 105 days
HUMULIN 70/30 vial (insulin NPH/regular)	AFREZZA (insulin regular)	
HUMULIN N (insulin NPH)	APIDRA (insulin glulisine)	Quantity Limit <ul style="list-style-type: none"> Insulin quantity limits can be found here
HUMULIN R (insulin regular)	BASAGLAR (insulin glargine)	
HUMULIN R U-500 (insulin regular)	FIASP (insulin aspart/niacinamide)	Note: <ul style="list-style-type: none"> Insulin pen formulations are not covered for Long Term Care (LTC) beneficiaries.
insulin aspart	HUMALOG; HUMALOG JUNIOR, KWIKPEN, TEMPO PEN (insulin lispro)	
insulin aspart protamine mix 70/30 vial	HUMALOG MIX KWIKPEN 50/50, 75/25 (insulin lispro/lispro protamine)	BASAGLAR <ul style="list-style-type: none"> Requires clinical review
insulin lispro	HUMULIN 70/30 KWIKPEN (insulin N/regular)	
insulin lispro protamine mix 75/25 vial	HUMULIN N KWIKPEN (insulin N)	
LANTUS (insulin glargine)	insulin degludec	
TOUJEO (insulin glargine)	insulin glargine	
TOUJEO MAX (insulin glargine)	insulin glargine-yfgn	
	KIRSTY (insulin aspart-xjhz)	
	LEVEMIR (insulin detemir)	
	LYUMJEV (insulin lispro-aabc)	
	MERILOG (insulin aspart-szjj)	
	NOVOLIN 70/30 (insulin NPH/regular)	
	NOVOLIN N (insulin NPH)	
	NOVOLIN R (insulin regular)	
	NOVOLOG (insulin aspart)	
	NOVOLOG MIX 70/30 (insulin aspart protamine/aspart)	
	REZVOGLAR (insulin glargine-aglr)	
	SEMGLEE (insulin glargine-yfgn)	
	TRESIBA (insulin degludec)	
HYPOGLYCEMICS, MEGLITINIDES ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
nateglinide		
repaglinide		
HYPOGLYCEMICS, SODIUM GLUCOSE COTRANSPORTER-2 (SGLT-2) INHIBITORS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

SGLT-2 INHIBITORS		Non-Preferred Criteria <ul style="list-style-type: none"> • Have tried 2 different preferred SGLT-2 inhibitors in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
FARXIGA (dapagliflozin)	dapagliflozin	
JARDIANCE (empagliflozin)	INPEFA (sotagliflozin)	
	INVOKANA (canagliflozin)	
	STEGLATRO (ertugliflozin)	
SGLT-2 INHIBITOR COMBINATIONS		
GLYXAMBI (empagliflozin/linagliptin)	dapagliflozin/metformin ER	
SYNJARDY (empagliflozin/metformin)	dapagliflozin/saxagliptin	
SYNJARDY XR (empagliflozin/metformin)	INVOKAMET (canagliflozin/metformin)	
TRIJARDY XR (empagliflozin/linagliptin/metformin)	INVOKAMET XR (canagliflozin/metformin)	
	SEGLUROMET (ertugliflozin/metformin)	
	STEGLUJAN (ertugliflozin/sitagliptin)	
	XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, THIAZOLIDINEDIONES (TZDs) and TZD Combinations		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pioglitazone	ACTOPLUS MET (pioglitazone/metformin)	
pioglitazone/metformin	ACTOS (pioglitazone)	
pioglitazone/glimepiride	DUETACT (pioglitazone/glimepiride)	
IDIOPATHIC PULMONARY FIBROSIS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OFEV (nintedanib)	ESBRIET (pirfenidone)	All Agents <ul style="list-style-type: none"> • Documented diagnosis of Idiopathic Pulmonary Fibrosis
pirfenidone	JASCAYD (nerandomilast)	
	nintedanib	OFEV <ul style="list-style-type: none"> • Documented diagnosis of Idiopathic Pulmonary Fibrosis, Progressive Pulmonary Fibrosis, or Systemic Sclerosis-associated Interstitial Lung Disease OR • 90 days of therapy with Ofev in the past 105 days
		pirfenidone <ul style="list-style-type: none"> • Documented diagnosis of Idiopathic Pulmonary Fibrosis OR • 90 days of therapy with pirfenidone or Esbriet in the past 105 days
		ESBRIET, nintedanib <ul style="list-style-type: none"> • Requires clinical review
		JASCAYD MANUAL PA
IMMUNE GLOBULINS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

BIVIGAM	ALYGLO
FLEBOGAMMA	ASCENIV
GAMASTAN	CABLIVI
GAMMAGARD	CUTAQUIG
GAMMAGARD S-D	CUVITRU
GAMUNEX-C	GAMMAGARD ERC ^{NR}
HIZENTRA	GAMMAKED
HYQVIA	GAMMAPLEX
PANZYGA	OCTAGAM
PRIVIGEN	QIVIGY ^{NR}
XEMBIFY	

IMMUNOLOGIC THERAPIES FOR ASTHMA

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DUPIXENT (dupilumab) <small>DUR+</small>	NUCALA (mepolizumab)	<p>DUPIXENT</p> <ul style="list-style-type: none"> • 1 claim with DUPIXENT in the past 60 days OR • New starts require clinical review (see manual PA links below) <ul style="list-style-type: none"> ○ Allergic Fungal Rhinosinusitis MANUAL PA ○ Asthma MANUAL PA ○ Atopic Dermatitis MANUAL PA ○ Bullous Pemphigoid MANUAL PA ○ COPD MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Eosinophilic Esophagitis MANUAL PA ○ Nasal Polyposis MANUAL PA ○ Prurigo Nodularis MANUAL PA <p>FASENRA</p> <ul style="list-style-type: none"> • Requires clinical review MANUAL PA <p>NUCALA</p> <ul style="list-style-type: none"> • Requires clinical review <p>TEZSPIRE</p> <ul style="list-style-type: none"> • Requires clinical review <p>XOLAIR</p> <ul style="list-style-type: none"> • 1 claim with XOLAIR in the past 45 days OR • New starts require clinical review <ul style="list-style-type: none"> ○ Asthma MANUAL PA ○ Chronic Spontaneous Urticaria MANUAL PA ○ Nasal Polyposis MANUAL PA
FASENRA (benralizumab)	TEZSPIRE (tezepelumab-ekko)	
XOLAIR (omalizumab)		

IMMUNOSUPPRESSIVE AGENTS, ORAL

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AZASAN (azathioprine)	ASTAGRAF XL (tacrolimus)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 13 years: RAPAMUNE • 18 years: ZORTRESS <p>Maximum Age Limit</p>
azathioprine	ENVARBUS XR (tacrolimus)	
CELLCEPT (mycophenolate)	LUPKYNIS (voclosporin)	
cyclosporine	MYFORTIC (mycophenolate)	

everolimus	MYHIBBIN (mycophenolate)	<ul style="list-style-type: none"> • 12 years: PROGRAF Granules <p>Preferred Criteria</p> <ul style="list-style-type: none"> • AZASAN <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant, RA, or a State-accepted diagnosis • CELLCEPT <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis • GENGRAF, NEORAL, SANDIMMUNE <ul style="list-style-type: none"> ○ Documented diagnosis of heart transplant, kidney transplant, liver transplant, psoriasis, RA, or a State-accepted diagnosis • everolimus <ul style="list-style-type: none"> ○ Documented diagnosis of kidney or liver transplant • RAPAMUNE <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant • tacrolimus <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • ASTAGRAF XR or ENVARUS XR <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis AND ○ 30 days of therapy with tacrolimus IR in the past 105 days OR ○ 90 days of therapy with the requested agent in the past 105 days • PROGRAF Granules <ul style="list-style-type: none"> ○ Age ≤ 11 years AND ○ Documented diagnosis of heart, kidney, liver, or lung transplant or a State-accepted diagnosis • MYFORTIC <ul style="list-style-type: none"> ○ Documented diagnosis of kidney transplant or psoriasis • MYHIBBIN <ul style="list-style-type: none"> ○ Documented diagnosis of heart, kidney, or liver transplant or a State-accepted diagnosis AND ○ 30 days of therapy with mycophenolate suspension in the past 105 days OR ○ 90 days of therapy with MYHIBBIN Suspension in the past 105 days • ZORTRESS <ul style="list-style-type: none"> ○ Documented diagnosis of kidney or liver transplant <p>LUPKYNIS and REZUROCK</p> <ul style="list-style-type: none"> • Requires clinical review
mycophenolate	PROGRAF (tacrolimus)	
mycophenolic acid	REZUROCK (belumosudil)	
NEORAL (cyclosporine)	ZORTRESS (everolimus)	
RAPAMUNE (sirolimus)		
SANDIMMUNE (cyclosporine)		
sirolimus		
tacrolimus		

INTRANASAL RHINITIS AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICS		<p>Non-Preferred Criteria Corticosteroids</p> <ul style="list-style-type: none"> • Documented diagnosis of allergic rhinitis AND • Have tried 1 different preferred agent in the past 6 months
ipratropium		
ANTI-HISTAMINE/CORTICOSTEROID COMBINATIONS		
	azelastine/fluticasone	
	DYMISTA (azelastine/fluticasone)	
	RYALTRIS (olopatadine/mometasone)	
ANTI-HISTAMINES		
azelastine	olopatadine	
	PATANASE (olopatadine)	
CORTICOSTEROIDS		

fluticasone	BECONASE AQ (beclomethasone)	
NASONEX 24 HOUR ALLERGY SPRAY ^{OTC}	flunisolide	
	mometasone	
	NASONEX (mometasone)	
	OMNARIS (ciclesonide)	
	QNASL (beclomethasone)	
	XHANCE (fluticasone)	
	ZETONNA (ciclesonide)	
IRON CHELATING AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
deferasirox (all manufacturers except those listed as non-preferred)	deferasirox (manufacturers starting with 45963, 62332)	JADENU and JADENU SPRINKLE MANUAL PA
deferiprone 500 mg tablet	deferiprone 1,000 mg tablet	
FERRIPROX (deferiprone)	EXJADE (deferasirox)	
	JADENU (deferasirox)	
	JADENU SPRINKLE (deferasirox)	
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME AGENTS/SELECTED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 1 year: GATTEX • 6 years: LINZESS 72 mcg • 7 years: LINZESS 145 mcg • 18 years: AMITIZA, IBSRELA, LINZESS 290 mcg, MOTTEGRITY, MOVANTIK, MYTESI, SYMPROIC, VIBERZI <p>Gender Limit</p> <ul style="list-style-type: none"> • Female AMITIZA 8 mcg
LINZESS (linaclotide)	AMITIZA (lubiprostone)	
lubiprostone	IBSRELA (tenapanor)	
	MOTTEGRITY (prucalopride)	
	MOVANTIK (naloxegol)	
	prucalopride	
	SYMPROIC (naldemedine)	
IRRITABLE BOWEL SYNDROME DIARRHEA		
dicyclomine	alosetron	
ED-SPAZ (hyoscyamine)	LOTRONEX (alosetron) ^{DUR+}	
hyoscyamine, hyoscyamine ER	VIBERZI (eluxadoline) ^{DUR+}	
HYOSYNE (hyoscyamine)		
LEVSIN, LEVSIN-SL (hyoscyamine)		
NULEV (hyoscyamine)		
OSCIMIN, OSCIMIN SL (hyoscyamine)		
SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}		
	GATTEX (teduglutide)	
	MYTESI (crofelemer)	
IRRITABLE BOWEL SYNDROME CONSTIPATION ^{DUR+}		
Chronic Idiopathic Constipation (CIC):	Irritable Bowel Syndrome Constipation Dominant (IBS-C): AMITIZA 8 mcg,	<p>Opioid Induced Constipation (OIC): AMITIZA 24 mcg, MOVANTIK, SYMPROIC</p> <ul style="list-style-type: none"> • Preferred OIC Agents <ul style="list-style-type: none"> ○ Documented diagnosis of OIC and chronic pain in the past year AND

<p>Amitiza 24 mcg, LINZESS, MOTEGRITY</p> <ul style="list-style-type: none"> • LINZESS 72 mcg <ul style="list-style-type: none"> ○ Age 6-17 years AND ○ Documented diagnosis pediatric functional constipation in the past year AND ○ No history of GI or bowel obstruction <p>OR</p> <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction <ul style="list-style-type: none"> • LINZESS 145 mcg and lubiprostone 24 mcg <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction <ul style="list-style-type: none"> • LINZESS 290 mcg <ul style="list-style-type: none"> ○ Age 18 years or older AND ○ Documented diagnosis of CIC in the past year AND ○ No history of GI or bowel obstruction AND ○ 1 claim with LINZESS 145 mcg in the past 45 days <ul style="list-style-type: none"> • Non-Preferred CIC Agents <ul style="list-style-type: none"> ○ Documented diagnosis of CIC AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred CIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days 	<p>IBSRELA, LINZESS 290 mcg</p> <ul style="list-style-type: none"> • Preferred IBS-C Agents <ul style="list-style-type: none"> ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction • Non-Preferred IBS-C Agents <ul style="list-style-type: none"> ○ Documented diagnosis of IBS-C in the past year AND ○ No history of GI or bowel obstruction AND ○ Have tried 2 preferred IBS-C agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days 	<ul style="list-style-type: none"> ○ No history of GI or bowel obstruction AND ○ 1 claim for an opioid in the past 30 days <ul style="list-style-type: none"> • Non-Preferred OIC Agents <ul style="list-style-type: none"> ○ All preferred criteria met AND ○ Have tried 1 preferred OIC agents in the past 6 months OR ○ 1 claim with the requested agent in the past 105 days
IRRITABLE BOWEL SYNDROME DIARRHEA		
<p>VIBERZI [New starts require clinical review]</p>		

- Documented diagnosis of IBS D in the past year **and** 1 claim for Viberzi in the past 105 days

LOTROXEX

- 1 claim for LOTROXEX in the past 105 days **OR**
- New starts require **MANUAL PA**

SHORT BOWEL SYNDROME AND SELECTED GI AGENTS ^{DUR+}

- HIV/AIDS Non-infectious Diarrhea**
- **MYTESI**
 - Documented diagnosis of HIV/AIDS **and** non-infectious diarrhea in the past year **AND**
 - 1 claim for an antiretroviral in the past 30 days

- Short Bowel Syndrome (SBS)**
- **GATTEX**
 - 1 claim for GATTEX in the past 105 days **OR**
 - New starts require clinical review

LEUKOTRIENE MODIFIERS ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
montelukast	ACCOLATE (zafirlukast)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 12 years: ZYFLO & ZYFLO CR <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months
zafirlukast	SINGULAIR (montelukast)	
	zileuton	
	ZYFLO (zileuton)	

LIPOTROPICS, OTHER (NON-STATINS)

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACL INHIBITORS AND COMBINATIONS		<p>JUXTAPID MANUAL PA</p> <p>KYNAMRO</p> <ul style="list-style-type: none"> • Requires clinical review
	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ezetimibe)	<p>LEQVIO</p> <ul style="list-style-type: none"> • Requires clinical review <p>NEXLETOL and NEXLIZET</p> <ul style="list-style-type: none"> • Require clinical review
ANGIOPOIETIN-LIKE 3 INHIBITORS		
	EVKEEZA (evinacumab-dgnb)	
BILE ACID SEQUESTRANTS		<p>PRALUENT MANUAL PA</p> <p>REPATHA MANUAL PA</p> <p>WELCHOL</p> <ul style="list-style-type: none"> • Documented diagnosis of Type 2 Diabetes AND • 30 days of therapy with an antidiabetic agent in the past 6 months OR • 90 days of therapy with WELCHOL in the past 105 days
cholestyramine	colesevelam	
cholestyramine light	COLESTID (colestipol)	
colestipol tablet	colestipol packet	
	PREVALITE (cholestyramine)	
	QUESTRAN (cholestyramine)	
	QUESTRAN LIGHT (cholestyramine)	
	WELCHOL (colesevelam)	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe	ZETIA (ezetimibe)	
FIBRIC ACID DERIVATIVES		
fenofibrate	fenofibric acid	
gemfibrozil	FENOGLIDE (fenofibrate)	
	FIBRICOR (fenofibric acid)	
	LIPOFEN (fenofibrate)	
	LOPID (gemfibrozil)	

	TRICOR (fenofibrate)	
	TRILIPIX (fenofibric acid)	
MTP INHIBITOR		
	JUXTAPID (lomitapide)	
NIACIN		
niacin ER	niacin	
OMEGA-3 FATTY ACIDS		
omega-3 acid ethyl esters	icosapent ethyl	
	LOVAZA (omega-3 acid ethyl esters)	
PCSK-9 INHIBITORS		
REPATHA (evolocumab)	LEQVIO (inclisiran)	
	PRALUENT (alirocumab)	
LIPOTROPICS, STATINS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STATINS DUR+		
atorvastatin	ALTOPREV (lovastatin)	<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 10 years: ATORVALIQ Suspension <p>Non-Preferred Criteria Statins</p> <ul style="list-style-type: none"> • Have tried 2 different preferred statin or statin combination agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>Simvastatin</p> <ul style="list-style-type: none"> • Daily doses ≥ 80 mg require clinical review
lovastatin	ATORVALIQ (atorvastatin)	
pravastatin	CRESTOR (rosuvastatin)	
rosuvastatin	EZALLOR SPRINKLE (rosuvastatin)	
simvastatin	FLOLIPID (simvastatin)	
	fluvastatin	
	fluvastatin ER	
	LESCOL XL (fluvastatin)	
	LIPITOR (atorvastatin)	
	LIVALO (pitavastatin)	
	pitavastatin	
	ZOCOR (simvastatin)	
	ZYPITAMAG (pitavastatin)	
STATIN COMBINATIONS		
ezetimibe/simvastatin	amlodipine/atorvastatin	
	CADUET (amlodipine/atorvastatin)	
	VYTORIN (ezetimibe/simvastatin)	
MISCELLANEOUS BRAND/GENERIC		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALLERGEN EXTRACT IMMUNOTHERAPY		
	GRASTEK	<p>CUMULATIVE Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 31 tablets: alprazolam ER <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 kits: epinephrine <p>EVRYSDI MANUAL PA</p> <p>RHAPSIDO MANUAL PA</p>
	ORALAIR	
	RAGWITEK	
ANXIOLYTICS		
alprazolam	alprazolam ER	
hydroxyzine HCL	VISTARIL (hydroxyzine pamoate)	
hydroxyzine pamoate	XANAX, XANAX XR (alprazolam)	

EPINEPHRINE		*The Miscellaneous subclass contains drugs that do not belong to any PDL drug classes. A non-preferred drug in this subclass may not require a documented history of preferred agents within the Miscellaneous subclass except for a brand name product with a generic equivalent.
epinephrine (Mylan)	AUVI-Q (epinephrine)	
	epinephrine (all other manufacturers)	
	EPIPEN (epinephrine)	
	EPIPEN JR (epinephrine)	
	NEFFY (epinephrine)	
FAMILIAL CHYLOMICRONEMIA SYNDROME		
	REDEMPLO (plozasiran sodium) ^{NR}	
	TRYNGOLZA (olezarsen)	
MISCELLANEOUS*		
megestrol	BLUJEPa (gepotidacin)	
REVLIMID (lenalidomide)	BRINSUPRI (brensocaticib)	
	CAMZYOS (mavacamten)	
	CRENESSITY (crinecerfont)	
	ERGOMAR (ergotamine)	
	EVRYSDI (risdiplam)	
	HARLIKU (nitisinone)	
	KORLYM (mifepristone)	
	lenalidomide	
	MYQORZO (aficamten) ^{NR}	
	PALSONIFY (paltusotine)	
	pomalidomide	
	POMALYST (pomalidomide)	
	RHAPSIDO (remibrutinib)	
	TARPEYO (budesonide)	
	VERQUVO (vericiguat)	
SUBLINGUAL NITROGLYCERIN		
nitroglycerin		
NITROLINGUAL (nitroglycerin)		
NITROSTAT (nitroglycerin)		
MOVEMENT DISORDER AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AUSTEDO (deutetrabenazine)	INGREZZA INITIATION PACK (valbenazine)	<p>AUSTEDO and AUSTEDO XR</p> <ul style="list-style-type: none"> Documented diagnosis of Huntington's chorea AND 30 days of therapy with tetrabenazine in the past 180 days OR 90 days of therapy with either agent in the past 105 days <p>• Documented diagnosis of tardive dyskinesia AND</p> <ul style="list-style-type: none"> 90 days of therapy with either agent in the past 105 days OR New starts require clinical review MANUAL PA <p>INGREZZA and INGREZZA SPRINKLE</p> <ul style="list-style-type: none"> Documented diagnosis of Huntington's chorea AND 30 days of therapy with tetrabenazine in the past 180 days OR 90 days of therapy with the requested agent in the past 105 days <p>• Documented diagnosis of tardive dyskinesia AND</p> <ul style="list-style-type: none"> 90 days of therapy with the requested agent in the past 105 days OR New starts require clinical review MANUAL PA
AUSTEDO XR (deutetrabenazine)	XENAZINE (tetrabenazine)	
INGREZZA (valbenazine)		
INGREZZA SPRINKLE (valbenazine)		
tetrabenazine		

MULTIPLE SCLEROSIS AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HIGHLY ACTIVE		<p>Preferred Agents</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis <p>Preferred Agents</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis <p>Non-Preferred Criteria (Highly Active)</p> <ul style="list-style-type: none"> Requires clinical review <p>Non-Preferred Criteria (Mildly Active)</p> <ul style="list-style-type: none"> Documented diagnosis of multiple sclerosis AND Have tried 2 different preferred agents in the past 6 months OR 3 claims with the requested agent in the last 105 days <p>GILENYA, KESIMPTA, PONVORY, TASCENSO ODT, and ZEPOSIA</p> <ul style="list-style-type: none"> Requires clinical review <p>cladribine and MAVENCLAD MANUAL PA</p> <p>MAYZENT MANUAL PA</p> <p>OCREVUS and OCREVUS ZUNOVO MANUAL PA</p>
TYSABRI (natalizumab)	BRIUMVI (ublituximab-xiiv)	
	cladribine	
	KESIMPTA PEN (ofatumumab)	
	MAVENCLAD (cladribine)	
	OCREVUS (ocrelizumab)	
	OCREVUS ZUNOVO (ocrelizumab/hyaluronidase-ocsq)	
	TYRUKO (natalizumab-sztn)	
MODERATELY ACTIVE		
fingolimod	GILENYA (fingolimod)	
	MAYZENT (siponimod)	
	PONVORY (ponesimod)	
	TASCENSO ODT (fingolimod)	
	ZEPOSIA (ozanimod)	
MILDLY ACTIVE		
BETASERON (interferon beta-1b)	AMPYRA (dalfampridine)	
COPAXONE (glatiramer) 20 mg	AUBAGIO (teriflunomide)	
dalfampridine ER	AVONEX (interferon beta-1a)	
dimethyl fumarate	BAFIERTAM (monomethyl fumarate)	
REBIF (interferon beta-1a)	COPAXONE (glatiramer) 40 mg	
REBIF REBIDOSE (interferon beta-1a)	glatiramer	
teriflunomide	GLATOPA (glatiramer)	
	PLEGRIDY (peginterferon beta-1a)	
	TECFIDERA (dimethyl fumarate)	
	VUMERITY (diroximel fumarate)	
MUSCULAR DYSTROPHY AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EMFLAZA (deflazacort)	AGAMREE (vamorolone)	<p>AGAMREE MANUAL PA</p> <p>AMONDYS-45 MANUAL PA</p> <p>DUVYZAT MANUAL PA</p> <p>ELEVIDYS MANUAL PA</p>
	AMONDYS-45 (casimersen)	
	deflazacort	
	DUVYZAT (givinostat)	
	ELEVIDYS (delandistrogene moxeparvovec-rokl)	
	EXONDYS-51 (eteplirsen)	
	JAYTHARI (deflazacort)	

	KYMBEE (deflazacort)	EMFLAZA MANUAL PA
	VILTEPSO (viltolarsen)	
	VYONDYS-53 (golodirsen)	EXONDYS MANUAL PA
		JAYTHARI MANUAL PA
		KYMBEE MANUAL PA
		VILTEPSO MANUAL PA
		VYONDYS MANUAL PA

NSAIDS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COX II SELECTIVE		
CELEBREX (celecoxib)	ELYXYB (celecoxib)	Quantity Limit (per 31 days) <ul style="list-style-type: none"> • 20 tablets: ketorolac tablets Non-Preferred Criteria COX II Selective <ul style="list-style-type: none"> • Requires clinical review
celecoxib	meloxicam capsule	
meloxicam tablet	VYSCOXA (celecoxib)	
	ZYBIC (meloxicam) ^{NR}	
NON-SELECTIVE DUR+		
diclofenac sodium	COXANTO (oxaprozin)	Non-Preferred Criteria Non-Selective & Combinations <ul style="list-style-type: none"> • No history of a contraindicated GI disorder or coagulation disorder AND • Have tried 2 different preferred non-selective agents in the past 6 months COXANTO, fenoprofen, ibuprofen 300mg, indomethacin submicronized capsule, ORUDIS, oxaprozin 300mg, TOLECTIN <ul style="list-style-type: none"> • Requires clinical review
diclofenac sodium ER	DAYPRO (oxaprozin)	
EC-naproxen DR 500 mg tablet	diclofenac potassium	
etodolac tablet	DOLOBID (diflunisal)	
flurbiprofen	etodolac capsule, etodolac ER	
ibuprofen	FELDENE (piroxicam)	
indomethacin capsule	fenoprofen	
indomethacin ER	indomethacin submicronized capsule	
ketorolac	indomethacin suppository	
nabumetone	ketoprofen	
naproxen 250 mg, 500 mg	LOFENA (diclofenac potassium)	
piroxicam	meclofenamate	
sulindac	mefenamic acid	
	NALFON (fenoprofen)	
	NAPRELAN (naproxen)	
	NAPROSYN 375 mg (naproxen)	
	naproxen 375 mg, naproxen CR 375 mg, naproxen ER 500 mg	
	ORUDIS (ketoprofen) ^{NR}	
	oxaprozin	
	RELAFEN DS (nabumetone)	
	TOLECTIN (tolmetin)	
	tolmetin	
NSAID/GI PROTECTANT COMBINATIONS DUR+		

	ARTHROTEC 50 mg, 75 mg (diclofenac/misoprostol)	
	diclofenac/misoprostol	
	ibuprofen/famotidine	
	naproxen/esomeprazole	
	VIMOVO (naproxen/esomeprazole)	
OPHTHALMIC AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 16 years: RESTASIS • 17 years: XIIDRA • 18 years: CEQUA, EYSUVIS, MIEBO, TRYPTYR, VEVYE <p>Quantity Limit (per 31 days)</p> <ul style="list-style-type: none"> • 2 mL: VEVYE • 3 mL: MIEBO • 5.5 mL: RESTASIS Multidose • 8.3 mL: EYSUVIS • 60 units: CEQUA, RESTASIS Droperette, TRYPTYR, XIIDRA <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Anti-Inflammatory Agents <ul style="list-style-type: none"> ○ Have tried 2 different preferred agents in the past 6 months • Dry Eye Agents <ul style="list-style-type: none"> ○ History of 1 claim for both RESTASIS Droperette and XIIDRA in the past 6 months <p>BYQLOVI, MIEBO, RESTASIS Multidose, TRYPTYR, TYRVAYA, VEVYE</p> <ul style="list-style-type: none"> • Requires clinical review
bacitracin/polymyxin	AZASITE (azithromycin)	
ciprofloxacin	bacitracin	
erythromycin	besifloxacin ^{NR}	
gentamicin	BESIVANCE (besifloxacin)	
moxifloxacin	CILOXAN (ciprofloxacin)	
ofloxacin	gatifloxacin	
polymyxin B/trimethoprim	NATACYN (natamycin)	
tobramycin	neomycin/bacitracin/polymyxin	
	OCUFLOX (ofloxacin)	
	sulfacetamide	
	TOBREX (tobramycin)	
	VIGAMOX (moxifloxacin)	
ANTIBIOTIC-STEROID COMBINATIONS		
BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone)	MAXITROL (neomycin/polymyxin/dexamethasone)	
neomycin/bacitracin/polymyxin/hydrocortisone	neomycin/polymyxin/gramicidin	
neomycin/polymyxin/dexamethasone	TOBRADEX ST (tobramycin/dexamethasone)	
PRED-G (gentamicin/prednisolone)	tobramycin/loteprednol ^{NR}	
sulfacetamide/prednisolone		
TOBRADEX (tobramycin/dexamethasone)		
tobramycin/dexamethasone		
ZYLET (tobramycin/loteprednol)		
ANTI-INFLAMMATORY AGENTS ^{DUR+}		
dexamethasone	ACULAR, ACULAR LS (ketorolac)	
diclofenac sodium	ACUVAIL (ketorolac)	
difluprednate	bromfenac	
FLAREX (fluorometholone)	BROMSITE (bromfenac)	
fluorometholone	BYQLOVI (clobetasol)	
flurbiprofen	DUREZOL (difluprednate)	
FML FORTE (fluorometholone)	FML (fluorometholone)	
ketorolac	ILEVRO (nepafenac)	

MAXIDEX (dexamethasone)	INVELTYS (loteprednol)	
PRED MILD (prednisolone)	LOTEMAX, LOTE MAX SM (loteprednol)	
prednisolone acetate	loteprednol	
prednisolone sodium phosphate	NEVANAC (nepafenac)	
	PRED FORTE (prednisolone)	
	PROLENSA (bromfenac)	
DRY EYE AGENTS		
EYSUVIS (loteprednol)	CEQUA (cyclosporine)	
RESTASIS Droperette (cyclosporine)	cyclosporine	
XIIDRA (lifitegrast)	MIEBO (perfluorohexyloactane)	
	RESTASIS Multidose (cyclosporine)	
	TYRVAYA (varenicline)	
	VEVYE (cyclosporine)	
OPHTHALMIC, GLAUCOMA AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS		<p>Minimum Age Limit</p> <ul style="list-style-type: none"> • 18 years: IYUZEH <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
BETIMOL (timolol)	betaxolol	
carteolol	BETOPTIC S (betaxolol)	
ISTALOL (timolol)	timolol droperette, daily drop, gel	
levobunolol	TIMOPTIC; TIMOPTIC OCUDOSE, XE (timolol)	
timolol drops 0.25%, 0.5%		
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide	AZOPT (brinzolamide)	
	brinzolamide	
COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol)	brimonidine/timolol	
dorzolamide/timolol	COSOPT (dorzolamide/timolol)	
SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF	
PARASYMPATHOMIMETICS		
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	
PROSTAGLANDIN ANALOGS		
latanoprost	bimatoprost	
	IYUZEH (latanoprost)	
	LUMIGAN (bimatoprost)	
	tafluprost	
	TRAVATAN Z (travoprost)	
	travoprost	
	VYZULTA (latanoprostene bunod)	

	XALATAN (latanoprost)
	XELPROS (latanoprost)
	ZIOPTAN (tafluprost)
RHO KINASE INHIBITORS/COMBINATIONS	
RHOPRESSA (netarsudil)	
ROCKLATAN (netarsudil/latanoprost)	
SYMPATHOMIMETICS	
ALPHAGAN P (brimonidine)	brimonidine 0.1%, 0.15%
brimonidine 0.2%	

OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALREX (loteprednol)	ALOCRI (nedocromil)	<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months <p>VERKAZIA</p> <ul style="list-style-type: none"> Requires clinical review
azelastine	ALOMIDE (lodoxamide)	
cromolyn	bepotastine	
ketotifen ^{OTC}	BEPREVE (bepotastine)	
olopatadine	epinastine	
ZADITOR (ketotifen)	LASTACAFT (alcaftadine)	
	VERKAZIA (cyclosporine)	
	ZERVIA (cetirizine)	

OPIATE DEPENDENCE TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DEPENDENCE		<p>Buprenorphine/naloxone provider summary found here</p> <p>Minimum Age Limit</p> <ul style="list-style-type: none"> 18 years: VIVITROL <p>SUBLOCADE MANUAL PA</p> <p>VIVITROL</p> <ul style="list-style-type: none"> Documented diagnosis of opioid related disorder Diagnosis of alcohol dependence requires MANUAL PA
buprenorphine/naloxone SL tablet ^{DUR+}	BRIXADI (buprenorphine)	
naltrexone	buprenorphine ^{DUR+}	
SUBOXONE (buprenorphine/naloxone) ^{DUR+}	buprenorphine/naloxone film ^{DUR+}	
	lofexidine	
	LUCEMYRA (lofexidine)	
	SUBLOCADE (buprenorphine)	
	VIVITROL (naltrexone) ^{DUR+}	
	ZUBSOLV (buprenorphine/naloxone)	
TREATMENT		
KLOXXADO (naloxone)	LIFEMS NALOXONE (naloxone convenience kit)	
naloxone		
NARCAN (naloxone)		
OPVEE (nalmefene)		
REXTOVY (naloxone)		
ZIMHI (naloxone)		

OTIC ANTIBIOTICS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

CIPRO HC (ciprofloxacin/hydrocortison e)	ciprofloxacin	Maximum Age Limit <ul style="list-style-type: none"> • 9 years: CIPRO HC and ciprofloxacin/hydrocortison e Ciprofloxacin/Dexamethasone Suspension Criteria <ul style="list-style-type: none"> • Age ≥ 6 months AND • Experiencing otorrhea secondary to recent, post-tympanostomy tube placement AND • Continued otorrhea after 10 days of otic treatment with ciprofloxacin ophthalmic solution and dexamethasone ophthalmic suspension
CORTISPORIN-TC (neomycin/colistin/hydrocortison e)	ciprofloxacin/dexamethason e	
fluocinolone	ciprofloxacin/fluocinolone	
neomycin/polymyxin/hydrocortison e	ciprofloxacin/hydrocortison e	
	DERMOTIC (fluocinolone)	
	FLAC OTIC OIL (fluocinolone)	
	hydrocortison e/acetic acid	
	OTOVEL (ciprofloxacin/fluocinolone)	

PANCREATIC ENZYMES

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CREON (lipase/protease/amylase)	VIOKACE (lipase/protease/amylase)	Non-Preferred Criteria <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months
PERTZYE (lipase/protease/amylase)		
ZENPEP (lipase/protease/amylase)		

PARATHYROID AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcitriol	doxercalciferol	
cinacalcet	RAYALDEE (calcifediol)	
ergocalciferol	ROCALTROL (calcitriol)	
paricalcitol	SENSIPAR (cinacalcet)	
ZEMPLAR (paricalcitol)	YORVIPATH (palopegteriparatide)	

PHOSPHATE BINDERS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
calcium acetate	AURYXIA (ferric citrate)	
CALPHRON (calcium acetate)	FOSRENOL (lanthanum)	
sevelamer carbonate tablet	lanthanum	
	MAGNEBIND (calcium carbonate/magnesium)	
	RENVELA (sevelamer)	
	sevelamer carbonate packet, sevelamer HCl	
	VELPHORO (sucroferric oxyhydroxide)	
	XPHOZAH (tenapanor)	

PLATELET AGGREGATION INHIBITORS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
------------------	----------------------	-------------

aspirin/dipyridamole	BRILINTA (ticagrelor)	Non-Preferred Criteria <ul style="list-style-type: none"> • Documented diagnosis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days
cilostazol	EFFIENT (prasugrel)	
clopidogrel	PLAVIX (clopidogrel)	
dipyridamole		
pentoxifylline		
prasugrel		
ticagrelor		

ZONTIVITY MANUAL PA

PLATELET STIMULATING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NPLATE (romiplostim)	ALVAIZ (eltrombopag)	
PROMACTA (eltrombopag) tablet	DOPTELET (avatrombopag)	
	DOPTELET SPRINKLE (avatrombopag maleate)	
	MULPLETA (lusutrombopag)	
	PROMACTA (eltrombopag) packet	
	TAVALISSE (fostamatinib)	

POTASSIUM REMOVING AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate)	
SPS (sodium polystyrene sulfonate) suspension	sodium polystyrene sulfonate	
	SPS (sodium polystyrene sulfonate) enema	
	VELTASSA (patiromer calcium sorbitex)	

PRENATAL VITAMINS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASSIC PRENATAL	All prenatal vitamins are non-preferred except for those specifically indicated as preferred.	List of Preferred NDC's for Prenatal Vitamins can be found here
COMPLETE NATAL DHA		
COMPLETENATE		
CONCEPT DHA		
CONCEPT OB		
M-NATAL PLUS		
PRENATAL		
PRENATAL PLUS VITAMIN-MINERAL		
PRENATAL VITAMIN		
PRENATAL VITAMIN PLUS LOW IRON		
PRENATAL VITAMINS		
PROVIDA OB		
SELECT-OB + DHA		
SE-NATAL-19		
STUART ONE		
THRIVITE RX		

TRICARE		
TRINATAL RX 1		
VITAFOL FE PLUS		
VITAFOL ULTRA		
VITAFOL-OB		
VITAFOL-ONE		
WESNATAL DHA COMPLETE		
WESTAB PLUS		
PSEUDOBULBAR AFFECT AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUEDEXTA (dextromethorphan/quinidine)	Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of pseudobulbar affect disorder OR 90 days of therapy with NUEDEXTA in the past 105 days
PULMONARY ANTIHYPERTENSIVE AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACTIVIN SIGNALING INHIBITORS		Minimum Age Limit <ul style="list-style-type: none"> 18 years: ADEMPAS, OPSYNVI, TADLIQ
	WINREVAIR (sotatercept-csrk)	
COMBINATION AGENTS		Maximum Age Limit <ul style="list-style-type: none"> 12 years: REVATIO suspension
	OPSYNVI (macitentan/tadalafil)	
ENDOTHELIN RECEPTOR ANTAGONISTS		Preferred Criteria <ul style="list-style-type: none"> PAH Agents <ul style="list-style-type: none"> Documented diagnosis of pulmonary hypertension Sildenafil tablets <ul style="list-style-type: none"> ≤ 1 year of age and documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation OR ≥ 1 year of age and documented diagnosis of pulmonary hypertension OR 90 days of therapy with the requested agent in the past 105 days Sildenafil suspension <ul style="list-style-type: none"> < 12 years of age AND Documented diagnosis of pulmonary hypertension, patent ductus arteriosus, or persistent fetal circulation, or a history of a heart transplant OR 90 days stable therapy with sildenafil suspension in the past 105 days
ambrisentan	OPSUMIT (macitentan)	
bosentan	TRACLEER (bosentan)	
LETAIRIS (ambrisentan)	TRYVIO (aprocitentan)	
PDE5 INHIBITORS		Non-Preferred Criteria <ul style="list-style-type: none"> Documented diagnosis of pulmonary hypertension AND Have tried 1 preferred PAH agent in the past 6 months OR 90 days of therapy with the requested agent in the past 105 days
sildenafil (generic REVATIO) tablet, suspension	ADCIRCA (tadalafil)	
tadalafil	ALYQ (tadalafil)	
	REVATIO (sildenafil)	
	TADLIQ (tadalafil)	
PROSTACYCLINS		
	ORENITRAM ER (treprostinil)	
	ORENITRAM TITRATION PAK (treprostinil)	
	TYVASO (treprostinil)	
	VENTAVIS (iloprost)	
	YUTREPIA (treprostinil)	
SELECTIVE PROSTACYCLINE RECEPTOR AGONISTS		OPSUMIT, OPSYNVI, ORENITRAM ER, TYVASO, and VENTAVIS <ul style="list-style-type: none"> Require clinical review
	UPTRAVI (selexipag)	
SOLUBLE GUANYLATE CYCLASE STIMULATORS		
	ADEMPAS (riociguat)	

ADEMPAS

- Documented diagnosis of persistent/recurrent chronic thromboembolic pulmonary hypertension (WHO Group 4) or pulmonary arterial hypertension (WHO Group 1) **AND**
- Have tried 1 preferred PAH agent in the past 6 months **OR**
- 90 days of therapy with ADEMPAS in the past 105 days

TADLIQ

- Documented diagnosis of pulmonary hypertension **AND**
- Have tried preferred sildenafil suspension in the past 6 months **OR**
- 90 days of therapy with TADLIQ in the past 105 days

UPTRAVI

- Documented diagnosis of pulmonary hypertension **AND**
- Have tried 1 preferred endothelin receptor antagonist in the past 6 months **AND**
- Have tried 1 preferred PDE5 inhibitor in the past 6 months **OR**
- 90 days of therapy with UPTRAVI in the past 105 days

ROSACEA TREATMENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole	AVAR (sulfacetamide sodium/sulfur)	Note: <ul style="list-style-type: none"> • Topical Sulfonamides used for Rosacea will require a manual PA for age > 21 years. • Other labeled indications are limited to < 21 years.
	AVAR LS (sulfacetamide sodium/sulfur)	
	AVAR-E (sulfacetamide sodium/sulfur)	
	BP 10-1 (sulfacetamide sodium/sulfur)	
	brimonidine	
	EPSOLAY (benzoyl peroxide)	
	FINACEA (azelaic acid)	
	METROCREAM (metronidazole)	
	METROGEL (metronidazole)	
	MIRVASO (brimonidine)	
	OVACE (sulfacetamide sodium)	
	OVACE PLUS (sulfacetamide sodium)	
	RHOFADE (oxymetazoline)	
	ROSADAN (metronidazole)	
	ROSULA (sulfacetamide sodium/sulfur)	
	sodium sulfacetamide	
	sodium sulfacetamide/sulfur	
	SOOLANTRA (ivermectin)	
	SUMADAN (sulfacetamide sodium/sulfur)	
	SUMADAN XLT (sulfacetamide sodium/sulfur/avob)	
	SUMAXIN (sulfacetamide sodium/sulfur)	
	SUMAXIN CP (sulfacetamide sodium/sulfur)	

	SUMAXIN TS (sulfacetamide sodium/sulfur)
--	---

SEDATIVE HYPNOTIC AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BENZODIAZEPINES ^{DUR+}		<p>MS DOM Opioid Initiative Criteria details found here</p> <ul style="list-style-type: none"> Concomitant use of Opioids and Benzodiazepines <p>Maximum Age Limit</p> <ul style="list-style-type: none"> 64 years: zolpidem 7.5 mg, 10 mg, and 12.5 mg <p>Gender and Dose Limit</p> <ul style="list-style-type: none"> Female: AMBIEN 5 mg, AMBIEN CR 6.25 mg, INTERMEZZO 1.75 mg Male: all strengths of zolpidem <p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> Have tried 2 different preferred agents in the past 6 months <p>HETLIOZ capsules</p> <ul style="list-style-type: none"> Age 18 years or older AND Documented diagnosis of circadian rhythm sleep disorder <p style="text-align: center;">OR</p> <ul style="list-style-type: none"> Age 16 years and older AND Documented diagnosis of Smith-Magenis syndrome <p>HETLIOZ liquid</p> <ul style="list-style-type: none"> Age 3-15 years AND Documented diagnosis of Smith-Magenis syndrome <p>Note:</p> <ul style="list-style-type: none"> Single-source benzodiazepines and barbiturates are NOT covered. <ul style="list-style-type: none"> PA s will NOT be issued for these drugs. <p style="background-color: yellow;">See below for additional PA Criteria/DUR+ Rules</p>
estazolam	flurazepam	
temazepam 15 mg, 30 mg capsule	HALCION (triazolam)	
	quazepam	
	RESTORIL (temazepam)	
	temazepam 7.5 mg, 22.5 mg capsule	
	triazolam	
OTHERS ^{DUR+}		
eszopiclone	AMBIEN (zolpidem)	
ramelteon	AMBIEN CR (zolpidem)	
zaleplon	BELSOMRA (suvorexant)	
zolpidem tablet	DAYVIGO (lemborexant)	
	doxepin	
	EDULAR (zolpidem)	
	HETLIOZ LQ (tasimelteon)	
	LUNESTA (eszopiclone)	
	QUVIVIQ (daridorexant)	
	ROZEREM (ramelteon)	
	tasimelteon	
	zolpidem capsule	
	zolpidem sublingual tablet	
	zolpidem ER	

CUMULATIVE Quantity Limit Benzodiazepines

- 31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit Triazolam

- 10 units/31 days:** Quantity limit per rolling days for all strengths.
- 60 units/365 days:** Quantity limit per rolling days for all strengths.

CUMULATIVE Quantity Limit Non-Benzodiazepines

- 31 units/31 days:** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit HETLIOZ LQ

- 1 bottle (48 mL or 158 mL):** Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

CUMULATIVE Quantity Limit ZOLPIMIST

- 1 canister/31 days:** male; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.
- 1 canister/62 days:** female; Quantity limit per rolling days for all strengths. DUR+ will allow an early refill override for one dose or therapy change per year.

SELECT CONTRACEPTIVE PRODUCTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INJECTABLE CONTRACEPTIVES		Non-Preferred Criteria
medroxyprogesterone	DEPO-PROVERA (medroxyprogesterone)	<ul style="list-style-type: none"> • 1 claim with the requested agent in the past 105 days
INTRAVAGINAL CONTRACEPTIVES		
ENILLORING (etonogestrel/ethinyl estradiol)	ANNOVERA (segesterone/ethinyl estradiol)	
NUVARING (etonogestrel/ethinyl estradiol)	PHEXXI (lactic acid/citric acid/potassium bitartrate)	
ORAL CONTRACEPTIVES ^{DUR+}		
All oral contraceptives are preferred except for those specifically indicated as non-preferred.	AMETHIA (levonorgestrel/ethinyl estradiol)	
	AMETHYST (levonorgestrel/ethinyl estradiol)	
	BALCOLTRA (levonorgestrel/ethinyl estradiol)	
	BEYAZ (drospirenone/ethinyl estradiol/levomefolate)	
	CAMRESE (levonorgestrel/ethinyl estradiol)	
	CAMRESE LO (levonorgestrel/ethinyl estradiol)	
	JOLESSA (levonorgestrel/ethinyl estradiol)	
	LO LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	LOESTRIN (norethindrone/ethinyl estradiol)	
	LOESTRIN FE (norethindrone/ethinyl estradiol/iron)	
	MINZOYA (levonorgestrel/ethinyl estradiol/iron)	
	NATAZIA (estradiol valerate/dienogest)	
	NEXTSTELLIS (drospirenone/estetrol)	
	OCELLA (ethinyl estradiol/drospirenone)	
SAFYRAL (drospirenone/ethinyl estradiol/levomefolate)		

	SIMPESSE (levonorgestrel/ethinyl estradiol)	
	TAYTULLA (norethindrone/ethinyl estradiol/iron)	
	TYDEMY (drospirenone/ethinyl estradiol/levomefolate)	
	YASMIN (ethinyl estradiol/drospirenone)	
	YAZ (ethinyl estradiol/drospirenone)	
TRANSDERMAL CONTRACEPTIVES		
TWIRLA (levonorgestrel/ethinyl estradiol)	norelgestromin/ethinyl estradiol	
XULANE (norelgestromin/ethinyl estradiol)		
ZAFEMY (norelgestromin/ethinyl estradiol)		
SICKLE CELL AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CASGEVY (exagamglogene autotemcel)	ADAKVEO (crizanlizumab-tmca)	ENDARI MANUAL PA
DROXIA (hydroxyurea)	ENDARI (glutamine)	CASGEVY MANUAL PA
hydroxyurea	HYDREA (hydroxyurea)	LYFGENIA MANUAL PA
LYFGENIA (lovotibeglogene autotemcel)	l-glutamine	
	SIKLOS (hydroxyurea)	
SKELETAL MUSCLE RELAXANTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
baclofen 5 mg, 10 mg, 20 mg tablet	AMRIX (cyclobenzaprine)	Quantity Limit • 84 tablets/180 days: carisoprodol
chlorthalidone	ATMEKSI (methocarbamol suspension)	Non-Preferred Criteria • Documented diagnosis of an approvable indication AND • Have tried 2 different preferred agents in the past 6 months
cyclobenzaprine 5 mg, 10 mg tablet	baclofen 15 mg tablet	
methocarbamol	baclofen suspension	
tizanidine tablet	carisoprodol	Baclofen granules, solution, and suspension • Require clinical review.
	carisoprodol/aspirin	
	cyclobenzaprine 7.5 mg tablet	Carisoprodol • Documented diagnosis of acute musculoskeletal condition AND • No history with meprobamate in the past 105 days AND • History of 1 claim for cyclobenzaprine in the past 21 days
	cyclobenzaprine ER	
	DANTRIUM (dantrolene)	
	dantrolene	
	FEXMID (cyclobenzaprine)	

	FLEQSUVY (baclofen)	AMRIX, ATMEKSI, cyclobenzaprine ER, metaxalone 640 mg, ONTRALFY, TANLOR, and tizanidine capsules <ul style="list-style-type: none"> Requires clinical review
	LORZONE (chlorzoxazone)	
	LYVISPAH (baclofen)	
	metaxalone	
	NORGESIC (orphenadrine/aspirin/caffeine)	
	NORGESIC FORTE (orphenadrine/aspirin/caffeine)	
	ONTRALFY (tizanidine)	
	orphenadrine	
	orphenadrine/aspirin/caffeine	
	ORPHENGESIC FORTE (orphenadrine/aspirin/caffeine)	
	SOMA (carisoprodol)	
	TANLOR (methocarbamol)	
	tizanidine capsule	
	ZANAFLEX (tizanidine)	

SMOKING DETERRENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NICOTINE TYPE		Minimum Age Limit <ul style="list-style-type: none"> 18 years: CHANTIX Quantity Limit <ul style="list-style-type: none"> 336 tablets/year: CHANTIX 0.5 mg tabs, 1 mg tabs, and continuing pack 2 treatment courses/year: CHANTIX Starter Pack
nicotine gum ^{OTC}	NICOTROL INHALER CARTRIDGE	
nicotine lozenge ^{OTC}	NICOTROL NASAL SPRAY	
nicotine patch ^{OTC}		
NON-NICOTINE TYPE		
bupropion SR		
CHANTIX (varenicline)		
varenicline		

STEROIDS (TOPICAL) ^{DUR+}

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOW POTENCY		Non-Preferred Criteria <ul style="list-style-type: none"> Low Potency <ul style="list-style-type: none"> Have tried 2 different preferred low potency agents in the past 6 months Medium Potency <ul style="list-style-type: none"> Have tried 2 different preferred medium potency agents in the past 6 months High Potency <ul style="list-style-type: none"> Have tried 2 different preferred high potency agents in the past 6 months Very High Potency <ul style="list-style-type: none"> Have tried 2 different preferred very high potency agents in the past 6 months MICORT-HC <ul style="list-style-type: none"> Requires clinical review. Clobetasol 0.025% <ul style="list-style-type: none"> Requires clinical review.
alclometasone	fluocinolone	
DERMA-SMOOTHIE-FS (fluocinolone)	hydrocortisone gel, lotion	
desonide	HYDROXYM (hydrocortisone)	
hydrocortisone cream, ointment, solution	MICORT-HC (hydrocortisone)	
	PROCTOCORT (hydrocortisone)	
MEDIUM POTENCY		
fluticasone	BESER (fluticasone)	
mometasone	CAPEX (fluocinolone)	
PANDEL (hydrocortisone probutate)	clocortolone	
prednicarbate cream	CLODERM (clocortolone)	

	flurandrenolide	
	fluticasone lotion	
	LOCOID (hydrocortisone butyrate)	
	prednicarbate ointment	
	SYNALAR (fluocinolone)	
HIGH POTENCY		
betamethasone dipropionate cream, lotion	amcinonide	
betamethasone dipropionate augmented	betamethasone dipropionate ointment	
betamethasone valerate	desoximetasone	
fluocinolone	diflorasone	
fluocinonide	Halcinonide	
fluocinonide-E	HALOG (halcinonide)	
triamcinolone cream, ointment, lotion	KENALOG (triamcinolone)	
	TOPICORT (desoximetasone)	
	triamcinolone spray	
VERY HIGH POTENCY		
clobetasol cream, foam, gel, ointment, shampoo, solution	APEXICON E (diflorasone)	
clobetasol-E	clobetasol emulsion	
halobetasol cream and ointment	clobetasol 0.025% cream	
	CLOBEX (clobetasol)	
	CLODAN (clobetasol)	
	DIPROLENE (betamethasone)	
	halobetasol foam and lotion	
	IMPEKLO (clobetasol)	
	IMPOYZ (clobetasol) 0.025% cream	
	LEXETTE (halobetasol)	
	OLUX (clobetasol)	
	TEMOVATE (clobetasol)	
	TOVET (clobetasol)	
	ULTRAVATE (halobetasol)	
STIMULANTS AND RELATED AGENTS ^{DUR+}		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SHORT-ACTING		
dexmethylphenidate	ADDERALL (dextroamphetamine/amphe tamine)	Minimum Age Limit <ul style="list-style-type: none"> • 3 years: ADDERALL, EVEKEO, PROCENTRA, ZENZEDI • 6 years: ADDERALL XR, ADHANSIA XR, ADZENYS ER SUSPENSION, ADZENYS XR ODT, APTENSIO XR, ARYN TA, atomoxetine, AZSTARYS, clonidine ER, CONCERTA ER, COTEMPLA XR ODT, DAYTRANA, DESOXYN, DEXEDRINE, DYANA VEL XR, EVEKEO ODT, FOCALIN, FOCALIN XR, JORNAY PM, METADATE CD, METHYLIN, ONYDA XR, QELBREE, QUILLICHEW, QUILLIVANT XR, RELEXXII ER, RITALIN LA, VYVANSE, WAKIX, XELSTRYM • 7 years: XYREM • 13 years: MYDAYIS • 16 years: modafinil
dextroamphetamine	amphetamine	
dextroamphetamine/amphe tamine	EVEKEO (amphetamine)	
methylphenidate tablet, solution	dextroamphetamine solution	

PROCENTRA (dextroamphetamine)	EVEKEO ODT (amphetamine)	<ul style="list-style-type: none"> • 18 years: armodafinil, SUNOSI 	
	FOCALIN (dexmethylphenidate)		<ul style="list-style-type: none"> • Maximum Age Limit • 18 years: clonidine ER, COTEMPLA XR ODT, DAYTRANA, EVEKEO ODT, guanfacine ER
	methamphetamine		
	METHYLN (methylphenidate)		<ul style="list-style-type: none"> • Quantity Limit Stimulants (per 31 days)
	methylphenidate chewable tablet		<ul style="list-style-type: none"> • 31 tablets: ADDERALL XR, ADHANSIA XR, ADZENYS XR ODT, APTENSIO XR, AZSTARYS, CONCERTA ER 18, 27, & 54 mg, COTEMPLA XR-ODT 8.6 mg, DAYTRANA, DEXEDRINE Spansule, DYANAVEL XR Tablet, FOCALIN XR, JORNAY PM, METADATE CD, METHYLN ER, MYDAYIS 37.5 mg & 50 mg, QUILLICHEW, RELEXXII ER, RITALIN LA & SR, VYVANSE, XELSTRYM
	RITALIN (methylphenidate)		<ul style="list-style-type: none"> • 62 tablets: ADDERALL, CONCERTA ER 36 mg, COTEMPLA XR-ODT 17.3 & 25.9 mg, DESOXYN, EVEKEO, FOCALIN, METHYLN, RITALIN, ZENZEDI
	ZENZEDI (dextroamphetamine)		<ul style="list-style-type: none"> • 248 mL: DYANAVEL XR Suspension • 310 mL: METHYLN, PROCENTRA • 372 mL: QUILLIVANT XR
LONG-ACTING			
ADDERALL XR (dextroamphetamine/amphe tamine)	ADZENYS XR ODT (amphetamine)		<ul style="list-style-type: none"> • Quantity Limit Narcolepsy (per 31 days)
CONCERTA (methylphenidate)	amphetamine ER ODT (generic ADZENYS XR ODT)		<ul style="list-style-type: none"> • 31 tablets: armodafinil 150, 200 & 250 mg, modafinil 200 mg, SUNOSI • 46.5 tablets: modafinil 100 mg • 62 tablets: armodafinil 50 mg, WAKIX
dexmethylphenidate ER	APTENSIO XR (methylphenidate)		<ul style="list-style-type: none"> • Quantity Limit Non-Stimulants (per 31 days)
dextroamphetamine ER	ARYNTA (lisdexamfetamine) solution ^{NR}		<ul style="list-style-type: none"> • 31 tablets: atomoxetine, guanfacine ER • 93 tablets: QELBREE 200 mg • 124 tablets: clonidine ER • 1 bottle (30 mL or 60 mL): ONYDA XR Suspension
dextroamphetamine/amphe tamine ER (generic ADDERALL XR)	AZSTARYS (serdexmethylphenidate/dex methylphenidate)		<ul style="list-style-type: none"> • ARYNTA • Requires clinical review
DYANAVEL XR (amphetamine) suspension	COTEMPLA XR ODT (methylphenidate)		
lisdexamfetamine	DAYTRANA (methylphenidate)		
methylphenidate CD	DEXEDRINE (dextroamphetamine)		
methylphenidate ER tablet	dextroamphetamine/amphet amine ER (generic MYDAYIS ER)		
methylphenidate LA	DYANAVEL XR (amphetamine) tablets		
QUILLICHEW ER (methylphenidate)	FOCALIN XR (dexmethylphenidate)		
QUILLIVANT XR (methylphenidate)	JORNAY PM (methylphenidate)		
VYVANSE (lisdexamfetamine) capsules	methylphenidate patch		
	methylphenidate ER capsule		
	MYDAYIS (dextroamphetamine/amphe tamine)		
	RELEXXII (methylphenidate)		
	RITALIN LA (methylphenidate)		
	VYVANSE (lisdexamfetamine) chewable tablets		

	XELSTRYM (dextroamphetamine)	
NARCOLEPSY		
armodafinil	NUVIGIL (armodafinil)	
modafinil	PROVIGIL (modafinil)	
SUNOSI (solriamfetol)	sodium oxybate	
XYREM (sodium oxybate)	WAKIX (pitolisant)	
	XYWAV (calcium/magnesium/potassium/sodium oxybate)	
NON-STIMULANTS		
atomoxetine	INTUNIV (guanfacine)	
clonidine ER (generic Kapvay only)	ONYDA XR (clonidine)	
guanfacine ER	STRATTERA (atomoxetine)	
QELBREE (viloxazine)		
<p>Non-Preferred Short Acting Criteria</p> <p>ADD/ADHD</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Short Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days <p>Narcolepsy: ADDERALL, EVEKEO, METHYLIN, PROCENTRA, RITALIN, ZENZEDI</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 preferred agent indicated for narcolepsy in the past 6 months OR • Have tried 1 claim for a 30-day supply with the requested agent in the past 105 days 		<p>Non-Preferred Long Acting Criteria</p> <p>ADD/ADHD</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD AND • Have tried 2 different preferred Long-Acting agents in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days <p>Narcolepsy: ADDERALL XR, APTENSIO XR, CONCERTA ER, DEXEDRINE, METADATE CD, METHYLIN ER, MYDAYIS, NUVIGIL, PROVIGIL, QUILLICHEW, QUILLIVANT XR, RITALIN LA</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy AND • 30 days of therapy with preferred modafinil or armodafinil in the past 6 months AND • 1 different preferred agent indicated for narcolepsy in the past 6 months OR • 1 claim for a 30-day supply with the requested agent in the past 105 days
<p>Armodafinil</p> <ul style="list-style-type: none"> • Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, or bipolar depression <p>Atomoxetine</p> <ul style="list-style-type: none"> • Age ≥ 21 years AND • Documented diagnosis of ADD/ADHD <p>Clonidine ER</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD <p>Guanfacine ER</p> <ul style="list-style-type: none"> • Documented diagnosis of ADD/ADHD <p>JORNAY PM</p>	<p>QELBREE 100 mg</p> <ul style="list-style-type: none"> • Quantity of 1 per day AND • Documented diagnosis of ADD/ADHD AND • No history of a different strength of QELBREE in the past 26 days AND • 30 days of therapy with a preferred ADHD agent in the past 105 days OR • 30 days of therapy with QELBREE in the past 105 days <p>QELBREE 150 mg</p> <ul style="list-style-type: none"> • Quantity of ≤ 2 per day AND • Documented diagnosis of ADD/ADHD AND • No history of a different strength of QELBREE in the past 26 days AND • 30 days of therapy with a preferred ADHD agent in the past 105 days OR • 30 days of therapy with QELBREE in the past 105 days 	

- Diagnosis of ADD/ADHD **AND**
- History of 84 days of therapy with 2 different preferred LA methylphenidate products in the past 12 months **AND**
- History of 84 days of therapy with 1 preferred non-methylphenidate LA stimulant in the past 12 months **OR**
- History of 84 days of therapy with JORNAY PM in the past 105 days

Modafinil

- Documented diagnosis of narcolepsy, obstructive sleep apnea, shift work sleep disorder, depression, sleep deprivation or Steinert Myotonic Dystrophy Syndrome

ONYDA XR MANUAL PA

QELBREE 200 mg

- Age 18 years and older **AND**
- Quantity of ≤ 3 per day **AND**
- Documented diagnosis of ADD/ADHD **AND**
- No history of a different strength of QELBREE in the past 26 days **AND**
- 30 days of therapy with a preferred ADHD agent in the past 105 days **OR**
- Age 6-17 years **AND**
- Quantity of ≤ 2 tablets per day **AND**
- Documented diagnosis of ADD/ADHD **AND**
- No history of a different strength of Qelbree in the past 26 days **AND**
- 30 days of therapy with a preferred ADHD agent in the past 105 days **OR**
- 30 days of therapy with QELBREE in the past 105 days

SUNOSI

- Documented diagnosis of narcolepsy or obstructive sleep apnea **AND**
- 30 days of therapy with preferred modafinil or armodafinil in the past 6 months

VYVANSE

- Documented diagnosis of binge eating disorder or ADD/ADHD **OR**
- 90 days of therapy with Vyvanse in the past 105 days

WAKIX

- Requires clinical review

XYREM

- Diagnosis of narcolepsy or excessive daytime sleepiness **OR**
- 30 days of therapy with this agent in the past 105 days

XYWAV

- Requires clinical review

TETRACYCLINES DUR+

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
doxycycline hyclate	demeclocycline	<p>Non-Preferred Agents</p> <ul style="list-style-type: none"> • Have tried 2 different preferred agents in the past 6 months <p>Demeclocycline</p> <ul style="list-style-type: none"> • Documented diagnosis of Syndrome of Inappropriate Antidiuretic Hormone Secretion (SIADH) will allow for automatic approval <p>ORACEA</p> <ul style="list-style-type: none"> • Requires clinical review
doxycycline monohydrate capsule	DORYX (doxycycline hyclate)	
minocycline capsule	DORYX MPC (doxycycline hyclate)	
tetracycline capsule	doxycycline hyclate DR	
	doxycycline IR/DR	
	doxycycline monohydrate suspension, tablet	
	LYMEPAK (doxycycline hyclate)	
	MINOCIN (minocycline)	
	minocycline tablet	
	minocycline ER	
	MINOLIRA ER (minocycline)	
	MORGIDOX (doxycycline hyclate)	
	NUZYRA (omadacycline)	

	ORACEA (doxycycline monohydrate)	
	SOLODYN (minocycline)	
	tetracycline tablet	
ULCERATIVE COLITIS & CROHN'S AGENTS ^{DUR+} *See Cytokine & CAM Antagonists Class for Additional Agents*		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ORAL		<p>Non-Preferred Criteria</p> <ul style="list-style-type: none"> • Documented diagnosis of Ulcerative Colitis AND • Have tried 2 different preferred agents in the past 6 months OR • 90 days of therapy with the requested agent in the past 105 days <p>VELSIPITY</p> <ul style="list-style-type: none"> • Requires clinical review
balsalazide	AZULFIDINE (sulfasalazine)	
budesonide	DELZICOL (mesalamine)	
PENTASA (mesalamine)	DIPENTUM (olsalazine)	
sulfasalazine	LIALDA (mesalamine)	
sulfasalazine DR	mesalamine	
	mesalamine DR, mesalamine ER	
	VELSIPITY (etrasimod)	
RECTAL		
mesalamine suppository	budesonide	
	CANASA (mesalamine)	
	mesalamine enema	
	ROWASA (mesalamine)	
	SFROWASA (mesalamine)	
UREA CYCLE DISORDER AGENTS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CARBAGLU (carglumic acid)	BUPHENYL (sodium phenylbutyrate)	
	carglumic acid	
	glycerol phenylbutyrate	
	OLPRUVA (sodium phenylbutyrate)	
	PHEBURANE (sodium phenylbutyrate)	
	RAVICTI (glycerol phenylbutyrate)	